

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Industrial networks –  
Wireless communication network and communication profiles – ISA 100.11a**

**Réseaux industriels –  
Réseau de communication sans fil et profils de communication – ISA 100.11a**

[IEC 62734:2014](#)

<https://standards.iteh.ai/catalog/standards/iec/e3410d64-617c-4d43-a846-4ea895498966/iec-62734-2014>





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 62734

Edition 1.1 2019-07  
CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Industrial networks –**  
**Wireless communication network and communication profiles – ISA 100.11a**

**Réseaux industriels –**  
**Réseau de communication sans fil et profils de communication – ISA 100.11a**

IEC 62734:2014

<https://standards.iteh.ai/catalog/standards/iec/e3410d64-617c-4d43-a846-4ea895498966/iec-62734-2014>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.160.60; 33.170

ISBN 978-2-8322-7238-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



## REDLINE VERSION

## VERSION REDLINE



**Industrial networks –**  
**Wireless communication network and communication profiles – ISA 100.11a**

**Réseaux industriels –**  
**Réseau de communication sans fil et profils de communication – ISA 100.11a**

[IEC 62734:2014](#)

<https://standards.iteh.ai/catalog/standards/iec/e3410d64-617c-4d43-a846-4ea895498966/iec-62734-2014>



## CONTENTS

FOREWORD.....	21
0 Introduction .....	23
0.1 General.....	23
0.2 Document structure.....	23
0.3 Potentially relevant patents.....	23
1 Scope.....	25
2 Normative references .....	25
3 Terms, definitions, abbreviated terms, acronyms, and conventions.....	26
3.1 Terms and definitions.....	26
3.2 Abbreviated terms and acronyms .....	55
3.3 Conventions.....	61
4 Overview .....	63
4.1 General.....	63
4.2 Interoperability and related issues .....	63
4.3 Quality of service .....	64
4.4 Worldwide applicability .....	64
4.5 Network architecture .....	64
4.6 Network characteristics.....	70
5 System .....	78
5.1 General.....	78
5.2 Devices.....	78
5.3 Networks .....	86
5.4 Protocol suite structure .....	96
5.5 Data flow .....	97
5.6 Time reference.....	104
5.7 Firmware upgrades .....	105
5.8 Wireless backbones and other infrastructures.....	105
6 System management role .....	105
6.1 General.....	105
6.2 DMAP .....	107
6.3 System manager.....	131
7 Security.....	188
7.1 General.....	188
7.2 Security services .....	189
7.3 PDU security.....	194
7.4 Joining process.....	227
7.5 Session establishment .....	259
7.6 Key update .....	265
7.7 Functionality of the security manager role.....	271
7.8 Security policies.....	273
7.9 Security functions available to the AL .....	276
7.10 Security statistics collection, threat detection, and reporting .....	279
7.11 DSMO functionality .....	280
8 Physical layer.....	287
8.1 General.....	287

8.2	Default physical layer.....	288
9	Data-link layer.....	289
9.1	General.....	289
9.2	DDSAP.....	359
9.3	Data DPDU and ACK/NAK DPDU.....	362
9.4	DL management information base.....	390
9.5	DLE methods.....	440
9.6	DL alerts.....	442
10	Network layer.....	445
10.1	General.....	445
10.2	NL functionality overview.....	445
10.3	NLE data services.....	465
10.4	NL management object.....	468
10.5	NPDU formats.....	476
11	Transport layer.....	484
11.1	General.....	484
11.2	TLE reference model.....	485
11.3	Transport security entity.....	485
11.4	Transport data entity.....	486
11.5	TPDU encoding.....	491
11.6	TL model.....	493
12	Application layer.....	503
12.1	General.....	503
12.2	Energy considerations.....	504
12.3	Legacy control system considerations.....	504
12.4	Overview of object-oriented modeling.....	505
12.5	Object model.....	507
12.6	Object attribute model.....	508
12.7	Method model.....	510
12.8	Alert model.....	511
12.9	Alarm state model.....	511
12.10	Event state model.....	512
12.11	Alert reporting.....	513
12.12	Communication interaction model.....	515
12.13	AL addressing.....	525
12.14	Management objects.....	528
12.15	User objects.....	529
12.16	Data types.....	562
12.17	Application services provided by application sublayer.....	569
12.18	AL flow use of lower layer services.....	605
12.19	AL management.....	606
12.20	Process control industry standard data structures.....	624
12.21	Additional tables.....	627
12.22	Coding.....	628
12.23	Syntax.....	652
12.24	Detailed coding examples (informative).....	664
13	Provisioning.....	665
13.1	General.....	665

13.2 Terms and definitions for devices with various roles or states ..... 665

13.3 Provisioning procedures..... 667

13.4 Pre-installed symmetric keys ..... 667

13.5 Provisioning using out-of-band mechanisms ..... 668

13.6 Provisioning networks ..... 668

13.7 State transition diagrams ..... 671

13.8 Device management application protocol objects used during provisioning ..... 675

13.9 Management objects..... 678

13.10 Device provisioning service object ..... 684

13.11 Provisioning functions (informative) ..... 692

Annex A (informative) User layer/application profiles ..... 696

Annex B (normative) Communication role profiles ..... 698

Annex C (informative) Background information ..... 710

Annex D (normative) Configuration defaults ..... 716

Annex E (informative) Use of backbone networks ..... 723

Annex F (normative) Basic security concepts – Notation and representation ..... 726

Annex G (informative) Using certificate chains for over-the-air provisioning ..... 727

Annex H (normative) Security building blocks ..... 728

Annex I (informative) Definition templates..... 738

Annex J (informative) Operations on attributes..... 743

Annex K (normative) Standard object types ..... 748

Annex L (informative) Standard data types ..... 753

Annex M (normative) Identification of tunneled legacy fieldbus protocols ..... 755

Annex N (informative) Tunneling and native object mapping ..... 756

Annex O (informative) Generic protocol translation ..... 758

Annex P (informative) Exemplary GIAP adaptations for this standard..... 762

Annex Q (informative) Exemplary GIAP adaptations for IEC 62591 ..... 767

Annex R (informative) Host system interface to standard-compliant devices via a gateway ..... 776

Annex S (informative) Symmetric-key operation test vectors ..... 782

Annex T (informative) Data-link and network headers for join requests ..... 785

Annex U (informative) Gateway role..... 787

Annex V (informative) Compliance with ETSI EN 300 328-v1.8.1 v2.1.1 ..... 855

Bibliography..... 860

  

Figure 1 – Standard-compliant network ..... 66

Figure 2 – Typical single-layer PDU without fragmenting or blocking..... 68

Figure 3 – Full multi-layer PDU structure used by this standard ..... 68

Figure 4 – Physical devices versus roles ..... 81

Figure 5 – Notional representation of device phases ..... 85

Figure 6 – Simple star topology ..... 87

Figure 7 – Simple hub-and-spoke topology ..... 88

Figure 8 – Mesh topology..... 89

Figure 9 – Simple star-mesh topology ..... 90

Figure 10 – Example where network and D-subnet overlap ..... 91



Figure 11 – Example where network and D-subnet differ.....	92
Figure 12 – Network with multiple gateways.....	93
Figure 13 – Basic network with backup gateway .....	94
Figure 14 – Network with backbone .....	95
Figure 15 – Network with backbone – Device roles .....	96
Figure 16 – Reference model used by this standard.....	97
Figure 17 – Basic data flow.....	98
Figure 18 – Data flow between I/O devices .....	99
Figure 19 – Data flow with legacy I/O device.....	100
Figure 20 – Data flow with backbone-resident device.....	101
Figure 21 – Data flow between I/O devices via backbone subnet .....	102
Figure 22 – Data flow to standard-aware control system .....	103
Figure 23 – Management architecture.....	106
Figure 24 – DMAP .....	109
Figure 25 – Example of management SAP flow through standard protocol suite.....	111
Figure 26 – System manager architecture concept.....	132
Figure 27 – UAP-system manager interaction during contract establishment.....	154
Figure 28 – Contract-related interaction between DMO and SCO.....	157
Figure 29 – Contract source, destination, and intermediate devices.....	170
Figure 30 – Contract establishment example.....	180
Figure 31 – Contract ID usage in source .....	181
Figure 32 – Contract termination.....	185
Figure 33 – Contract modification with immediate effect.....	187
Figure 34 – Examples of DPDU and TPDU scope .....	189
Figure 35 – Keys and associated lifetimes .....	191
Figure 36 – Key lifetimes .....	193
Figure 37 – DPDU structure .....	196
Figure 38 – DLE and DLS processing for a D-transaction initiator .....	197
Figure 39 – Received DPDUs – DLE and DSC.....	199
Figure 40 – TPDU structure and protected coverage.....	212
Figure 41 – TMIC parameters .....	212
Figure 42 – TL and TSC interaction, outgoing TPDU.....	214
Figure 43 – TL and TSC interaction, incoming TPDU .....	215
Figure 44 – Example: Overview of the symmetric-key joining process .....	232
Figure 45 – Example: Overview of the symmetric-key joining process of a backbone device.....	233
Figure 46 – Asymmetric-key-authenticated key agreement scheme.....	243
Figure 47 – Example: Overview of the asymmetric-key joining process for a device with a DL.....	246
Figure 48 – Example: Overview of the asymmetric-key joining process of a backbone device.....	247
Figure 49 – Device state transitions for joining process and device lifetime .....	259
Figure 50 – High-level example of session establishment .....	260
Figure 51 – Key update protocol overview.....	265

Figure 52 – Device key establishment and key update state transition .....	271
Figure 53 – DL protocol suite and PhPDU/DPDU structure.....	291
Figure 54 – Graph routing example .....	294
Figure 55 – Inbound and outbound graphs .....	296
Figure 56 – Slotted-channel-hopping .....	300
Figure 57 – Slow-channel-hopping .....	301
Figure 58 – Hybrid operation.....	301
Figure 59 – Radio spectrum usage .....	302
Figure 60 – Predefined channel-hopping-pattern1 .....	304
Figure 61 – Two groups of DLEs with different channel-hopping-pattern-offsets.....	305
Figure 62 – Interleaved channel-hopping-pattern1 with sixteen different channel-hopping-pattern-offsets .....	306
Figure 63 – Example timeslot allocation for slotted-channel-hopping.....	307
Figure 64 – Example timeslot allocation for slow-channel-hopping .....	308
Figure 65 – Hybrid mode with slotted-channel-hopping and slow-channel-hopping.....	309
Figure 66 – Combining slow-channel-hopping and slotted-channel-hopping .....	309
Figure 67 – Example of a three-timeslot superframe and how it repeats.....	310
Figure 68 – Superframes and links.....	310
Figure 69 – Multiple superframes with aligned timeslots.....	311
Figure 70 – Example superframe for slotted-channel-hopping .....	315
Figure 71 – Example superframe for slow-channel-hopping .....	316
Figure 72 – Components of a slow-channel-hopping superframe.....	316
Figure 73 – Example configuration for avoiding collisions among routers .....	317
Figure 74 – Hybrid configuration .....	318
Figure 75 – Timeslot allocation and message queue .....	320
Figure 76 – 250 ms alignment intervals.....	323
Figure 77 – Timeslot durations and timing.....	324
Figure 78 – Clock source acknowledges receipt of a Data DPDU .....	329
Figure 79 – Transaction timing attributes .....	331
Figure 80 – Dedicated and shared transaction timeslots .....	332
Figure 81 – Unicast transaction .....	333
Figure 82 – PDU wait time (PWT) .....	336
Figure 83 – Duocast support in the standard.....	337
Figure 84 – Duocast transaction .....	338
Figure 85 – Shared timeslots with active CSMA/CA .....	339
Figure 86 – Transaction during slow-channel-hopping periods .....	340
Figure 87 – DL management SAP flow through standard protocol suite.....	343
Figure 88 – PhPDU and DPDU structure .....	362
Figure 89 – Typical ACK/NAK DPDU layout .....	372
Figure 90 – Relationship among DLMO indexed attributes .....	412
Figure 91 – Address translation process .....	448
Figure 92 – Fragmentation process.....	450
Figure 93 – Reassembly process .....	451

Figure 94 – Processing of an NSDU received from a TLE .....	453
Figure 95 – Processing of a received NPDU .....	454
Figure 96 – Processing of a NPDU received by a NLE from the backbone .....	456
Figure 97 – Delivery of a received NPDU at its final destination NLE .....	457
Figure 98 – Routing from a field device direct to a field-connected gateway without backbone routing .....	458
Figure 99 – Protocol suite diagram for routing from a field device direct to a field-connected gateway without backbone routing .....	459
Figure 100 – Routing an NPDU from a field device to a gateway via a backbone router .....	460
Figure 101 – Protocol suite diagram for routing an APDU from a field device to a gateway via a backbone router .....	461
Figure 102 – Routing from a field device on one D-subnet to another field device on a different D-subnet .....	462
Figure 103 – Protocol suite diagram for routing from an I/O device on one D-subnet to another I/O device on a different D-subnet.....	463
Figure 104 – Example of routing over an Ethernet backbone network .....	464
Figure 105 – Example of routing over a fieldbus backbone network .....	465
Figure 106 – Distinguishing between NPDU header formats .....	477
Figure 107 – TLE reference model.....	485
Figure 108 – UDP pseudo-header for IPv6.....	487
Figure 109 – TPDU structure .....	491
Figure 110 – User application objects in a UAP .....	506
Figure 111 – Alarm state model .....	512
Figure 112 – Event model .....	513
Figure 113 – A successful example of multiple outstanding requests, with response concatenation .....	518
Figure 114 – An example of multiple outstanding unordered requests, with second write request initially unsuccessful .....	519
Figure 115 – An example of multiple outstanding ordered requests, with second write request initially unsuccessful .....	520
Figure 116 – Send window example 1, with current send window smaller than maximum send window .....	522
Figure 117 – Send window example 2, with current send window the same size as maximum send window, and non-zero usable send window width .....	522
Figure 118 – Send window example 3, with current send window the same size as maximum send window, and usable send window width of zero .....	523
Figure 119 – General addressing model.....	525
Figure 120 – UAP management object state diagram.....	532
Figure 121 – Alert report reception state diagram .....	534
Figure 122 – Alert-reporting example .....	534
Figure 123 – UploadDownload object download state diagram .....	551
Figure 124 – UploadDownload object upload state diagram .....	551
Figure 125 – Publish sequence of service primitives .....	572
Figure 126 – Client/server model two-part interactions.....	577
Figure 127 – Client/server model four-part interactions: Successful delivery .....	577
Figure 128 – Client/server model four-part interactions: Request delivery failure .....	578

Figure 129 – Client/server model four-part interactions: Response delivery failure..... 578

Figure 130 – AlertReport and AlertAcknowledge, delivery success..... 593

Figure 131 – AlertReport, delivery failure ..... 593

Figure 132 – AlertReport, acknowledgment failure ..... 594

Figure 133 – Concatenated response for multiple outstanding write requests (no message loss) ..... 601

Figure 134 – Management and handling of malformed APDUs received from device X ..... 607

Figure 135 – The provisioning network..... 669

Figure 136 – State transition diagrams outlining provisioning steps during a device lifecycle ..... 671

Figure 137 – State transition diagram showing various paths to joining a secured network..... 674

Figure 138 – Provisioning objects and interactions ..... 676

Figure C.1 – OSI Basic Reference Model..... 712

Figure O.1 – Generic protocol translation publish diagram ..... 758

Figure O.2 – Generic protocol translation subscribe diagram ..... 759

Figure O.3 – Generic protocol translation client/server transmission diagram..... 760

Figure O.4 – Generic protocol translation client/server reception diagram ..... 761

Figure R.1 – Host integration reference model ..... 776

Figure R.2 – Configuration using an electronic device definition..... 778

Figure R.3 – Configuration using FDT/DTM approach ..... 779

Figure U.1 – Gateway scenarios ..... 789

Figure U.2 – Basic gateway model..... 790

Figure U.3 – Internal sequence of primitives for session interface..... 794

Figure U.4 – Internal sequence of primitives for lease management interface ..... 794

Figure U.5 – Internal sequence of primitives for system report interfaces..... 795

Figure U.6 – Internal sequence of primitives for time interface ..... 795

Figure U.7 – Internal sequence of primitives for client/server interface initiated from gateway to an adapter device ..... 796

Figure U.8 – Internal sequence of primitives for publish interface initiated from gateway to an adapter device ..... 796

Figure U.9 – Internal sequence of primitives for subscribe interface initiated from an adapter device ..... 797

Figure U.10 – Internal sequence of primitives for publisher timer initiated from gateway to an adapter device ..... 797

Figure U.11 – Internal sequence of primitives for subscriber timers initiated from an adapter device ..... 797

Figure U.12 – Internal sequence of primitives for the bulk transfer interface ..... 798

Figure U.13 – Internal sequence of primitives for the alert subscription interface ..... 798

Figure U.14 – Internal sequence of primitives for the alert notification interface ..... 799

Figure U.15 – Internal sequence of primitives for gateway management interfaces ..... 799

Figure U.16 – Tunnel object model ..... 835

Figure U.17 – Distributed tunnel endpoints ..... 836

Figure U.18 – Multicast, broadcast, and one-to-many messaging..... 837

Figure U.19 – Tunnel object buffering ..... 838

Figure U.20 – Publish/subscribe publisher CoSt flowchart..... 841

Figure U.21 – Publish/subscribe publisher periodic flowchart .....	841
Figure U.22 – Publish/subscribe subscriber common periodic and CoSt flowchart.....	842
Figure U.23 – Network address mappings.....	843
Figure U.24 – Connection_Info usage in protocol translation.....	844
Figure U.25 – Transaction_Info usage in protocol translation .....	845
Figure U.26 – Interworkable tunneling mechanism overview diagram.....	846
Figure U.27 – Bulk transfer model.....	849
Figure U.28 – Alert model .....	850
Figure U.29 – Alert cascading.....	851
Figure U.30 – Native publish/subscribe and client/server access .....	852
Table 1 – Standard management object types in DMAP .....	109
Table 2 – Metadata_attribute data structure.....	112
Table 3 – Alert types for communication diagnostic category .....	114
Table 4 – Alert types for security alert category .....	114
Table 5 – Alert types for device diagnostic alert category.....	114
Table 6 – Alert types for process alert category .....	114
Table 7 – ARMO attributes (1 of 3) .....	116
Table 8 – ARMO alerts .....	119
Table 9 – Alarm_Recovery method .....	120
Table 10 – DMO attributes (1 of 8).....	122
Table 11 – DMO alerts .....	130
Table 12 – System management object types .....	133
Table 13 – DSO attributes.....	135
Table 14 – Address_Translation_Row data structure .....	136
Table 15 – Read_Address_Row method .....	136
Table 16 – Input argument usage for Read_Address_Row method .....	138
Table 17 – Output argument usage for Read_Address_Row method.....	138
Table 18 – Attributes of SMO in system manager.....	140
Table 19 – Proxy_System_Manager_Join method.....	142
Table 20 – Proxy_System_Manager_Contract method .....	144
Table 21 – Effect of different join commands on attribute sets .....	146
Table 22 – Attributes of DMSO in the system manager .....	146
Table 23 – System_Manager_Join method.....	147
Table 24 – System_Manager_Contract method.....	149
Table 25 – Attributes of STSO in the system manager .....	153
Table 26 – Attributes of SCO in the system manager .....	156
Table 27 – SCO method for contract establishment, modification, or renewal (1 of 8) .....	160
Table 28 – Input argument usage for SCO method for contract establishment, modification, or renewal.....	168
Table 29 – Output argument usage for SCO method for contract establishment, modification, or renewal.....	169
Table 30 – Contract_Data data structure (1 of 3) .....	172
Table 31 – New_Device_Contract_Response data structure (1 of 2).....	176

Table 32 – SCO method for contract termination, deactivation and reactivation ..... 183

Table 33 – DMO method to notify of contract termination ..... 184

Table 34 – DMO method to notify of contract modification ..... 186

Table 35 – Security levels ..... 194

Table 36 – Structure of the security control field ..... 194

Table 37 – Sec.DpduPrep.Request elements ..... 200

Table 38 – Sec.DpduPrep.Response elements ..... 201

Table 39 – Sec.DAckCheck.Request elements ..... 202

Table 40 – Sec.DAckCheck.Response elements ..... 203

Table 41 – Sec.DInitialCheck.Request elements ..... 204

Table 42 – Sec.DInitialCheck.Response elements ..... 205

Table 43 – Sec.DAckPrep.Request elements ..... 205

Table 44 – Sec.DAckPrep.Response elements ..... 206

Table 45 – Structure of the WISN DPDU nonce ..... 207

Table 46 – Structure of the 32-bit truncated TAI time used in the D-nonce ..... 208

Table 47 – TSC pseudo-header structure ..... 213

Table 48 – Sec.TpduOutCheck.Request elements ..... 216

Table 49 – Sec.TpduOutCheck.Response elements ..... 216

Table 50 – Sec.TpduSecure.Request elements ..... 217

Table 51 – Sec.TpduSecure.Response elements ..... 218

Table 52 – Sec.TpduInCheck.Request elements ..... 219

Table 53 – Sec.TpduInCheck.Response elements ..... 220

Table 54 – Sec.TpduVerify.Request elements ..... 221

Table 55 – Sec.TpduVerify.Response elements ..... 222

Table 56 – Structure of TL security header ..... 222

Table 57 – Structure of the TPDU nonce ..... 223

Table 58 – Structure of 32-bit truncated nominal TAI time used in the T-nonce ..... 223

Table 59 – Proxy\_Security\_Sym\_Join method ..... 235

Table 60 – Security\_Sym\_Join method ..... 236

Table 61 – Security\_Confirm method ..... 236

Table 62 – Security\_Sym\_Join\_Request data structure ..... 237

Table 63 – Security\_Sym\_Join\_Response data structure ..... 238

Table 64 – Structure of compressed security level field ..... 239

Table 65 – Master key security level ..... 240

Table 66 – Security\_Sym\_Confirm data structure ..... 240

Table 67 – Implicit certificate format ..... 242

Table 68 – Usage\_serial\_number structure ..... 242

Table 69 – Proxy\_Security\_Pub\_Join method ..... 249

Table 70 – Security\_Pub\_Join method ..... 250

Table 71 – Proxy\_Security\_Pub\_Confirm method ..... 251

Table 72 – Security\_Pub\_Confirm method ..... 251

Table 73 – Network\_Information\_Confirmation method ..... 252

Table 74 – Format of asymmetric join request internal structure ..... 253

ITC Standards  
<https://standards.iteh.ai/>  
 Document Preview  
 342014  
 10d64-617c-4d43-a846-4ca895498966/iec-62734-2014