

Edition 1.0 2013-08

# INTERNATIONAL STANDARD



Industrial communication networks – Network and system security – Part 3-3: System security requirements and security levels

### **Document Preview**

IEC 62443-3-3:2013

11tps://standards.iteh.ai/catalog/standards/iec/c32e05fe-78a2-467e-a24d-0fc422289f55/iec-62443-3-3-2013





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **Useful links:**

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

EC 62443-3-3:2013

https://standards..teh.ai/catalog/standards/iec/c32e05fe-78a2-467e-a24d-0fc422289f55/iec-62443-3-3-2013



Edition 1.0 2013-08

# INTERNATIONAL STANDARD



Industrial communication networks – Network and system security – Part 3-3: System security requirements and security levels

### **Document Preview**

IEC 62443-3-3:2013

https://standards.iteh.ai/catalog/standards/iec/c32e05fe-78a2-467e-a24d-0fc422289f55/iec-62443-3-3-2013

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ICS 25.040.40; 35.110 ISBN 978-2-8322-1036-9

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

0	muro	duction	11
	0.1	Overview	11
	0.2	Purpose and intended audience	
	0.3	Usage within other parts of the IEC 62443 series	
1		e	
2	•	native references	
3		s, definitions, abbreviated terms, acronyms, and conventions	
	3.1	Terms and definitions	
	3.2	Abbreviated terms and acronyms	
	3.3	Conventions	
4		mon control system security constraints	
•	4.1	Overview	
	4.2	Support of essential functions	
	4.3	Compensating countermeasures	
	4.4	Least privilege	
5		- Identification and authentication control	
J			
	5.1 5.2	Purpose and SL-C(IAC) descriptions	24
	5.2 5.3		
	5.3	SR 1.1 – Human user identification and authentication	24
		5.3.2 Rationale and supplemental guidance	
	E 1	5.3.4 Security levels	
	5.4 tandar	SR 1.2 – Software process and device identification and authentication 5.4.1 Requirement	
		·	
		5.4.2 Rationale and supplemental guidance	
		5.4.3 Requirement enhancements	
	<i></i>	5.4.4 Security levels	
	5.5	SR 1.3 – Account management	
		5.5.1 Requirement	
		5.5.2 Rationale and supplemental guidance	
		5.5.3 Requirement enhancements	
	E G	5.5.4 Security levels	
	5.6	SR 1.4 – Identifier management	
		5.6.1 Requirement	
		5.6.2 Rationale and supplemental guidance	
		and the second s	
	<i>-</i> -	5.6.4 Security levels	
	5.7	SR 1.5 – Authenticator management	
		5.7.1 Requirement	
		5.7.2 Rationale and supplemental guidance	
		5.7.3 Requirement enhancements	
	5.8	5.7.4 Security levels	
		NET N - WITCHESS ACCESS MANAGEMENT	3()

5.8.3       Requirement enhancements       30         5.8       Security levels       30         5.9       SR 1.7 – Strength of password-based authentication       30         5.9.1       Requirement       30         5.9.2       Rationale and supplemental guidance       30         5.9.3       Requirement       31         5.9.4       Security levels       31         5.10.1       Requirement       31         5.10.2       Rationale and supplemental guidance       31         5.10.3       Requirement       32         5.10.4       Security levels       32         5.11.1       Requirement enhancements       32         5.11.1       Requirement enhancements       32         5.11.1       Requirement enhancements       33         5.12.1       Retionale and supplemental guidance       32         5.11.1       Requirement enhancements       33         5.12.1       Requirement enhancements       33         5.12.2       Rationale and supplemental guidance       33         5.12.3       Requirement enhancements       33         5.13.1       Requirement enhancements       34         5.13.2       Rationale and supplemental guidan					
5.8.4       Security levels       30         5.9.5       RR.1.7       Strength of password-based authentication       30         5.9.1       Requirement       30         5.9.2       Rationale and supplemental guidance       30         5.9.3       Requirement enhancements       31         5.9.4       Security levels       31         5.10       SR 1.8       Public key infrastructure (PKI) certificates       31         5.10.1       Requirement       31         5.10.2       Rationale and supplemental guidance       31         5.10.3       Requirement enhancements       32         5.10.4       Security levels       32         5.11.1       Requirement enhancements       32         5.11.2       Rationale and supplemental guidance       32         5.11.3       Requirement enhancements       33         5.12       Rationale and supplemental guidance       32         5.12.1       Requirement enhancements       33         5.12.2       Rationale and supplemental guidance       33         5.12.3       Requirement enhancements       33         5.13.1       Requirement enhancements       34         5.13.2       Rationale and supplemental guidance <td></td> <td></td> <td>5.8.2</td> <td></td> <td></td>			5.8.2		
5.9         SR 1.7 – Strength of password-based authentication         30           5.9.1         Requirement         30           5.9.2         Rationale and supplemental guidance         30           5.9.3         Requirement enhancements         31           5.9.4         Security levels         31           5.10.1         Requirement         31           5.10.1         Requirement enhancements         32           5.10.4         Security levels         32           5.11.5         SR 1.9 – Strength of public key authentication         32           5.11.1         Requirement enhancements         32           5.11.2         Rationale and supplemental guidance         32           5.11.1         Requirement enhancements         33           5.11.2         Requirement enhancements         33           5.12.1         Requirement enhancements         33           5.12.1         Requirement enhancements         33           5.12.2         Rationale and supplemental guidance         33           5.12.3         Requirement enhancements         33           5.13.1         Requirement enhancements         34           5.13.2         Rationale and supplemental guidance         34					
5.9.1 Requirement       30         5.9.2 Rationale and supplemental guidance       30         5.9.3 Requirement enhancements       31         5.9.4 Security levels       31         5.10 SR 1.8 – Public key infrastructure (PKI) certificates       31         5.10.1 Requirement       31         5.10.2 Rationale and supplemental guidance       31         5.10.3 Requirement enhancements       32         5.10.4 Security levels       32         5.11 SR 1.9 – Strength of public key authentication       32         5.11.1 Requirement       32         5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13.2 Requirement enhancements       34         5.13.3 Requirement enhancements       34         5.13.1 Requirement enhancements       34         5.13.2 Rationale and supplemental guidance       34         5.14.1 Requirement enhancements       34         5.14.2 Rationale and supplemental guidance				•	
5.9.2       Rationale and supplemental guidance       30         5.9.3       Requirement enhancements       31         5.9.4       Security levels       31         5.10       SR 1.8 – Public key infrastructure (PKI) certificates       31         5.10.1       Requirement       31         5.10.2       Rationale and supplemental guidance       31         5.10.3       Requirement enhancements       32         5.11       SR 1.9 – Strength of public key authentication       32         5.11.1       Requirement       32         5.11.2       Rationale and supplemental guidance       32         5.11.3       Requirement enhancements       33         5.12.1       Requirement enhancements       33         5.12.1       Requirement enhancements       33         5.12.2       Rationale and supplemental guidance       33         5.12.3       Requirement enhancements       33         5.13       SR 1.11 – Unsuccessful login attempts       34         5.13.1       Requirement enhancements       34         5.13.2       Rationale and supplemental guidance       34         5.13.3       Requirement enhancements       34         5.14       Security levels       35		5.9			
5.9.3       Requirement enhancements       31         5.9.4       Security levels       31         5.10       SR 1.8 – Public key infrastructure (PKI) certificates       31         5.10.1       Requirement       31         5.10.2       Rationale and supplemental guidance       31         5.10.3       Requirement enhancements       32         5.10.4       Security levels       32         5.11       SR 1.9 – Strength of public key authentication       32         5.11.1       Requirement       32         5.11.2       Rationale and supplemental guidance       32         5.11.3       Requirement enhancements       33         5.12       SR 1.10 – Authenticator feedback       33         5.12.1       Requirement       33         5.12.1       Requirement enhancements       33         5.12.1       Requirement enhancements       33         5.13       SR 1.11 – Unsuccessful login attempts       34         5.13.1       Requirement enhancements       34         5.13.2       Retuirement enhancements       34         5.13.3       Requirement enhancements       34         5.14.1       Requirement enhancements       35         5.14.2 </td <td></td> <td></td> <td></td> <td>·</td> <td></td>				·	
5.9.4       Security levels       31         5.10       SR 1.8 – Public key infrastructure (PKI) certificates       31         5.10.1       Requirement       31         5.10.2       Rationale and supplemental guidance       31         5.10.3       Requirement enhancements       32         5.10.4       Security levels       32         5.11       RR 1.9       Strength of public key authentication       32         5.11.1       Requirement       32         5.11.2       Rationale and supplemental guidance       32         5.11.3       Requirement enhancements       33         5.12       SR 1.10 – Authenticator feedback       33         5.12.1       Requirement       33         5.12.2       Rationale and supplemental guidance       33         5.12.3       Requirement enhancements       33         5.13       SR 1.11 – Unsuccessful login attempts       34         5.13.1       Requirement       34         5.13.2       Rationale and supplemental guidance       34         5.13.1       Requirement enhancements       34         5.14.2       Rescurity levels       34         5.14.3       Requirement enhancements       35					
5.10       SR 1.8 - Public key infrastructure (PKI) certificates				•	
5.10.1 Requirement       31         5.10.2 Rationale and supplemental guidance       31         5.10.3 Requirement enhancements       32         5.10.4 Security levels       32         5.11 SR 1.9 – Strength of public key authentication       32         5.11.1 Requirement       32         5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15. Requirement enhancements       35         5.15. Requirement enhancements       35				•	
5.10.2 Rationale and supplemental guidance       31         5.10.3 Requirement enhancements       32         5.10.4 Security levels       32         5.11 SR 1.9 – Strength of public key authentication       32         5.11.1 Requirement       32         5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.11.4 Security levels       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14.1 Requirement enhancements       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.15.3 Requirement enhancements       35         5.15.3 Requirement enhancements       35		5.10		·	
5.10.3 Requirement enhancements       32         5.10.4 Security levels       32         5.11 SR 1.9 – Strength of public key authentication       32         5.11.1 Requirement       32         5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.11.4 Security levels       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.14.4 Security levels       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       34         5.14.2 Rationale and supplemental guidance       34         5.14.2 Rationale and supplemental guidance       35         5.15 Requirement enhancements       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements <td< td=""><td></td><td></td><td></td><td>·</td><td></td></td<>				·	
5.10.4 Security levels       32         5.11 SR 1.9 - Strength of public key authentication       32         5.11.1 Requirement       32         5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.11.4 Security levels       33         5.12 SR 1.10 - Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.13 SR 1.11 - Unsuccessful login attempts       33         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14.2 Rationale and supplemental guidance       34         5.14.2 Rationale and supplemental guidance       34         5.14.2 Requirement       34         5.14.3 Requirement enhancements       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         5.15.2 Rationale and supplemental guidance       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35			5.10.2	Rationale and supplemental guidance	31
5.11       SR 1.9 – Strength of public key authentication       32         5.11.1       Requirement       32         5.11.2       Rationale and supplemental guidance       32         5.11.3       Requirement enhancements       33         5.12       SR 1.10 – Authenticator feedback       33         5.12.1       Requirement       33         5.12.2       Rationale and supplemental guidance       33         5.12.3       Requirement enhancements       33         5.12.4       Security levels       33         5.13.1       Requirement       34         5.13.2       Rationale and supplemental guidance       34         5.13.3       Requirement enhancements       34         5.13.4       Security levels       34         5.14.2       Requirement enhancements       34         5.14.2       Rationale and supplemental guidance       34         5.14.3       Requirement enhancements       35         5.14.4       Security levels       35         5.15.5       RR 1.13 – Access via untrusted networks       35         5.15.2       Rationale and supplemental guidance       35         5.15.2       Rationale and supplemental guidance       35			5.10.3	Requirement enhancements	32
5.11.1 Requirement       32         5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.11.4 Security levels       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15.5 R 1.13 – Access via untrusted networks       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         5.15.5 Requirement enhancements       35         5.15.1 Requirement       36         6.2 Rationale       36         6.3 Requirement enhancements <td></td> <td></td> <td>5.10.4</td> <td>Security levels</td> <td>32</td>			5.10.4	Security levels	32
5.11.2 Rationale and supplemental guidance       32         5.11.3 Requirement enhancements       33         5.11.4 Security levels       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36		5.11	SR 1.9	- Strength of public key authentication	32
5.11.3 Requirement enhancements       33         5.11.4 Security levels       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15.1 Requirement enhancements       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement			5.11.1	Requirement	32
5.11.4 Security levels       33         5.12 SR 1.10 – Authenticator feedback       33         5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.2 Requirement enhancements       35         5.15.3 Requirement enhancements       35         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.3 Requirement       36         6.3.3 Requirement enhancements </td <td></td> <td></td> <td>5.11.2</td> <td>Rationale and supplemental guidance</td> <td>32</td>			5.11.2	Rationale and supplemental guidance	32
5.12       SR 1.10 – Authenticator feedback       33         5.12.1       Requirement       33         5.12.2       Rationale and supplemental guidance       33         5.12.3       Requirement enhancements       33         5.12.4       Security levels       34         5.13       SR 1.11 – Unsuccessful login attempts       34         5.13.1       Requirement       34         5.13.2       Rationale and supplemental guidance       34         5.13.3       Requirement enhancements       34         5.13.4       Security levels       34         5.14.1       Requirement       34         5.14.2       Rationale and supplemental guidance       34         5.14.3       Requirement enhancements       35         5.14.4       Security levels       35         5.15.1       Requirement       35         5.15.2       Rationale and supplemental guidance       35         5.15.3       Requirement enhancements       35         5.15.4       Security levels       35         6       FR 2 – Use control       36         6.1       Purpose and SL-C(UC) descriptions       36         6.2       Rationale       36      <			5.11.3	Requirement enhancements	33
5.12.1 Requirement       33         5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15.5 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       36         6.3.4 Security levels       37         6.3 KR 2.2 – Wireless use			5.11.4	Security levels	33
5.12.2 Rationale and supplemental guidance       33         5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.1 Requirement enhancements       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement       36         6.3.4 Securi		5.12	SR 1.1	0 – Authenticator feedback	33
5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       36         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37			5.12.1	Requirement	33
5.12.3 Requirement enhancements       33         5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       36         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37			5.12.2	Rationale and supplemental guidance	33
5.12.4 Security levels       33         5.13 SR 1.11 – Unsuccessful login attempts       34         5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.14.1 Security levels       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement       36         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37					
5.13       SR 1.11 - Unsuccessful login attempts       34         5.13.1       Requirement       34         5.13.2       Rationale and supplemental guidance       34         5.13.3       Requirement enhancements       34         5.13.4       Security levels       34         5.14       SR 1.12 - System use notification       34         5.14.1       Requirement       34         5.14.2       Rationale and supplemental guidance       34         5.14.3       Requirement enhancements       35         5.14.4       Security levels       35         5.15.1       Requirement       35         5.15.2       Rationale and supplemental guidance       35         5.15.2       Rationale and supplemental guidance       35         6.1       Purpose and SL-C(UC) descriptions       36         6.2       Rationale       36         6.3       SR 2.1 - Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancemen					
5.13.1 Requirement       34         5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.13.4 Security levels       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.15.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37		5.13			
5.13.2 Rationale and supplemental guidance       34         5.13.3 Requirement enhancements       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       36         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37			5 13 1	Requirement CLIME IT Freview	34
5.13.3 Requirement enhancements       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       36         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37				·	
5.13.4 Security levels       34         5.14 SR 1.12 – System use notification       34         5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37					
5.14       SR 1.12 – System use notification       34         5.14.1       Requirement       34         5.14.2       Rationale and supplemental guidance       34         5.14.3       Requirement enhancements       35         5.14.4       Security levels       35         5.15       SR 1.13 – Access via untrusted networks       35         5.15.1       Requirement       35         5.15.2       Rationale and supplemental guidance       35         5.15.3       Requirement enhancements       35         5.15.4       Security levels       35         6       FR 2 – Use control       36         6.1       Purpose and SL-C(UC) descriptions       36         6.2       Rationale       36         6.3       SR 2.1 – Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancements       37         6.3.4       Security levels       37         6.4       SR 2.2 – Wireless use control       37				<u> </u>	
5.14.1 Requirement       34         5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37				- outling sufficiently by the following the	
5.14.2 Rationale and supplemental guidance       34         5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       36         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37		J. 14		•	
5.14.3 Requirement enhancements       35         5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37				•	
5.14.4 Security levels       35         5.15 SR 1.13 – Access via untrusted networks       35         5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37					
5.15       SR 1.13 – Access via untrusted networks       35         5.15.1       Requirement       35         5.15.2       Rationale and supplemental guidance       35         5.15.3       Requirement enhancements       35         5.15.4       Security levels       35         6       FR 2 – Use control       36         6.1       Purpose and SL-C(UC) descriptions       36         6.2       Rationale       36         6.3       SR 2.1 – Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancements       37         6.3.4       Security levels       37         6.4       SR 2.2 – Wireless use control       37				•	
5.15.1 Requirement       35         5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37		<b>5</b> 4 <b>5</b>		•	
5.15.2 Rationale and supplemental guidance       35         5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37		5.15			
5.15.3 Requirement enhancements       35         5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37				·	
5.15.4 Security levels       35         6 FR 2 – Use control       36         6.1 Purpose and SL-C(UC) descriptions       36         6.2 Rationale       36         6.3 SR 2.1 – Authorization enforcement       36         6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37					
6       FR 2 – Use control       36         6.1       Purpose and SL-C(UC) descriptions       36         6.2       Rationale       36         6.3       SR 2.1 – Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancements       37         6.3.4       Security levels       37         6.4       SR 2.2 – Wireless use control       37				•	
6.1       Purpose and SL-C(UC) descriptions       36         6.2       Rationale       36         6.3       SR 2.1 – Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancements       37         6.3.4       Security levels       37         6.4       SR 2.2 – Wireless use control       37				·	
6.2       Rationale       36         6.3       SR 2.1 – Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancements       37         6.3.4       Security levels       37         6.4       SR 2.2 – Wireless use control       37	6	FR 2			
6.3       SR 2.1 – Authorization enforcement       36         6.3.1       Requirement       36         6.3.2       Rationale and supplemental guidance       36         6.3.3       Requirement enhancements       37         6.3.4       Security levels       37         6.4       SR 2.2 – Wireless use control       37		6.1	Purpos	e and SL-C(UC) descriptions	36
6.3.1 Requirement       36         6.3.2 Rationale and supplemental guidance       36         6.3.3 Requirement enhancements       37         6.3.4 Security levels       37         6.4 SR 2.2 – Wireless use control       37		6.2	Rationa	ale	36
6.3.2 Rationale and supplemental guidance 36 6.3.3 Requirement enhancements 37 6.3.4 Security levels 37 6.4 SR 2.2 – Wireless use control 37		6.3	SR 2.1	- Authorization enforcement	36
6.3.3 Requirement enhancements			6.3.1	Requirement	36
6.3.3 Requirement enhancements			6.3.2	Rationale and supplemental guidance	36
6.3.4 Security levels			6.3.3		
6.4 SR 2.2 – Wireless use control			6.3.4	·	
		6.4		•	
6.4.1 Requirement			6.4.1	Requirement	
6.4.2 Rationale and supplemental guidance				·	

	6.4.3	Requirement enhancements	.38
	6.4.4	Security levels	. 38
6.5	SR 2.3	- Use control for portable and mobile devices	. 38
	6.5.1	Requirement	. 38
	6.5.2	Rationale and supplemental guidance	. 38
	6.5.3	Requirement enhancements	. 39
	6.5.4	Security levels	. 39
6.6	SR 2.4	- Mobile code	. 39
	6.6.1	Requirement	. 39
	6.6.2	Rationale and supplemental guidance	. 39
	6.6.3	Requirement enhancements	
	6.6.4	Security levels	. 39
6.7	SR 2.5	- Session lock	
	6.7.1	Requirement	
	6.7.2	Rationale and supplemental guidance	
	6.7.3	Requirement enhancements	
	6.7.4	Security levels	
6.8		- Remote session termination	
	6.8.1	Requirement	
	6.8.2	Rationale and supplemental guidance	
	6.8.3	Requirement enhancements	
	6.8.4	Security levels	
6.9		- Concurrent session control	
0.0	6.9.1	Requirement	
	6.9.2	Rationale and supplemental guidance	
	6.9.3	Requirement enhancements	
	6.9.4	Security levels	
6.10		- Auditable events	
4.100		Requirement	
		Rationale and supplemental guidance	
		Requirement enhancements	
		Security levels	
6 11		- Audit storage capacity	
0.11		Requirement	
		Rationale and supplemental guidance	
		Requirement enhancements	
		Security levels	
6 12		0 – Response to audit processing failures	
0.12		Requirement	
		Rationale and supplemental guidance	
		Requirement enhancements	
		Security levels	
6 13		1 – Timestamps	
0.10		Requirement	
		Rationale and supplemental guidance	
		Requirement enhancements	
		·	
6 1 1		Security levels	
0.14		2 – Non-repudiation	
	U. 14. I	NGYUII GIII GIII   1   1   1   1   1   1   1   1   1	. 🗝

		6.14.2	Rationale and supplemental guidance	.44
		6.14.3	Requirement enhancements	.44
		6.14.4	Security levels	.44
7	FR 3	<ul><li>Syste</li></ul>	m integrity	.45
	7.1	Purpos	e and SL-C(SI) descriptions	.45
	7.2	Rationa	ale	.45
	7.3	SR 3.1	- Communication integrity	.45
		7.3.1	Requirement	.45
		7.3.2	Rationale and supplemental guidance	.45
		7.3.3	Requirement enhancements	.46
		7.3.4	Security levels	.46
	7.4	SR 3.2	- Malicious code protection	.46
		7.4.1	Requirement	.46
		7.4.2	Rationale and supplemental guidance	.46
		7.4.3	Requirement enhancements	
		7.4.4	Security levels	.47
	7.5	SR 3.3	- Security functionality verification	
		7.5.1	Requirement	.47
		7.5.2	Rationale and supplemental guidance	
		7.5.3	Requirement enhancements	
		7.5.4	Security levels	.48
	7.6	SR 3.4	- Software and information integrity	
		7.6.1	Requirement	.48
		7.6.2	Rationale and supplemental guidance	
		7.6.3	Requirement enhancements	.49
		7.6.4	Security levels	
	7.7		- Input validation <u>IEC.62443-3-3-2013</u>	
		7.7.1ai	Requirement .da/ion/a32.015fb78.a2467aa24d0fb.42228.0455/ion624433.	
		7.7.2	Rationale and supplemental guidance	
		7.7.3	Requirement enhancements	
			Security levels	
	7.8		- Deterministic output	
		7.8.1	Requirement	
		7.8.2	Rationale and supplemental guidance	
		7.8.3	Requirement enhancements	
		7.8.4	Security levels	
	7.9		– Error handling	
		7.9.1	Requirement	
		7.9.2	Rationale and supplemental guidance	
		7.9.3	Requirement enhancements	
		7.9.4	Security levels	
	7.10		- Session integrity	
			Requirement	
			Rationale and supplemental guidance	
			Requirement enhancements	
			Security levels	
	7.11		- Protection of audit information	
			Requirement	
		7.11.2	Rationale and supplemental guidance	.52

		7.11.3	Requirement enhancements	52
		7.11.4	Security levels	52
8	FR 4	– Data	confidentiality	52
	8.1	Purpos	se and SL-C(DC) descriptions	52
	8.2	•	ale	
	8.3		- Information confidentiality	
		8.3.1	Requirement	
		8.3.2	Rationale and supplemental guidance	
		8.3.3	Requirement enhancements	
		8.3.4	Security levels	
	8.4	SR 4.2	- Information persistence	
		8.4.1	Requirement	
		8.4.2	Rationale and supplemental guidance	
		8.4.3	Requirement enhancements	
		8.4.4	Security levels	
	8.5	SR 4.3	- Use of cryptography	54
		8.5.1	Requirement	
		8.5.2	Rationale and supplemental guidance	
		8.5.3	Requirement enhancements	
		8.5.4	Security levels	55
9	FR 5	- Restr	icted data flow	55
	9.1	Purpos	ee and SL-C(RDF) descriptions	55
	9.2	Rationa	ale litte DS://StandardS.iten.al)	55
	9.3	SR 5.1	- Network segmentation	56
		9.3.1	Requirement	56
		9.3.2	Rationale and supplemental guidance	56
		9.3.3	Requirement enhancements 3-3-3:2013	
		9.3.4	Security levels 5/100/03/2005fb.7802.4670.024d.0fb422289f55/inc.6244	.33.5720
	9.4	SR 5.2	- Zone boundary protection	57
		9.4.1	Requirement	57
		9.4.2	Rationale and supplemental guidance	57
		9.4.3	Requirement enhancements	57
		9.4.4	Security levels	58
	9.5	SR 5.3	- General purpose person-to-person communication restrictions	58
		9.5.1	Requirement	58
		9.5.2	Rationale and supplemental guidance	58
		9.5.3	Requirement enhancements	
		9.5.4	Security levels	59
	9.6		- Application partitioning	59
		9.6.1	Requirement	
		9.6.2	Rationale and supplemental guidance	
		9.6.3	Requirement enhancements	
		9.6.4	Security levels	
10	FR 6		y response to events	
	10.1	•	se and SL-C(TRE) descriptions	
			ale	
	10.3		- Audit log accessibility	
			Requirement	
		10.3.2	Rationale and supplemental guidance	60

		10.3.3 Requirement enhancements	
		10.3.4 Security levels	
	10.4	SR 6.2 – Continuous monitoring	
		10.4.1 Requirement	
		10.4.2 Rationale and supplemental guidance	
		10.4.3 Requirement enhancements	
		10.4.4 Security levels	
11		- Resource availability	
		Purpose and SL-C(RA) descriptions	
		Rationale	
	11.3	SR 7.1 – Denial of service protection	62
		11.3.1 Requirement	62
		11.3.2 Rationale and supplemental guidance	62
		11.3.3 Requirement enhancements	62
		11.3.4 Security levels	62
	11.4	SR 7.2 – Resource management	62
		11.4.1 Requirement	62
		11.4.2 Rationale and supplemental guidance	62
		11.4.3 Requirement enhancements	
		11.4.4 Security levels	
	11.5	SR 7.3 – Control system backup	63
		11.5.1 Requirement	
		11.5.2 Rationale and supplemental guidance	63
		11.5.3 Requirement enhancements	
		11.5.4 Security levels	
	11.6	SR 7.4 – Control system recovery and reconstitution	
		11.6.1 Requirement <u>IEC.62443-3-3.2013</u>	
		11.6.2 Rationale and supplemental guidance 7244	
		11.6.3 Requirement enhancements	
		11.6.4 Security levels	
	11.7	SR 7.5 – Emergency power	
		11.7.1 Requirement	
		11.7.2 Rationale and supplemental guidance	
		11.7.3 Requirement enhancements	
		11.7.4 Security levels	
	11.8	SR 7.6 – Network and security configuration settings	
		11.8.1 Requirement	
		11.8.2 Rationale and supplemental guidance	
		11.8.3 Requirement enhancements	
		11.8.4 Security levels	
	11.9	SR 7.7 – Least functionality	
		11.9.1 Requirement	
		11.9.2 Rationale and supplemental guidance	
		11.9.3 Requirement enhancements	
		11.9.4 Security levels	
	11.10	SR 7.8 – Control system component inventory	
		11.10.1Requirement	
		11.10.2Rationale and supplemental guidance	
		11 10 3 Requirement enhancements	66

11.10.4 Security levels	66
Annex A (informative) Discussion of the SL vector	67
Annex B (informative) Mapping of SRs and REs to FR SL levels 1-4	75
Bibliography	79
Figure 1 – Structure of the IEC 62443 series	13
Figure A.1 – High-level process-industry example showing zones and conduits	69
Figure A.2 – High-level manufacturing example showing zones and conduits	70
Figure A.3 – Schematic of correlation of the use of different SL types	71
Table B.1 – Manning of SRs and REs to FR SI, levels 1-4 (1 of 4)	75

## iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62443-3-3:2013

https://standards.iteh.ai/catalog/standards/iec/c32e05fe-78a2-467e-a24d-0fc422289f55/iec-62443-3-3-2013

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## INDUSTRIAL COMMUNICATION NETWORKS - NETWORK AND SYSTEM SECURITY -

#### Part 3-3: System security requirements and security levels

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- All users should ensure that they have the latest edition of this publication. 01c422289 55/iec-62443-3-3-2013
  - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
  - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
  - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62443-3-3 has been prepared by IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

FDIS	Report on voting
65/531/FDIS	65/540/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62443 series, published under the general title *Industrial* communication networks – Network and system security, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of April 2014 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## iTeh Standards (https://standards.iteh.ai) Document Preview

EC 62443-3-3:2013

https://standards.iteh.ai/catalog/standards/iec/c32e05fe-78a2-467e-a24d-0fc422289f55/iec-62443-3-3-2013

#### 0 Introduction

#### 0.1 Overview

NOTE 1 This standard is part of series of standards that addresses the issue of security for industrial automation and control systems (IACS). It has been developed by working group 4, task group 2 of the IEC99 committee in cooperation with IEC TC65/WG10. This document prescribes the security requirements for control systems related to the seven foundational requirements defined in IEC 62443-1-1 and assigns system security levels (SLs) to the system under consideration (SuC).

NOTE 2 The format of this standard follows the ISO/IEC requirements discussed in ISO/IEC Directives, Part 2 [11]. These directives specify the format of the standard as well as the use of terms like "shall", "should", and "may". The requirements specified in normative clauses use the conventions discussed in Appendix H of the ISO/IEC Directives.

Industrial automation and control system (IACS) organizations increasingly use commercial-off-the-shelf (COTS) networked devices that are inexpensive, efficient and highly automated. Control systems are also increasingly interconnected with non-IACS networks for valid business reasons. These devices, open networking technologies and increased connectivity provide an increased opportunity for cyber attack against control system hardware and software. That weakness may lead to health, safety and environmental (HSE), financial and/or reputational consequences in deployed control systems.

Organizations deploying business information technology (IT) cyber security solutions to address IACS security may not fully comprehend the results of this decision. While many business IT applications and security solutions can be applied to IACS, they need to be applied in an appropriate way to eliminate inadvertent consequences. For this reason, the approach used to define system requirements needs to be based on a combination of functional requirements and risk assessment, often including an awareness of operational issues as well.

IACS security measures should not have the potential to cause loss of essential services and functions, including emergency procedures. (IT security measures, as often deployed, do have this potential.) IACS security goals focus on control system availability, plant protection, plant operations (even in a degraded mode) and time-critical system response. IT security goals often do not place the same emphasis on these factors; they may be more concerned with protecting information rather than physical assets. These different goals need to be clearly stated as security objectives regardless of the degree of plant integration achieved. A key step in risk assessment, as required by IEC 62443-2-12, should be the identification of which services and functions are truly essential for operations. (For example, in some facilities engineering support may be determined to be a non-essential service or function.) In some cases, it may be acceptable for a security action to cause temporary loss of a non-essential service or function, unlike an essential service or function that should not be adversely affected.

This standard assumes that a security program has been established and is being operated in accordance with IEC 62443-2-1. Furthermore, it is assumed that patch management is implemented consistently with the recommendations detailed in IEC/TR 62443-2-3 [5] utilizing the appropriate control system requirements and requirement enhancements as described in this standard. In addition, IEC 62443-3-2 [8] describes how a project defines risk-based security levels (SLs) which then are used to select products with the appropriate technical security capabilities as detailed in this standard. Key input to this standard included ISO/IEC 27002 [15] and NIST SP800-53, rev 3 [24] (see Clause 2 and the Bibliography for a more complete listing of source material).

<sup>1</sup> Numbers in square brackets refer to the Bibliography.

<sup>2</sup> Many documents in the IEC 62443 series are currently under review or in development.

The primary goal of the IEC 62443 series is to provide a flexible framework that facilitates addressing current and future vulnerabilities in IACS and applying necessary mitigations in a systematic, defensible manner. It is important to understand that the intention of the IEC 62443 series is to build extensions to enterprise security that adapt the requirements for business IT systems and combines them with the unique requirements for strong availability needed by IACS.

#### 0.2 Purpose and intended audience

The IACS community audience for this standard is intended to be asset owners, system integrators, product suppliers, service providers and, where appropriate, compliance authorities. Compliance authorities include government agencies and regulators with the legal authority to perform audits to verify compliance with governing laws and regulations.

System integrators, product suppliers and service providers will use this standard to evaluate whether their products and services can provide the functional security capability to meet the asset owner's target security level (SL-T) requirements. As with the assignment of SL-Ts, the applicability of individual control system requirements (SRs) and requirement enhancements (REs) needs to be based on an asset owner's security policies, procedures and risk assessment in the context of their specific site. Note that some SRs contain specific conditions for permissible exceptions, such as where meeting the SR will violate fundamental operational requirements of a control system (which may trigger the need for compensating countermeasures).

When designing a control system to meet the set of SRs associated with specific SL-Ts, it is not necessary that every component of the proposed control system support every system requirement to the level mandated in this standard. Compensating countermeasures can be employed to provide the needed functionality to other subsystems, such that the overall SL-T requirements are met at the control system level. Inclusion of compensating countermeasures during the design phase should be accompanied by comprehensive documentation so that the resulting achieved control system SL, SL-A(control system), fully reflects the intended security capabilities inherent in the design. Similarly, during certification testing and/or post-installation audits, compensating countermeasures can be utilized and documented in order to meet the overall control system SL.

There is insufficient detail in this standard to design and build an integrated security architecture. That requires additional system-level analysis and development of derived requirements that are the subject of other standards in the IEC 62443 series (see 0). Note that providing specifications detailed enough to build a security architecture are not the goal of this standard. The goal is to define a common, minimum set of requirements to reach progressively more stringent security levels. The actual design of an architecture that meets these requirements is the job of system integrators and product suppliers. In this task, they retain the freedom to make individual choices, thus supporting competition and innovation. Thus this standard strictly adheres to specifying functional requirements, and does not address how these functional requirements should be met.

#### 0.3 Usage within other parts of the IEC 62443 series

Figure 1 shows a graphical depiction of the IEC 62443 series when this standard was written.

IEC 62443-3-2 uses the SRs and REs as a checklist. After the system under consideration (SuC) has been described in terms of zones and conduits, and individual target SLs have been assigned to these zones and conduits, the SRs and REs in this standard, as well as their mapping to capability SLs (SL-Cs), are used to compile a list of requirements which the control system design needs to meet. A given control system design can then be checked for completeness, thereby providing the SL-As.