

TECHNICAL SPECIFICATION



Explosive atmospheres – iTeh Standards
Part 32-1: Electrostatic hazards, guidance
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 60079-32-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC TS 60079-32-1:2013](https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>



IEC TS 60079-32-1

Edition 1.1 2017-03
CONSOLIDATED VERSION

TECHNICAL SPECIFICATION



Explosive atmospheres – iTeh Standards
Part 32-1: Electrostatic hazards, guidance
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 60079-32-1:2013](https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.260.20

ISBN 978-2-8322-4121-9

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



Explosive atmospheres – iTeh Standards
Part 32-1: Electrostatic hazards, guidance
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 60079-32-1:2013](https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>

CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references	14
3 Terms and definitions	17
4 Nomenclature	20
5 General	21
6 Static electricity in solid materials.....	22
6.1 General considerations	22
6.2 The use of conductive or dissipative materials in place of insulating ones	24
6.2.1 General considerations	24
6.2.2 Dissipative solid materials	24
6.2.3 Earthing of conductive and dissipative items.....	25
6.3 Precautions required when using insulating solid materials	26
6.3.1 General	26
6.3.2 Restrictions on the size of chargeable insulating surfaces	27
6.3.3 Earthed metal meshes	28
6.3.4 Insulating coatings on earthed conductive surfaces	28
6.3.5 Conductive or dissipative coatings on insulating materials	29
6.3.6 Static dissipative agents	30
6.3.7 Humidification.....	30
6.3.8 Ionisation / Charge Neutralisation	30
6.3.9 Methods to determine the incendiarity of discharges	31
6.4 Conveyor belts and transmission belts	32
6.4.1 General	32
6.4.2 Conveyor belts	32
6.4.3 Transmission belts.....	33
7 Static electricity in liquids	34
7.1 General considerations	34
7.1.1 Occurrence of flammable atmospheres	34
7.1.2 Ignition sensitivity and limitations to the scope of advice.....	35
7.1.3 Charging mechanisms	36
7.1.4 Charge accumulation and conductivity classifications	36
7.1.5 Incendive discharges produced during liquid handling operations	37
7.2 Summary of precautions against ignition hazards during liquid handling operations.....	38
7.2.1 Earthing and avoidance of isolated conductors	38
7.2.2 Restricting charge generation	38
7.2.3 Avoidance of a flammable atmosphere	39
7.2.4 Promoting charge dissipation.....	39
7.3 Tanks and Containers	39
7.3.1 General	39
7.3.2 Conductive tanks and containers	40
7.3.3 Tanks and containers made entirely of dissipative material.....	53
7.3.4 Tanks and containers with insulating surfaces	53

7.3.5	Use of liners in containers	57
7.4	High viscosity liquids	58
7.5	High charging equipment	58
7.5.1	Filters, water separators and strainers	58
7.5.2	Pumps and other equipment	59
7.6	Gauging and sampling in tanks	60
7.6.1	General	60
7.6.2	Precautions during gauging and sampling	60
7.7	Pipes and hose assemblies for liquids	61
7.7.1	General	61
7.7.2	Pipes	61
7.7.3	Hoses and hose assemblies	64
7.8	Special filling procedures	70
7.8.1	Aircraft fuelling	70
7.8.2	Road tanker deliveries	71
7.8.3	Retail filling stations	72
7.8.4	Mobile or temporary liquid handling equipment	76
7.9	Plant processes (blending, stirring, mixing, crystallisation and stirred reactors)	76
7.9.1	General	76
7.9.2	Earthing	76
7.9.3	In-line blending	76
7.9.4	Blending in vessels or tanks	77
7.9.5	Jet mixing	77
7.9.6	High speed mixing	78
7.10	Spraying liquids and tank cleaning	78
7.10.1	General	78
7.10.2	Tank cleaning with low or medium pressure water jets (up to about 12 bar)	78
7.10.3	Tank cleaning with low conductivity liquids	79
7.10.4	Tank cleaning with high pressure water or solvent jets (above 12 bar)	79
7.10.5	Steam cleaning tanks	79
7.10.6	Water deluge systems	80
7.11	Glass systems	80
7.11.1	General	80
7.11.2	Precautions to be taken for low conductivity liquids	80
8	Static electricity in gases	81
8.1	General	81
8.2	Grit blasting	81
8.3	Fire extinguishers	82
8.4	Inerting	82
8.5	Steam cleaning	82
8.6	Accidental leakage of compressed gas	82
8.7	Spraying of flammable paints and powders	83
8.7.1	General	83
8.7.2	Earthing	83
8.7.3	Plastic spray cabinets	83
8.8	Vacuum cleaners, fixed and mobile	83

8.8.1	General	83
8.8.2	Fixed systems.....	83
8.8.3	Portable systems	84
8.8.4	Vacuum trucks.....	84
9	Static electricity in powders	84
9.1	General.....	84
9.2	Discharges, occurrence and incendivity	85
9.3	Procedural measures	86
9.3.1	General	86
9.3.2	Humidification.....	86
9.3.3	Hoses for pneumatic transfer	86
9.3.4	Ionisation.....	86
9.4	Bulk materials in the absence of flammable gases and vapours	87
9.4.1	General	87
9.4.2	Equipment and objects made of conductive or dissipative materials.....	87
9.4.3	Equipment and objects made of insulating materials	87
9.4.4	Dust separators	88
9.4.5	Silos and Containers.....	88
9.5	Additional requirements for bulk material in the presence of flammable gases and vapours.....	94
9.5.1	General	94
9.5.2	Measures for resistivity greater equal 100 MΩ m	94
9.5.3	Measures for resistivity less than 100 MΩ m	94
9.5.4	Filling of bulk material into a container.....	95
9.6	Flexible intermediate bulk containers (FIBC).....	96
9.6.1	General	96
9.6.2	Additional precautions when using FIBC	98
10	Static electricity when handling explosives and electro-explosive devices.....	99
10.1	Explosives manufacture, handling and storage.....	99
10.1.1	General	99
10.1.2	First degree protection.....	99
10.1.3	Intermediate protection	99
10.1.4	Second degree protection	99
10.2	Handling of electro-explosive devices	100
10.2.1	General	100
10.2.2	Earthing.....	100
10.2.3	Precautions during storage and issue	101
10.2.4	Precautions during preparation for use	101
11	Static electricity on people.....	101
11.1	General considerations	101
11.2	Static dissipative floors	102
11.3	Dissipative and conductive footwear	102
11.4	Supplementary devices for earthing of people	103
11.5	Clothing	103
11.6	Gloves	105
11.7	Other Items.....	105
12	Electrostatic shock	105
12.1	Introduction.....	105

12.2	Discharges relevant to electrostatic shocks.....	106
12.3	Sources of electrostatic shock.....	106
12.4	Precautions to avoid electrostatic shocks.....	107
12.4.1	Sources of electrostatic shocks.....	107
12.4.2	Reported shocks from equipment or processes.....	107
12.4.3	Shocks as a result of people being charged.....	107
12.5	Precautions in special cases.....	108
12.5.1	Pneumatic conveying.....	108
12.5.2	Vacuum cleaners.....	108
12.5.3	Reels of charged film or sheet.....	108
12.5.4	Fire extinguishers.....	109
13	Earthing and bonding.....	109
13.1	General.....	109
13.2	Criteria for the dissipation of static electricity from a conductor.....	110
13.2.1	Basic considerations.....	110
13.2.2	Practical criteria.....	110
13.3	Earthing requirements in practical systems.....	112
13.3.1	All-metal systems.....	112
13.3.2	Metal plant with insulating parts.....	113
13.3.3	Insulating materials.....	114
13.3.4	Conductive and dissipative materials.....	115
13.3.5	Earthing via intrinsic safety circuits.....	115
13.3.6	Earthing of ships.....	115
13.4	The establishment and monitoring of earthing systems.....	115
13.4.1	Design.....	115
13.4.2	Monitoring.....	116
14	Special requirements for equipment according to IEC 60079-0.....	116
14.1	General.....	116
14.2	Electrostatic charges on external non-metallic materials.....	117
14.2.1	Applicability.....	117
14.2.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment.....	117
14.2.3	Avoidance of a build-up of electrostatic charge on equipment for Group III.....	120
14.3	Electrostatic charges on external conductive parts.....	120
Annex A (informative)	Fundamentals of static electricity.....	121
A.1	Electrostatic charging.....	121
A.1.1	Introduction.....	121
A.1.2	Contact charging.....	121
A.1.3	Contact charging of liquids.....	121
A.1.4	Charge generation on liquids flowing in pipes.....	122
A.1.5	Charge generation in filters.....	125
A.1.6	Charge generation during stirring and mixing of liquids.....	125
A.1.7	Settling potentials.....	125
A.1.8	Breakup of liquid jets.....	125
A.1.9	Contact charging of powders.....	125
A.1.10	Charging by induction.....	126
A.1.11	Charge transfer by conduction.....	126
A.1.12	Charging by corona discharge.....	126

A.2	Accumulation of electrostatic charge	126
A.2.1	General	126
A.2.2	Charge accumulation on liquids	127
A.2.3	Charge accumulation on powders	128
A.3	Electrostatic discharges	129
A.3.1	Introduction	129
A.3.2	Sparks	129
A.3.3	Corona	130
A.3.4	Brush discharges	130
A.3.5	Propagating brush discharges.....	131
A.3.6	Lightning like discharges	131
A.3.7	Cone discharges.....	132
A.4	Measurements for risk assessment	132
Annex B (informative)	Electrostatic discharges in specific situations	134
B.1	Incendive discharges involving insulating solid materials	134
B.1.1	General	134
B.1.2	Sparks from isolated conductors	134
B.1.3	Brush discharges from insulating solid materials.....	134
B.1.4	Propagating brush discharges from insulating solid materials	134
B.2	Incendive discharges produced during liquid handling.....	135
B.2.1	General	135
B.2.2	Calculated maximum safe flow velocities for filling medium-sized vertical axis storage tanks	135
B.3	Incendive discharges produced during powder handling and storage	137
B.3.1	General	137
B.3.2	Discharges from bulk powder.....	137
B.3.3	Discharges from powder clouds	137
B.3.4	Discharges involving insulating containers and people.....	137
B.3.5	The use of liners in powder processes	137
B.3.6	Spark discharges in powder processes	138
B.3.7	Brush discharges in powder processes	138
B.3.8	Corona discharges in powder processes.....	138
B.3.9	Propagating brush discharges in powder processes.....	138
Annex C (informative)	Flammability properties of substances.....	140
C.1	General.....	140
C.2	Effect of oxygen concentration and ambient conditions	140
C.3	Explosive limits for gases and liquids	140
C.4	Inerting	140
C.5	Flash point.....	141
C.6	Minimum ignition energies.....	141
C.7	Combustible powders.....	144
C.8	Biofuels.....	144
Annex D (informative)	Classification of hazardous areas.....	145
D.1	Concept of zoning	145
D.2	Classification	145
D.3	Explosion groups	145
D.3.1	General	145
D.3.2	Group I	145
D.3.3	Group II	146

D.3.4	Group III	146
Annex E (informative)	Classification of equipment protection level	147
Annex F (informative)	Flow chart for a systematic electrostatic evaluation	148
Annex G (informative)	Tests	150
G.1	General	150
G.2	Surface resistance	150
G.2.1	General	150
G.2.2	Principle	150
G.2.3	Apparatus	150
G.2.4	Test sample	151
G.2.5	Procedure	152
G.2.6	Acceptance criteria	152
G.2.7	Test report	152
G.3	Surface resistivity	152
G.4	Leakage resistance	153
G.4.1	General	153
G.4.2	Principle	153
G.4.3	Apparatus	153
G.4.4	Test sample	153
G.4.5	Procedure	154
G.4.6	Acceptance criteria	154
G.4.7	Test report	154
G.5	In-use testing of footwear	154
G.5.1	General	154
G.5.2	Principle	154
G.5.3	Apparatus	154
G.5.4	Procedure	155
G.5.5	Acceptance criteria	155
G.5.6	Test report	155
G.6	In-use testing of gloves	155
G.6.1	General	155
G.6.2	Principle	155
G.6.3	Apparatus	156
G.6.4	Procedure	156
G.6.5	Acceptance criteria	156
G.6.6	Test report	156
G.7	Powder resistivity	156
G.7.1	General	156
G.7.2	Principle	156
G.7.3	Apparatus	157
G.7.4	Procedure	157
G.7.5	Acceptance criteria	158
G.7.6	Test report	158
G.8	Liquid conductivity	158
G.8.1	General	158
G.8.2	Principle	158
G.8.3	Apparatus	158
G.8.4	Procedure	159
G.8.5	Acceptance criteria	159

	G.8.6	Test report.....	159
G.9		Capacitance.....	160
	G.9.1	General	160
	G.9.2	Principle	160
	G.9.3	Apparatus	160
	G.9.4	Test sample.....	160
	G.9.5	Procedure for moveable items	160
	G.9.6	Procedure for installed items	161
	G.9.7	Acceptance criteria	161
	G.9.8	Test report.....	161
G.10		Transferred charge	162
	G.10.1	General	162
	G.10.2	Principle	162
	G.10.3	Apparatus	162
	G.10.4	Test sample.....	163
	G.10.5	Procedure.....	163
	G.10.6	Acceptance criteria	164
	G.10.7	Test report.....	164
G.11		Ignition test.....	165
	G.11.1	General	165
	G.11.2	Apparatus	165
	G.11.3	Procedure.....	168
	G.11.4	Acceptance criteria	168
	G.11.5	Test report.....	168
G.12		Measuring of charge decay	169
	G.12.1	General	169
	G.12.2	Principle	169
	G.12.3	Apparatus	169
	G.12.4	Test sample.....	170
	G.12.5	Procedure.....	170
	G.12.6	Acceptance criteria	171
	G.12.7	Test report.....	171
G.13		Breakthrough voltage	171
	G.13.1	General	171
	G.13.2	Principle	171
	G.13.3	Apparatus	171
	G.13.4	Test procedure	172
	G.13.5	Acceptance criteria	172
	G.13.6	Test report.....	172
		Bibliography.....	174

	Figure 1 – Flow diagram: Assessment of bulk material with $\rho \leq 1 \text{ M}\Omega \text{ m}$	90
	Figure 2 – Flow diagram: Assessment of bulk material with $1 \text{ M}\Omega \text{ m} < \rho \leq 10 \text{ G}\Omega \text{ m}$	91
	Figure 3 – Flow diagram: Assessment of bulk material with $\rho > 10 \text{ G}\Omega \text{ m}$	92
	Figure 4 – Difference between earthing and bonding	109
	Figure 5 – Hazardous earthed conductor in contact with a flowing insulator	114
	Figure A.1 – Equivalent electrical circuit for an electrostatically charged conductor.....	127

Figure B.1 – Calculated maximum safe filling velocities for medium sized tanks (see 7.3.2.2.5.2)	136
Figure F.1 – Flowchart for a systematic electrostatic evaluation	149
Figure G.1 – Test sample with applied electrodes	151
Figure G.2 – Measuring cell for powder resistivity	157
Figure G.3 – Measuring cell for liquid conductivity	159
Figure G.4 – Ignition probe	167
Figure G.5 – Perforated plate of ignition probe.....	168
Figure G.6 – Example of an arrangement for measurement of charge decay	170
Figure G.7 – Electrodes for measuring breakthrough voltage of sheets	172
Table 1 – Boundary limits at (23 ± 2) °C and (25 ± 5) % RH for the characterisation of solid materials and examples for the classification of objects	23
Table 2 – Maximum allowed isolated capacitance in Zones with explosive atmosphere.....	26
Table 3 – Restriction on size of insulating solid materials in hazardous areas	28
Table 4 – Maximum acceptable transferred charge	32
Table 5 – Requirements for conveyor belts	33
Table 6 – Requirements for transmission belts.....	34
Table 7 – Conductivities and relaxation times of some liquids	37
Table 8 – Precautions for filling large conductive tanks with low conductivity liquids	42
Table 9 – Filling rate limits for filling medium-sized vertical-axis tanks through schedule 40 pipes.....	48
Table 10 – Velocity and filling rate limits for loading low conductivity liquids into short (N=1), fixed horizontal axis tanks via schedule 40 pipes	49
Table 11 – Vehicles and compartments suitable for high-speed loading for ADR compliant vehicles	50
Table 12 – Influence of the sulphur content on middle distillate vd limits for road tankers	51
Table 13 – Velocity and filling rate limits for road tankers based on schedule 40 pipes; rates for hoses will be similar.....	51
Table 14 – Velocity and filling rate limits for loading rail tankers	52
Table 15 – Classification of end-to-end hose resistances for control of hazards from static electricity and stray current.....	65
Table 16 – ISO 8031 classification of hose grades	67
Table 17 – Hybrid grades of hoses and hose assemblies	68
Table 18 – Hose selection Table for flammable liquid service	69
Table 19 – Use of the different types of FIBC.....	97
Table 20 – Inner liners and FIBC: combinations that are permissible and not permissible in hazardous atmospheres	98
Table 21 – Determination of requirement for electrostatic dissipative protective clothing and other items of personal protective equipment	104
Table 22 – Summary of maximum earthing resistances for the control of static electricity in hazardous areas	111
Table 23 – Alternative restrictions on insulating solid materials and isolated conductive or dissipative parts in hazardous areas for equipment within the scope of IEC 60079-0	119
Table A.1 – Charge build up on powders.....	126
Table A.2 – Values of capacitances for typical conductors	130

Table C.1 – Typical MIE intervals with examples.....	142
Table C.2 – Minimum ignition energy MIE and minimum ignition charge MIQ	143
Table G.1 – Volume concentrations of flammable gas mixtures.....	166

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 60079-32-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>