



IEC TS 60079-32-1

Edition 1.1 2017-03  
CONSOLIDATED VERSION

# TECHNICAL SPECIFICATION

## SPECIFICATION TECHNIQUE



**Explosive atmospheres – iTeh Standards**  
**Part 32-1: Electrostatic hazards, guidance**  
**(<https://standards.iteh.ai>)**

**Atmosphères explosives –**  
**Document Preview**  
**Partie 32-1: Dangers électrostatiques – Recommandations**

[IEC TS 60079-32-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).



IEC TS 60079-32-1

Edition 1.1 2017-03  
CONSOLIDATED VERSION

# TECHNICAL SPECIFICATION

# SPECIFICATION TECHNIQUE



**Explosive atmospheres – iTeh Standards**  
**Part 32-1: Electrostatic hazards, guidance**  
<https://standards.iteh.ai>)  
**Atmosphères explosives –**  
**Document Preview**  
**Partie 32-1: Dangers électrostatiques – Recommandations**

[IEC TS 60079-32-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.260.20

ISBN 978-2-8322-8887-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**





## REDLINE VERSION

## VERSION REDLINE



**Explosive atmospheres – iTeh Standards**  
**Part 32-1: Electrostatic hazards, guidance**  
**(<https://standards.iteh.ai>)**

**Atmosphères explosives –**  
**Document Preview**  
**Partie 32-1: Dangers électrostatiques – Recommandations**

[IEC TS 60079-32-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>

## CONTENTS

FOREWORD .....	11
INTRODUCTION .....	13
1 Scope .....	14
2 Normative references .....	14
3 Terms and definitions .....	17
4 Nomenclature .....	20
5 General .....	21
6 Static electricity in solid materials .....	22
6.1 General considerations .....	22
6.2 The use of conductive or dissipative materials in place of insulating ones .....	24
6.2.1 General considerations .....	24
6.2.2 Dissipative solid materials .....	24
6.2.3 Earthing of conductive and dissipative items .....	25
6.3 Precautions required when using insulating solid materials .....	26
6.3.1 General .....	26
6.3.2 Restrictions on the size of chargeable insulating surfaces .....	27
6.3.3 Earthed metal meshes .....	28
6.3.4 Insulating coatings on earthed conductive surfaces .....	28
6.3.5 Conductive or dissipative coatings on insulating materials .....	29
6.3.6 Static dissipative agents .....	30
6.3.7 Humidification .....	30
6.3.8 Ionisation / Charge Neutralisation .....	30
6.3.9 Methods to determine the incendivity of discharges .....	31
6.4 Conveyor belts and transmission belts .....	32
6.4.1 General .....	32
6.4.2 Conveyor belts .....	32
6.4.3 Transmission belts .....	33
7 Static electricity in liquids .....	34
7.1 General considerations .....	34
7.1.1 Occurrence of flammable atmospheres .....	34
7.1.2 Ignition sensitivity and limitations to the scope of advice .....	35
7.1.3 Charging mechanisms .....	36
7.1.4 Charge accumulation and conductivity classifications .....	36
7.1.5 Incendive discharges produced during liquid handling operations .....	37
7.2 Summary of precautions against ignition hazards during liquid handling operations .....	38
7.2.1 Earthing and avoidance of isolated conductors .....	38
7.2.2 Restricting charge generation .....	38
7.2.3 Avoidance of a flammable atmosphere .....	39
7.2.4 Promoting charge dissipation .....	39
7.3 Tanks and Containers .....	39
7.3.1 General .....	39
7.3.2 Conductive tanks and containers .....	40
7.3.3 Tanks and containers made entirely of dissipative material .....	53
7.3.4 Tanks and containers with insulating surfaces .....	53

7.3.5	Use of liners in containers .....	57
7.4	High viscosity liquids.....	58
7.5	High charging equipment .....	58
7.5.1	Filters, water separators and strainers .....	58
7.5.2	Pumps and other equipment .....	59
7.6	Gauging and sampling in tanks .....	60
7.6.1	General .....	60
7.6.2	Precautions during gauging and sampling.....	60
7.7	Pipes and hose assemblies for liquids.....	61
7.7.1	General .....	61
7.7.2	Pipes .....	61
7.7.3	Hoses and hose assemblies .....	64
7.8	Special filling procedures .....	70
7.8.1	Aircraft fuelling .....	70
7.8.2	Road tanker deliveries .....	71
7.8.3	Retail filling stations .....	72
7.8.4	Mobile or temporary liquid handling equipment .....	76
7.9	Plant processes (blending, stirring, mixing, crystallisation and stirred reactors) .....	76
7.9.1	General .....	76
7.9.2	Earthing.....	76
7.9.3	In-line blending .....	76
7.9.4	Blending in vessels or tanks .....	77
7.9.5	Jet mixing .....	77
7.9.6	High speed mixing .....	78
7.10	Spraying liquids and tank cleaning .....	78
7.10.1	General .....	78
7.10.2	Tank cleaning with low or medium pressure water jets (up to about 12 bar) .....	78
7.10.3	Tank cleaning with low conductivity liquids .....	79
7.10.4	Tank cleaning with high pressure water or solvent jets (above 12 bar).....	79
7.10.5	Steam cleaning tanks .....	79
7.10.6	Water deluge systems .....	80
7.11	Glass systems .....	80
7.11.1	General .....	80
7.11.2	Precautions to be taken for low conductivity liquids .....	80
8	Static electricity in gases .....	81
8.1	General.....	81
8.2	Grit blasting .....	81
8.3	Fire extinguishers .....	82
8.4	Inerting .....	82
8.5	Steam cleaning .....	82
8.6	Accidental leakage of compressed gas .....	82
8.7	Spraying of flammable paints and powders .....	83
8.7.1	General .....	83
8.7.2	Earthing.....	83
8.7.3	Plastic spray cabinets .....	83
8.8	Vacuum cleaners, fixed and mobile .....	83

8.8.1	General .....	83
8.8.2	Fixed systems.....	83
8.8.3	Portable systems .....	84
8.8.4	Vacuum trucks .....	84
9	Static electricity in powders .....	84
9.1	General.....	84
9.2	Discharges, occurrence and incendivity .....	85
9.3	Procedural measures .....	86
9.3.1	General .....	86
9.3.2	Humidification.....	86
9.3.3	Hoses for pneumatic transfer.....	86
9.3.4	Ionisation.....	86
9.4	Bulk materials in the absence of flammable gases and vapours .....	87
9.4.1	General .....	87
9.4.2	Equipment and objects made of conductive or dissipative materials.....	87
9.4.3	Equipment and objects made of insulating materials .....	87
9.4.4	Dust separators .....	88
9.4.5	Silos and Containers.....	88
9.5	Additional requirements for bulk material in the presence of flammable gases and vapours.....	94
9.5.1	General .....	94
9.5.2	Measures for resistivity greater equal 100 MΩ m .....	94
9.5.3	Measures for resistivity less than 100 MΩ m .....	94
9.5.4	Filling of bulk material into a container.....	95
9.6	Flexible intermediate bulk containers (FIBC) .....	96
9.6.1	General .....	96
9.6.2	Additional precautions when using FIBC .....	98
10	Static electricity when handling explosives and electro-explosive devices.....	99
10.1	Explosives manufacture, handling and storage.....	99
10.1.1	General .....	99
10.1.2	First degree protection.....	99
10.1.3	Intermediate protection .....	99
10.1.4	Second degree protection .....	99
10.2	Handling of electro-explosive devices .....	100
10.2.1	General .....	100
10.2.2	Earthing.....	100
10.2.3	Precautions during storage and issue .....	101
10.2.4	Precautions during preparation for use .....	101
11	Static electricity on people.....	101
11.1	General considerations .....	101
11.2	Static dissipative floors .....	102
11.3	Dissipative and conductive footwear .....	102
11.4	Supplementary devices for earthing of people .....	103
11.5	Clothing .....	103
11.6	Gloves .....	105
11.7	Other Items.....	105
12	Electrostatic shock .....	105
12.1	Introduction.....	105

12.2	Discharges relevant to electrostatic shocks.....	106
12.3	Sources of electrostatic shock.....	106
12.4	Precautions to avoid electrostatic shocks.....	107
12.4.1	Sources of electrostatic shocks.....	107
12.4.2	Reported shocks from equipment or processes.....	107
12.4.3	Shocks as a result of people being charged.....	107
12.5	Precautions in special cases .....	108
12.5.1	Pneumatic conveying.....	108
12.5.2	Vacuum cleaners .....	108
12.5.3	Reels of charged film or sheet .....	108
12.5.4	Fire extinguishers .....	109
13	Earthing and bonding.....	109
13.1	General.....	109
13.2	Criteria for the dissipation of static electricity from a conductor .....	110
13.2.1	Basic considerations.....	110
13.2.2	Practical criteria.....	110
13.3	Earthing requirements in practical systems .....	112
13.3.1	All-metal systems .....	112
13.3.2	Metal plant with insulating parts.....	113
13.3.3	Insulating materials .....	114
13.3.4	Conductive and dissipative materials .....	115
13.3.5	Earthing via intrinsic safety circuits .....	115
13.3.6	Earthing of ships .....	115
13.4	The establishment and monitoring of earthing systems .....	115
13.4.1	Design .....	115
13.4.2	Monitoring .....	116
14	Special requirements for equipment according to IEC 60079-0 .....	116
14.1	General .....	116
14.2	Electrostatic charges on external non-metallic materials .....	117
14.2.1	Applicability .....	117
14.2.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment .....	117
14.2.3	Avoidance of a build-up of electrostatic charge on equipment for Group III .....	120
14.3	Electrostatic charges on external conductive parts .....	120
Annex A (informative)	Fundamentals of static electricity .....	121
A.1	Electrostatic charging .....	121
A.1.1	Introduction .....	121
A.1.2	Contact charging .....	121
A.1.3	Contact charging of liquids .....	121
A.1.4	Charge generation on liquids flowing in pipes .....	122
A.1.5	Charge generation in filters.....	125
A.1.6	Charge generation during stirring and mixing of liquids .....	125
A.1.7	Settling potentials .....	125
A.1.8	Breakup of liquid jets .....	125
A.1.9	Contact charging of powders .....	125
A.1.10	Charging by induction .....	126
A.1.11	Charge transfer by conduction .....	126
A.1.12	Charging by corona discharge .....	126

A.2	Accumulation of electrostatic charge .....	126
A.2.1	General .....	126
A.2.2	Charge accumulation on liquids .....	127
A.2.3	Charge accumulation on powders .....	128
A.3	Electrostatic discharges .....	129
A.3.1	Introduction .....	129
A.3.2	Sparks .....	129
A.3.3	Corona .....	130
A.3.4	Brush discharges .....	130
A.3.5	Propagating brush discharges .....	131
A.3.6	Lightning like discharges .....	131
A.3.7	Cone discharges .....	132
A.4	Measurements for risk assessment .....	132
Annex B (informative)	Electrostatic discharges in specific situations .....	134
B.1	Incendive discharges involving insulating solid materials .....	134
B.1.1	General .....	134
B.1.2	Sparks from isolated conductors .....	134
B.1.3	Brush discharges from insulating solid materials .....	134
B.1.4	Propagating brush discharges from insulating solid materials .....	134
B.2	Incendive discharges produced during liquid handling .....	135
B.2.1	General .....	135
B.2.2	Calculated maximum safe flow velocities for filling medium-sized vertical axis storage tanks .....	135
B.3	Incendive discharges produced during powder handling and storage .....	137
B.3.1	General .....	137
B.3.2	Discharges from bulk powder .....	137
B.3.3	Discharges from powder clouds .....	137
B.3.4	Discharges involving insulating containers and people .....	137
B.3.5	The use of liners in powder processes .....	137
B.3.6	Spark discharges in powder processes .....	138
B.3.7	Brush discharges in powder processes .....	138
B.3.8	Corona discharges in powder processes .....	138
B.3.9	Propagating brush discharges in powder processes .....	138
Annex C (informative)	Flammability properties of substances .....	140
C.1	General .....	140
C.2	Effect of oxygen concentration and ambient conditions .....	140
C.3	Explosive limits for gases and liquids .....	140
C.4	Inerting .....	140
C.5	Flash point .....	141
C.6	Minimum ignition energies .....	141
C.7	Combustible powders .....	144
C.8	Biofuels .....	144
Annex D (informative)	Classification of hazardous areas .....	145
D.1	Concept of zoning .....	145
D.2	Classification .....	145
D.3	Explosion groups .....	145
D.3.1	General .....	145
D.3.2	Group I .....	145
D.3.3	Group II .....	146

D.3.4	Group III .....	146
Annex E (informative)	Classification of equipment protection level.....	147
Annex F (informative)	Flow chart for a systematic electrostatic evaluation .....	148
Annex G (informative)	Tests .....	150
G.1	General.....	150
G.2	Surface resistance .....	150
G.2.1	General .....	150
G.2.2	Principle .....	150
G.2.3	Apparatus .....	150
G.2.4	Test sample.....	151
G.2.5	Procedure.....	152
G.2.6	Acceptance criteria .....	152
G.2.7	Test report.....	152
G.3	Surface resistivity .....	152
G.4	Leakage resistance .....	153
G.4.1	General .....	153
G.4.2	Principle .....	153
G.4.3	Apparatus .....	153
G.4.4	Test sample.....	153
G.4.5	Procedure.....	154
G.4.6	Acceptance criteria .....	154
G.4.7	Test report.....	154
G.5	In-use testing of footwear.....	154
G.5.1	General .....	154
G.5.2	Principle .....	154
G.5.3	Apparatus .....	154
G.5.4	Procedure.....	155
G.5.5	Acceptance criteria .....	155
G.5.6	Test report.....	155
G.6	In-use testing of gloves .....	155
G.6.1	General .....	155
G.6.2	Principle .....	155
G.6.3	Apparatus .....	156
G.6.4	Procedure.....	156
G.6.5	Acceptance criteria .....	156
G.6.6	Test report.....	156
G.7	Powder resistivity.....	156
G.7.1	General .....	156
G.7.2	Principle .....	156
G.7.3	Apparatus .....	157
G.7.4	Procedure.....	157
G.7.5	Acceptance criteria .....	158
G.7.6	Test report.....	158
G.8	Liquid conductivity .....	158
G.8.1	General .....	158
G.8.2	Principle .....	158
G.8.3	Apparatus .....	158
G.8.4	Procedure.....	159
G.8.5	Acceptance criteria .....	159

G.8.6	Test report.....	159
G.9	Capacitance.....	160
G.9.1	General .....	160
G.9.2	Principle .....	160
G.9.3	Apparatus.....	160
G.9.4	Test sample.....	160
G.9.5	Procedure for moveable items .....	160
G.9.6	Procedure for installed items .....	161
G.9.7	Acceptance criteria .....	161
G.9.8	Test report.....	161
G.10	Transferred charge .....	162
G.10.1	General .....	162
G.10.2	Principle .....	162
G.10.3	Apparatus.....	162
G.10.4	Test sample.....	163
G.10.5	Procedure.....	163
G.10.6	Acceptance criteria .....	164
G.10.7	Test report.....	164
G.11	Ignition test.....	165
G.11.1	General .....	165
G.11.2	Apparatus.....	165
G.11.3	Procedure.....	168
G.11.4	Acceptance criteria .....	168
G.11.5	Test report.....	168
G.12	Measuring of charge decay .....	169
G.12.1	General .....	169
G.12.2	Principle .....	169
G.12.3	Apparatus.....	169
G.12.4	Test sample.....	170
G.12.5	Procedure.....	170
G.12.6	Acceptance criteria .....	171
G.12.7	Test report.....	171
G.13	Breakthrough voltage .....	171
G.13.1	General .....	171
G.13.2	Principle .....	171
G.13.3	Apparatus.....	171
G.13.4	Test procedure .....	172
G.13.5	Acceptance criteria .....	172
G.13.6	Test report.....	172
Bibliography.....		174

Figure 1 – Flow diagram: Assessment of bulk material with $\rho \leq 1 \text{ M}\Omega \text{ m}$ .....	90
Figure 2 – Flow diagram: Assessment of bulk material with $1 \text{ M}\Omega \text{ m} < \rho \leq 10 \text{ G}\Omega \text{ m}$ .....	91
Figure 3 – Flow diagram: Assessment of bulk material with $\rho > 10 \text{ G}\Omega \text{ m}$ .....	92
Figure 4 – Difference between earthing and bonding .....	109
Figure 5 – Hazardous earthed conductor in contact with a flowing insulator .....	114
Figure A.1 – Equivalent electrical circuit for an electrostatically charged conductor.....	127

Figure B.1 – Calculated maximum safe filling velocities for medium sized tanks (see 7.3.2.2.5.2) .....	136
Figure F.1 – Flowchart for a systematic electrostatic evaluation .....	149
Figure G.1 – Test sample with applied electrodes .....	151
Figure G.2 – Measuring cell for powder resistivity .....	157
Figure G.3 – Measuring cell for liquid conductivity .....	159
Figure G.4 – Ignition probe .....	167
Figure G.5 – Perforated plate of ignition probe .....	168
Figure G.6 – Example of an arrangement for measurement of charge decay .....	170
Figure G.7 – Electrodes for measuring breakthrough voltage of sheets .....	172

Table 1 – Boundary limits at  $(23 \pm 2)$  °C and  $(25 \pm 5)$  % RH for the characterisation of solid materials and examples for the classification of objects .....

23

Table 2 – Maximum allowed isolated capacitance in Zones with explosive atmosphere .....

26

Table 3 – Restriction on size of insulating solid materials in hazardous areas .....

28

Table 4 – Maximum acceptable transferred charge .....

32

Table 5 – Requirements for conveyor belts .....

33

Table 6 – Requirements for transmission belts .....

34

Table 7 – Conductivities and relaxation times of some liquids .....

37

Table 8 – Precautions for filling large conductive tanks with low conductivity liquids .....

42

Table 9 – Filling rate limits for filling medium-sized vertical-axis tanks through schedule 40 pipes .....

48

Table 10 – Velocity and filling rate limits for loading low conductivity liquids into short ( $N=1$ ), fixed horizontal axis tanks via schedule 40 pipes .....

49

Table 11 – Vehicles and compartments suitable for high-speed loading for ADR compliant vehicles .....

50

Table 12 – Influence of the sulphur content on middle distillate vd limits for road tankers .....

51

Table 13 – Velocity and filling rate limits for road tankers based on schedule 40 pipes; rates for hoses will be similar .....

51

Table 14 – Velocity and filling rate limits for loading rail tankers .....

52

Table 15 – Classification of end-to-end hose resistances for control of hazards from static electricity and stray current .....

65

Table 16 – ISO 8031 classification of hose grades .....

67

Table 17 – Hybrid grades of hoses and hose assemblies .....

68

Table 18 – Hose selection Table for flammable liquid service .....

69

Table 19 – Use of the different types of FIBC .....

97

Table 20 – Inner liners and FIBC: combinations that are permissible and not permissible in hazardous atmospheres .....

98

Table 21 – Determination of requirement for electrostatic dissipative protective clothing and other items of personal protective equipment .....

104

Table 22 – Summary of maximum earthing resistances for the control of static electricity in hazardous areas .....

111

Table 23 – Alternative restrictions on insulating solid materials and isolated conductive or dissipative parts in hazardous areas for equipment within the scope of IEC 60079-0 .....

119

Table A.1 – Charge build up on powders .....

126

Table A.2 – Values of capacitances for typical conductors .....

130

Table C.1 – Typical MIE intervals with examples.....	142
Table C.2 – Minimum ignition energy MIE and minimum ignition charge MIQ .....	143
Table G.1 – Volume concentrations of flammable gas mixtures.....	166

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC TS 60079-32-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/34deb2d5-8a31-49ed-9841-f5847440d1bb/iec-ts-60079-32-1-2013>