



SLOVENSKI STANDARD

SIST EN 372:1996

01-april-1996

Oprema za varovanje dihal - Filtri SX za specifične snovi - Zahteve, preskušanje, označevanje

Respiratory protective devices - SX gas filters and combined filters against specific named compounds - Requirements, testing, marking

Atenschutzgeräte - SX Gasfilter und Kombinationsfilter gegen niedrigsiedende organische Verbindungen - Anforderungen, Prüfungen, Kennzeichnung

Appareils de protection respiratoire - Filtres anti-gaz SX et filtres combinés contre certains composés spécifiques désignés - Exigences, essais, marquage

<https://standards.iteh.ai/catalog/standards/sist/8ae81b4f-b8bf-47d2-8f5b-79cc66bcd9cc/sist-en-372-1996>

Ta slovenski standard je istoveten z: EN 372:1992

ICS:

13.340.30	Varovalne dihalne naprave	Respiratory protective devices
-----------	---------------------------	--------------------------------

SIST EN 372:1996

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 372:1996

<https://standards.iteh.ai/catalog/standards/sist/8ae81b4f-b8bf-47d2-8f5b-79cc66bcd9ce/sist-en-372-1996>

EUROPEAN STANDARD

EN 372:1992

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 1992

UDC 614.894.2:620.1:614.8:62-777

Descriptors: Accident prevention, personal protective equipment, air filters, classifications, specifications, tests, marking

English version

Respiratory protective devices - SX gas filters and combined filters against specific named compounds - Requirements, testing, marking

Appareils de protection respiratoire - Filtres anti-gaz SX et filtres combinés contre certains composés à bas point d'ébullition - Exigences, essais, marquage

Atemschutzgeräte - SX Gasfilter und Kombinationsfilter gegen niedrigsiedende organische Verbindungen - Anforderungen, Prüfung, Kennzeichnung

(standards.iteh.ai)

SIST EN 372:1996

<https://standards.iteh.ai/catalog/standards/sist/8ac81b4f-b8bf-47d2-8f5b-79cc66bcd9ce/sist-en-372-1996>

This European Standard was approved by CEN on 1992-02-28. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Page 2
EN 372:1992

Foreword

This European Standard was drawn up by CEN/TC 79 "Respiratory protective devices", the secretariat of which is held by DIN.

The work was allocated to Sub-Group 4 (SG 4) "Filters and absorption devices" with the Finish Standardization Institute (SFS) as secretariat.

The draft was circulated in June 1990 to all CEN Members. As a result of this enquiry 16 members approved the document while 2 did not vote.

The comments received were considered for the revision of the draft. CEN/TC 79 finally decided to proceed with the formal vote and the document was finally adopted

on 91-11-07.

<https://standards.iteh.ai/catalog/standards/sist/372-1996/11-07-8f5b-79cc66cd9ce/sist-en-372-1996>

In accordance with the Common CEN/CENELEC Rules, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

Introduction

A given respiratory protective device can only be approved, when the individual components satisfy the requirements of the test specification which may be a complete standard or part of a standard, and practical performance tests have been carried out on complete apparatus where specified in the appropriate standard. If for any reason a complete apparatus is not tested, then simulation of the apparatus is permitted provided the respiratory characteristics and weight distribution are similar to those of the complete apparatus.

1 Scope

This European Standard refers to gas filters and combined filters against specific named compounds for unassisted respiratory protective devices, except escape apparatus and filtering facepieces. It specifies minimum requirements for these filters for use as part of respiratory protective devices.

[SIST EN 372:1996](https://standards.iteh.ai/catalog/standards/sist/8ac81b4f-b8bf-47d2-8f5b-372-1992)

[https://standards.iteh.ai/catalog/standards/sist/8ac81b4f-b8bf-47d2-8f5b-](https://standards.iteh.ai/catalog/standards/sist/8ac81b4f-b8bf-47d2-8f5b-372-1992)

Filters for use against nitrogen oxides, mercury and carbon monoxide are excluded from this standard.

Laboratory tests are included for the assessment of compliance with the requirements.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- EN 143 Respiratory protective devices;
Particle filters; Requirements, testing, marking
- EN 148-1 Respiratory protective devices; Threads for facepieces;
Standard thread connection.

3 Definition and description

SX gas filters remove specific named gases and vapours from air.

SX combined filters remove dispersed solid and/or liquid particles and specific named gases and vapours from air.

4 Classification

SX filters for use against specific named gases and vapours are classified in only one type and class: Type SX.

Combined filters for use against specific named gases and vapours, and particles are classified according to their particle filtration efficiency: Types SXP1, SXP2 and SXP3.

5 Requirements

5.1 General

If the gas filter is combined with a particle filter, the combined filter shall meet the penetration requirement for the particle filter as described in EN 143 in addition to the requirements described below.

The connection between filter(s) and facepiece shall be robust and leak-tight.

The connection between filter and facepiece may be achieved by a permanent or special type of connection or by a screw thread connection (including threads other than standard threads). If a standard thread is used it shall be in accordance with EN 148-1. If the filter is a twin-filter designated to be used with a twin filter facepiece, it shall not be possible to connect it to the standard thread connector.

The filter shall be readily replaceable without use of tools and shall be designed or marked to prevent incorrect assembly.

The particle filter of combined filters shall be on the influent side of the gas filter.

The maximum weight of filter(s) designated to be used directly connected to a half mask is 300 g.

The maximum weight of filter(s) designated to be used directly connected to a full face mask is 500 g.

5.2 Materials

The filter shall be made of suitable material to withstand normal usage and exposure to those temperatures, humidities and corrosive environments that are likely to be encountered. Internally it shall withstand corrosion by the filtering media.

Material released by the air flow through the filter shall not be known to be likely to constitute a hazard or nuisance for the wearer.

5.3 Mechanical strength

Before testing for breathing resistance and protection capacity the filters shall be subjected to a test in accordance with 6.2 simulating rough usage of the filters.

After this treatment the filters shall show no mechanical defects and shall meet the requirements for breathing resistance and protection capacity.

5.4 Breathing resistance

The resistance imposed by filter(s) to the flow of air shall be as low as possible and in no case exceed the maximum figures shown in table 1 when tested in accordance with 6.3.

SIST EN 372:1996

<https://standards.iteh.ai/catalog/standards/sist/8ae81b4f-b8bf-47d2-8f5b-791f6bc9e1e1/en-372-1996>

Table 1 - Maximum breathing resistance

Filter type	Maximum resistance (mbar) *	
	at 30 l/min	at 95 l/min
SX	1,4	5,6
SXP1	2,0	7,7
SXP2	2,1	8,0
SXP3	2,6	9,8

* 1 mbar = 100 N/m² = 100 Pa

5.5 Protection capacity

5.5.1 Sorption

When tested in accordance with 6.4.2 filters of the type SX shall have a breakthrough time of not less than 20 min.

Note: The minimum breakthrough time is intended only for laboratory tests under standardized conditions. It does not give an indication of the possible service time of the filter in practical use. Possible service-times can differ from the breakthrough times determined according to this standard in both directions, positive or negative, depending on the conditions of use.

5.5.2 Desorption

When tested in accordance with 6.4.3 the effluent concentration from SX filters shall not exceed 5 ml/m³ of the test gas.

6 Testing

6.1 General

All performance tests shall be conducted so that the test gas or air will pass through the filter horizontally. Each test shall be conducted with 3 test specimens conditioned only by the test described in 6.2.

Each of the 3 test specimens shall comply with the appropriate requirement.

If the gas filter is combined with a particle filter, the combined filter shall be submitted to filtration efficiency testing for the particle filter as described in EN 143 in addition to the tests described in this standard.