

Varnost električnih igráč

Safety of electric toys

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 50088:1998](https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998)

<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 50088:1998

<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998>

English version

Safety of electric toys

Sécurité des jouets électriques

Sicherheit elektrischer Spielzeuge

This European Standard was approved by CENELEC on 1995-11-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 50088:1998](https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998)

<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998>

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Contents

	Page
Foreword	3
Introduction	4
1 Scope	6
2 Normative references	7
3 Definitions	8
4 General requirement	11
5 General conditions for the tests	11
6 Selection of tests	13
7 Marking and instructions	14
8 Power input	17
9 Heating and abnormal operation	17
10 Electric strength at operating temperature	22
11 Moisture resistance	22
12 Electric strength at room temperature	23
13 Mechanical strength	23
14 Construction	24
15 Protection of cords and wires	26
16 Components	26
17 Screws and connections	27
18 Creepage distances and clearances	28
19 Resistance to heat and fire	29
20 Toxicity and similar hazards	31
Figures	32
Annexes	
Annex A - A-deviations	33
Annex B - Selection of the tests	34
Annex C - Endurance of thermal controls, overload releases and switches	35
Annex D - Selection and sequence of the tests of clause 19	36
Annex E - Burning test	37
Annex F - Glow-wire test	38
Annex G - Needle-flame test	39

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 50088:1998](https://standards.iteh.ai/catalog/standards/sist/b0d8d923-c1bd-4b1d-9b18-1a1c0201454a/en-50088-1996)

<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-c1bd-4b1d-9b18-1a1c0201454a/en-50088-1996>

<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-c1bd-4b1d-9b18-1a1c0201454a/en-50088-1996>

Foreword

A proposal for a standard dealing with requirements for the safety of electric toys, document CLC/TC 61 (SEC) 702, was circulated under the enquiry procedure in September 1989. This proposal was discussed during the Helsinki meeting in May 1990, when it was decided to prepare a new draft.

Subsequent decisions took place during the meetings in
Brussels, November 1991;
Berlin, February 1993;
Oslo, April 1994;
Paris, November 1994;
and Dublin, May 1995.

During the Dublin meeting it was decided to submit a new draft to the voting procedure (fourth vote).

This draft was circulated in July 1995 and was ratified by CENELEC as EN 50088 on 1995-11-28.

This European Standard has been prepared by the Secretariat of CENELEC Technical Committee TC 61.

The following dates are applicable:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endoresement (dop) 1996-06-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 1998-10-01

This European Standard replaces HD 271 S1:1982 and its amendments.

For products which have complied with HD 271 S1:1982 and its amendments A1:1986, A2:1989, A3:1989 and A4:1995 before 1998-10-01, as shown by the manufacturer or by a certification body, this standard may continue to apply for production until 2001-10-01.

(standards.iteh.ai)

There are no special national conditions (snc) causing a deviation from this European Standard.

[SIST EN 50088:1998](https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-6b632d6a9e4/sist-en-50088-1996)

[https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-](https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-6b632d6a9e4/sist-en-50088-1996)

National deviations from this European Standard are listed in annex A.

Annexes C, E, F and G are normative. Annexes A, B and D are informative.

NOTE - The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in bold in the text are defined in clause 3.

Introduction

It has been assumed in the drafting of this European Standard that the execution of its provisions is entrusted to appropriately qualified and experienced people.

As a general rule, toys are designed and manufactured for particular categories of children. Their characteristics are related to the age and stage of development of the children and their intended use presupposes certain capabilities.

Accidents are frequently due to a toy either being given to a child for whom it is not intended or being used for a purpose other than for which it was designed. It is assumed that when choosing a toy or a game, account is taken of the physical and mental development of the child who will be playing with it.

The aim of this standard is to reduce risks when playing with toys, especially those risks which are not evident to users. However, it has to be recognized that some toys have risks inherent to their use which cannot be avoided. Consideration has been given to reasonably foreseeable use, bearing in mind that children are not generally as careful as adults.

Whilst this standard applies to new toys, it nevertheless takes into account the wear and tear of toys in use.

The fact that a toy complies with this standard does not absolve parents and other persons in charge of the child from the responsibility of supervising the child.

This standard covers the whole range of electric toys from small button cell operated lights to large sit-on cars powered by lead-acid cells. This results in different requirements and tests according to the type of toy. The criteria for the selection of the tests to be applied to the various types of toys are given in clause 6, with guidance in annex B.

In order to comply with this standard, electric toys also have to comply with EN 71.

A toy which complies with the text of this standard will not necessarily be judged to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

A toy employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the standard.

This standard covers the essential safety requirements concerning the electrical properties, stated in annex II of EC Directive 88/378/EEC¹⁾ on the safety of toys.

This standard does not cover the disposal of batteries which contain materials which are hazardous to the environment, dealt with in EC Directive 91/157/EEC and 93/86/EEC²⁾ on batteries.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 50088:1998](https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998)

<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1998>

-
- 1) 88/378/EEC — Council Directive of 3 May 1988 on the approximation of the laws of the Member States concerning the safety of toys.
 - 2) 91/157/EEC — Council Directive of 18 March 1991 on batteries and accumulators containing certain dangerous substances.
93/86/EEC — Council Directive of 4 October 1993 adapting to technical progress Council Directive 91/157/EEC on batteries and accumulators containing certain dangerous substances.

1 Scope

This standard deals with the safety of electric toys. It also applies to electric constructional sets and electric functional toys.

Toys using electricity for functions other than the principal function are within the scope of this standard.

NOTE 1: A doll's house having an interior lamp is an example of such toys.

NOTE 2: The supply voltage may be obtained from a separate transformer for toys or from batteries which may be contained within the toy or in a battery box.

NOTE 3: Transformers for toys and battery chargers are not considered to be a toy, even if supplied with it.

If the packaging in which the toy is sold is also intended to be played with, it is considered to be part of the toy.

NOTE 4: This standard does not apply to

- experimental sets (under consideration);
- portable child-appealing luminaires (EN 60598-2-10)¹⁾.

Furthermore, with respect to annex I of the EC directive concerning the safety of toys, this standard does not apply to

- christmas decorations;
- scale models for adult collectors;
- equipment intended to be used collectively in playgrounds;
- sports equipment;
- aquatic equipment intended to be used in deep water;
- folk dolls and decorative dolls and other similar articles for adult collectors;
- professional toys installed in public places (shopping centres, stations, etc.);
- fireworks, including percussion caps;
- sets of darts with metallic points;
- ovens, irons or other functional products supplied at a voltage exceeding 24 V;
- products containing heating elements intended for use under the supervision of an adult in a teaching context;
- vehicles with combustion engines;
- toy steam engines;
- bicycles designed for sport or for travel on the public highway;
- video toys which can be connected to a video screen, and which are supplied at a voltage exceeding 24 V;
- faithful reproductions of real fire arms;
- fashion jewellery for children.

For hazards other than those caused by electricity, EN 71 is applicable.

SIST EN 50088:1996
<https://standards.iteh.ai/catalog/standards/sist/b0d8d923-efbd-4b1d-9bf8-68e632d6a9c4/sist-en-50088-1996>

1) EN 60598-2-10: 1989 - Luminaires - Part 2: Particular requirements - Section Ten: Portable child-appealing luminaires

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

<u>Reference</u>	<u>Year</u>	<u>Title</u>
EN 71	series	Safety of toys
EN 71-1	1988	Part 1: Mechanical and physical properties
EN 71-3	1994	Part 3: Migration of certain elements
EN 60065	1993	Safety requirements for mains operated electronic and related apparatus for household and similar general use (IEC 65:1985 + A1:1987 + A2:1989 + A3:1992, modified)
EN 60068-2-63	1994	Environmental testing - Part 2: Tests - Test Eg: Impact, spring hammer (IEC 68-2-63:1991)
EN 60320-1	1987	Appliance couplers for household and similar general purposes (IEC 320:1981 + A1:1984 + A2:1985, modified)
EN 60335-1	1994	Safety of household and similar electrical appliances Part 1: General requirements (IEC 335-1:1991, modified)
EN 60529	1991	Degrees of protection provided by enclosures (IP Code) (IEC 529:1989)
EN 60695-2-2	1994	Fire hazard testing - Part 2: Test methods Section 2: Needle-flame test (IEC 695-2-2:1991)
EN 60730	series	Automatic electrical controls for household and similar use (IEC 730, modified)
EN 60742	1989	Isolating transformers and safety isolating transformers Requirements (IEC 742:1983, modified)
EN 61058-1	1992	Switches for appliances — Part 1: General requirements (IEC 1058-1:1990)
HD 243		Graphical symbols for use on equipment - Index, survey and compilation of the single sheets (IEC 417)-
HD 441 S1	1983	Methods of test for the determination of the flammability of solid electrical insulating materials when exposed to an igniting source (IEC 707:1981)
IEC 83	1975	Plugs and socket-outlets for domestic and similar general use Standards
IEC 86-2	1994	Primary batteries - Part 2: Specification sheets
IEC 384-14	1993	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

IEC 695-2-1 1991 Fire hazard testing - Part 2: Test methods
Section 1: Glow-wire test and guidance

3 Definitions

For the purpose of this standard, the following definitions apply.

3.1.1 **toy:** Product designed or clearly intended for use in play by children under 14 years old.

3.1.2 **electric toy:** Toy having at least one function dependent on electricity.

NOTE: Non electric parts are considered to be parts of the toy.

3.1.3 **battery toy:** Toy which contains or uses one or more batteries as the only source of electrical energy.

NOTE: The batteries may be in a battery box.

3.1.4 **transformer toy:** Toy which is connected to the supply mains through a transformer for toys and using the supply mains as the only source of electrical energy.

3.1.5 **dual supply toy:** Toy which can be operated simultaneously or alternatively as a battery toy and a transformer toy.

3.1.6 **battery box:** Compartment which is separate from the toy and in which the batteries are placed.

3.1.7 **safety isolating transformer:** Transformer, the input winding of which is electrically separated from the output winding by an insulation at least equivalent to double insulation or reinforced insulation, and which is designed to supply an appliance or circuit at safety extra-low voltage.

3.1.8 **transformer for toys:** Safety isolating transformer specially designed to supply toys operating at safety extra-low voltage not exceeding 24 V [EN 60742].

NOTE: Either a.c. or d.c. or both may be delivered from the transformer.

3.2.1 **constructional set:** Collection of electric, electronic or mechanical parts intended to be assembled as various toys.

3.2.2 **experimental set:** Collection of electric or electronic components intended to be assembled in various combinations.

NOTE: The main aim of an experimental set is to facilitate the acquiring of knowledge by experiment and research. It is not intended to create a toy or equipment for practical use.

3.2.3 functional toy: Toy with a **rated voltage** not exceeding 24 V and which is a model of an appliance or installation used by adults.

NOTE: A product with a **rated voltage** not exceeding 24 V, intended to be used by children under the direct supervision of an adult and which is a model of an appliance or installation and used in the same way, is known as a functional product.

3.2.4 portable child-appealing luminaire: A luminaire that in normal use can be moved from one place to another while connected to the supply, and which is constructed to represent a model, person or animal such that due to the design and materials used it could be treated, by a child, as a toy [EN 60598-2-10].

3.2.5 scale model for adult collectors: Detailed model with or without accessories and being faithful to scale.

NOTE: Scale models for adult collectors are often expensive and sensitive to rough handling. The packaging, instructions and marketing will be different from that used for toys.

3.2.6 video toy: Toy consisting of a screen and activating means by which the child can play and interact with the picture shown on the screen.

NOTE 1: All parts necessary for the operation of the video toy, such as control box, joy stick, key board, monitor and connections, are considered to be part of the toy.

NOTE 2: Separate supply transformers and separate monitors (including TV sets) having **rated voltages** exceeding 24 V are not considered to be part of the video toy.

3.3 Where the terms **voltages** and **current** are used, they imply r.m.s. values unless otherwise specified.

3.3.1 rated voltage: Voltage assigned to the toy by the manufacturer.

3.3.2 working voltage: Maximum voltage to which the part under consideration is subjected when the toy is supplied at its **rated voltage** and under **normal operation**.

NOTE 1: **Normal operation** includes the change of voltage within the toy resulting from the operation of a switch, the failure of a lamp or a similar occurrence.

NOTE 2: When deducing the **working voltage**, the effect of transient voltages is ignored.

3.3.3 rated power input: Power input assigned to the toy by the manufacturer.

[SIST EN 50088:1998](https://standards.iteh.ai/catalog/standards/sist/bd84023-efbd-4b1d-9b58-68e632d6a9c4/sist-en-50088-1998)

3.3.4 rated current: Current assigned to the toy by the manufacturer.

NOTE: If no current is assigned to the toy, the **rated current** for the purpose of this standard is the current measured when the toy is operated under **normal operation** at **rated voltage**.

3.3.5 normal operation: Condition under which the toy, connected to the recommended power supply, is played with as intended or in a foreseeable way, bearing in mind the normal behaviour of children.

3.4.1 creepage distance: Shortest path between two conductive parts or between a conductive part and the accessible surface of the toy, measured along the surface of the insulating material.

3.4.2 clearance: Shortest distance between two conductive parts or between a conductive part and the accessible surface of the toy, measured through air.

3.5.1 detachable part: Part which can be removed or opened without the aid of a tool, a part which can be removed or opened by a tool supplied with the toy, or a part which can be removed or opened in accordance with the instructions for use even if a tool is needed for removal.

NOTE: Parts which are intended to be removed or opened by a tool supplied with the toy, the instructions of which warn against giving this tool to children, are not detachable parts.

3.5.2 tool: Screwdriver, coin or other object which may be used to operate a screw, clip or similar fixing means.

3.5.3 accessible part: Part or surface which can be touched by means of the accessibility probes shown in EN 71-1 for the relevant age group.

3.6.1 thermostat: Temperature-sensing device, the operating temperature of which may be either fixed or adjustable and which during normal operation keeps the temperature of a toy or a part of it between certain limits by automatically opening and closing a circuit.

3.6.2 thermal cut-out: Device which during abnormal operation limits the temperature of a toy or parts of it by automatically opening the circuit or by reducing the current and which is constructed so that its setting cannot be altered by the user.

NOTE: A motor protector is an example of a thermal cut-out.

3.6.3 self-resetting thermal cut-out: Thermal cut-out which automatically restores the current after the relevant part of the toy has cooled down sufficiently.

3.6.4 non-self-resetting thermal cut-out: Thermal cut-out which requires a manual operation for resetting or replacement of a part, in order to restore the current.

3.7.1 electronic component: Part in which conduction is achieved principally by electrons moving through a vacuum, gas or semiconductor.

NOTE: Electronic components do not include resistors, capacitors and inductors.

3.7.2 electronic circuit: Circuit incorporating at least one electronic component.

4 General requirement

Toys shall be constructed so that the risks to persons or surroundings when the toy is used are reduced as far as possible, especially those risks which are not evident to the user. This applies when the toy is used as intended or in a foreseeable way, bearing in mind the normal behaviour of children.

In general, this principle is achieved by fulfilling the relevant requirements specified in this standard and compliance is checked by carrying out all the relevant tests.

5 General conditions for the tests

CAUTION. Tests on battery toys, e.g. short-circuit tests, can result in explosion or rupture of the batteries. Adequate precautions should be taken when conducting such tests.

5.1 *Tests according to this standard are type tests.*

5.2 *Unless otherwise specified, the tests are made on a single toy which shall withstand all the relevant tests. However, the tests of clauses 14 to 17 may be made on separate toys. If the toy does not operate after the tests of clause 9 the subsequent tests are carried out on a separate toy.*

NOTE 1: Additional samples may be required if the toy is constructed

- for different supply voltages;
- for both a.c. and d.c.;
- for different speeds.

NOTE 2: The testing of components may require the submission of additional samples of these components.

NOTE 3: The cumulative stress resulting from successive tests on electronic circuits is to be avoided. It may be necessary to replace components or to use additional samples. The number of additional samples should be kept to a minimum by an evaluation of the relevant electronic circuits.

5.3 *Unless otherwise specified, the tests are carried out in the order of the clauses.*

If it is evident from the construction of the toy that a particular test is not applicable, this test is not made.

(standards.iteh.ai)

5.4 *If a toy is intended to be assembled by a child, the requirements apply to each part available to the child and to the assembled toy. If a toy is intended to be assembled by an adult, the requirements apply to the assembled toy.*

5.5 *The tests are carried out with the toy or any movable part of it placed in the most unfavourable position. Detachable parts are removed or kept in position, whichever is more unfavourable.*