

# INTERNATIONAL STANDARD

**Maritime navigation and radiocommunication equipment and systems –  
Shipborne voyage data recorder (VDR) –  
Part 1: Performance requirements, methods of testing and required test results**

## Document Preview

[IEC 61996-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

[IEC 61996-1:2013](https://standards.iteh.ai/catalog/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013)

<https://standards.iteh.ai/catalog/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013>



IEC 61996-1

Edition 2.0 2013-05

# INTERNATIONAL STANDARD

---

**Maritime navigation and radiocommunication equipment and systems –  
Shipborne voyage data recorder (VDR) –  
Part 1: Performance requirements, methods of testing and required test results**

Document Preview

[IEC 61996-1:2013](https://standards.iteh.ai/catalog/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013)

<https://standards.iteh.ai/catalog/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XC**

ICS 47.020.70

ISBN 978-2-83220-799-4

**Warning! Make sure that you obtained this publication from an authorized distributor.**



5	Technical characteristics.....	21
5.1	Co-relation in date and time .....	21
5.2	Particular design requirements for the final recording medium .....	21
5.2.1	Fixed protective capsule .....	21
5.2.2	Float-free capsule .....	21
5.2.3	Long-term recording medium .....	21
5.3	Location beacons.....	22
5.3.1	Fixed protective capsule .....	22
5.3.2	Float-free capsule .....	22
5.4	Survivability of recorded data .....	22
5.4.1	Long-term retention .....	22
5.4.2	Physical protection.....	22
5.5	Information to be included in the manufacturer's documentation .....	23
5.5.1	Installation guidelines.....	23
5.5.2	Operation and maintenance manual .....	24
5.5.3	Information for use by an investigation authority .....	24
5.6	Bridge audio specifications .....	24
5.6.1	Input interface.....	24
5.6.2	Reference signal.....	24
5.6.3	Audio frequency response.....	25
5.6.4	Quality index.....	25
5.6.5	Signal noise level – Signal to noise and distortion.....	25
5.6.6	Ability to handle complex signals.....	25
5.6.7	Suppression of low frequency out band noise .....	26
5.6.8	Microphones .....	26
5.7	Communications audio.....	26
5.7.1	Input interfaces .....	26
5.7.2	Reference signal.....	26
5.7.3	Audio frequency response.....	26
5.7.4	Quality index.....	26
5.7.5	Audio noise level – Signal to no signal.....	27
5.7.6	Signal noise level – Signal to noise and distortion (SINAD) .....	27
5.8	Screen image capture .....	27
5.8.1	Input interface.....	27
5.8.2	Image outputs.....	28
5.9	Radar data – Post-display selection .....	28
5.10	ECDIS data .....	28
5.11	Configuration data .....	29
5.11.1	Distribution of data in final recording media .....	29
5.11.2	Protection .....	29
5.11.3	Synchronisation of sensor and configuration data .....	29
5.12	Operational performance test.....	29
5.13	Bridge alert management system .....	29
6	Methods of testing and required test results .....	29
6.1	General .....	29
6.1.1	Test setup .....	29
6.1.2	Download and playback equipment .....	30
6.1.3	Sequence of tests .....	31
6.1.4	Requirements to be checked by inspection only.....	31

6.1.5	Environmental test conditions for normal operation.....	31
6.1.6	Recording duration.....	32
6.1.7	Reserve power source .....	32
6.1.8	Recharging of reserve source of power .....	33
6.1.9	Brief interruption of electrical power .....	33
6.1.10	Recording integrity.....	33
6.1.11	Maintenance of sequential records .....	34
6.1.12	Co-relation in date and time .....	34
6.1.13	Design and construction of the fixed protective capsule.....	34
6.1.14	Design and construction of the float-free capsule .....	36
6.1.15	Operational performance test.....	37
6.1.16	Power source.....	38
6.2	Data items to be recorded.....	38
6.2.1	Date/time – Ship’s position – Speed – Heading.....	38
6.2.2	Bridge audio .....	38
6.2.3	Communications audio.....	44
6.2.4	Radar data, post-display selection and ECDIS.....	47
6.2.5	Other items.....	55
6.2.6	Electronic logbook .....	56
6.3	Interfaces .....	56
Annex A (normative)	IEC 61162 sentence formats.....	57
Annex B (informative)	Mandatory alarms .....	58
Annex C (normative)	Download and playback equipment for investigating authorities .....	61
Annex D (informative)	Requirement/test – Cross-references.....	65
Annex E (normative)	LAN image protocol .....	67
Annex F (informative)	Network for image transmission .....	71
Annex G (normative)	ECDIS display source information.....	74
Bibliography	.....	79
Figure 1	– Insertion of Morse letter “V” in homing transmission .....	22
Figure 2	– Test set-up block diagram.....	49
Figure 3	– Comparison of images .....	53
Figure F.1	– Network with a switch .....	71
Figure F.2	– Network with direct connections.....	72
Figure F.3	– Network for a ship with an extensive bridge.....	73
Table 1	– Bridge audio, signal to no signal measurements .....	41
Table 2	– Bridge audio, signal to noise and distortion (SINAD) measurements .....	42
Table 3	– Complex signals .....	43
Table 4	– Communications audio, signal to no-signal measurements .....	46
Table 5	– Communications audio, signal to noise and distortion (SINAD) measurements .....	47
Table 6	– Intersection colours of test images 1 and 2 .....	51
Table A.1	– References in this standard .....	57
Table B.1	– Mandatory alarms on the bridge.....	58
Table D.1	– Subject list and subclauses (1 of 2) .....	65
Table E.1	– Default values for transmitting equipment .....	70

Table E.2 – Default values for receiving equipment.....	70
Table G.1 – Required chart information .....	75
Table G.2 – Additional chart information .....	75

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC 61996-1:2013](#)

<https://standards.iteh.ai/catalog/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION  
EQUIPMENT AND SYSTEMS –  
SHIPBORNE VOYAGE DATA RECORDER (VDR) –****Part 1: Performance requirements,  
methods of testing and required test results**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61996-1 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This second edition cancels and replaces the first edition published in 2007 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) The description of the protective capsule in 4.3.4 has been changed in line with the requirements of the new IMO performance standards given in Resolution MSC.333(90) which now require a final recording medium comprising three parts; fixed, float-free and long-term.
- b) A new requirement for a performance test has been added in 4.3.6.



- c) Further data items to be recorded have been added to 4.6 for ECDIS, AIS, rolling motion and electronic logbooks.
- d) Clause 5 contains new technical requirements for configuration data, operational performance test and bridge alert management system. In addition, further technical requirements have been added to 5.6 for bridge audio and to 5.8 for radar and ECDIS images.
- e) References to “alarm” requirements in the previous edition have been substituted by references to “cautions” in line with current IMO recommendations. The test methods in Clause 6 have been updated to reflect the new requirements.
- f) New Annexes E, F and G concerning protocols for interfacing images using a Local Area Network have been added.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/690/FDIS	80/699/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61996 series, under the general title *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR)*, can be found on the IEC website.

NOTE All text of this standard, whose wording is identical to that of IMO Resolution MSC.333(90), is printed in *italics*, and the Resolution and associated performance standard paragraph numbers are indicated in brackets.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of February 2014 have been included in this copy.

# MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – SHIPBORNE VOYAGE DATA RECORDER (VDR) –

## Part 1: Performance requirements, methods of testing and required test results

### 1 Scope

This part of IEC 61996 specifies the minimum performance requirements, technical characteristics, methods of testing and required test results, for shipborne voyage data recorder (VDR) installations as required by Chapter V of the International Convention for Safety of Life at Sea (SOLAS), as amended. It takes account of IMO resolution A.694(17) and is associated with IEC 60945. When a requirement in this standard is different from IEC 60945, the requirement in this standard takes precedence.

This standard incorporates the applicable parts of the performance standards included in IMO Resolution MSC.333(90).

NOTE All text of this standard, whose wording is identical to that of IMO Resolution MSC.333(90), is printed in *italics*, and the Resolution and associated performance standard paragraph numbers are indicated in brackets.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60268-16, *Sound system equipment – Part 16: Objective rating of speech intelligibility by speech transmission index*

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61097-2, *Global maritime distress and safety system (GMDSS) – Part 2: COSPAS-SARSAT EPIRB – Satellite emergency position indicating radio beacon operating on 406 MHz – Operational and performance requirements, methods of testing and required test results*

IEC 61097-7:1996, *Global maritime distress and safety system (GMDSS) – Part 7: Shipborne VHF radiotelephone transmitter and receiver – Operational and performance requirements, methods of testing and required test results*

IEC 61162 (all parts), *Maritime navigation and radiocommunication equipment and systems – Digital interfaces*

IEC 61162-450:2011, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 450: Multiple talkers and multiple listeners – Ethernet interconnection*

IEC 61174, *Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results*

IEC 61260:1995, *Electroacoustics – Octave-band and fractional-octave-band filters*  
Amendment 1:2001

IEC 61672-1:2002, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC 62388:2007, *Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results*

IMO A.658(16), *Use and fitting of retro-reflective materials on life-saving appliances*

IMO A.662(16), *Performance standards for float-free release and activation arrangements for emergency radio equipment*

IMO A.694(17), *General requirements for shipborne radio equipment forming part of the Global maritime distress and safety system (GMDSS) and for electronic navigational aids*

IMO A.810(19), *Performance standards for float-free satellite emergency position-indicating radio beacons (EPIRBs) operating on 406 MHz*

IMO A.1021(26), *Code on alerts and indicators*

IMO MSC.333(90):2012, *Performance standards for shipborne Voyage Data Recorders (VDRs)*

EUROCAE ED-112:2003, *Minimum operational performance specification (MOPS) for crash protected airborne recorder systems*

<https://standards.iteh.ai/>  
<https://standards.iteh.ai/standards/IEC/61996-1-2013>

VESA:2007, *Video electronics standards association – VESA and industry standards and guidelines for computer display monitor timing (DMT), Version 1.0, Revision 0.11*

SAE AS8045A:2011, *Engineering Society for advancing mobility land sea air and space – Minimum performance standard for underwater locating devices – Acoustic, self-powered*

### **3 Terms, definitions and abbreviations**

#### **3.1 Terms and definitions**

For the purposes of this document the following terms and definitions apply.

##### **3.1.1**

###### **alert**

*announcement of abnormal situations and conditions requiring attention. Alerts are divided in four priorities: emergency alarms, alarms, warnings and cautions.*

Note 1 to entry: See (A.1021(26)/3).

### 3.1.2

#### **alarm**

*high priority of an alert. A condition requiring immediate attention and action, to maintain the safe navigation and operation of the ship.*

Note 1 to entry: See (A.1021(26)/3).

### 3.1.3

#### **bridge work station**

position at which a person is expected to be when performing one of the normal bridge duties at, for example, the following work stations:

- centre line conning;
- bridge wing(s);
- main radar;
- chart table;
- helmsman;
- communication

### 3.1.4

#### **caution**

*lowest priority of an alert. A condition which does not warrant an alarm or warning condition, but still requires attention and out of the ordinary consideration of the situation or of given information*

Note 1 to entry: A caution is indicated by a steady visual indication with a message of sufficient detail to enable the bridge team to identify and address the caution condition. No acknowledgement is required and the caution should be automatically removed after the condition is rectified.

Note 2 to entry: See (A.1021(26)/3).

### 3.1.5

#### **combined EPIRB/VDR capsule**

single unit which meets all the requirements of a satellite EPIRB (as required by the carriage requirements of SOLAS IV) and all the requirements of a VDR (as required by the carriage requirements of SOLAS V)

Note 1 to entry: Combined EPIRB/VDR capsule was defined by IMO COMSAR 8.

### 3.1.6

#### **configuration data**

*describes the vessel's equipment, its installation on the vessel and its relation to the VDR. The storage and playback software uses this data to store the data record and to convert the data record into information that assists casualty investigation during playback*

Note 1 to entry: See (MSC.333(90)/4.10).

### 3.1.7

#### **data**

any item of information received by the VDR for recording, including numerical values, text and audio or radar signals and including all configuration data, except where specifically stated or where the context dictates otherwise

### 3.1.8

#### **dedicated reserve power source**

*a battery, with suitable automatic charging arrangements, dedicated solely to the VDR, of sufficient capacity to operate it as required by 5.4.2.*

Note 1 to entry: See (MSC.333(90)/4.9).

### 3.1.9

#### **final recording medium**

*the items of hardware on which the data is recorded such that access to any one of them would enable the data to be recovered and played back by use of suitable equipment. The combination of a fixed recording medium and float-free recording medium and long-term recording medium, together, is recognized as the final recording medium.*

Note 1 to entry: See (MSC.333(90)/4.3).

### 3.1.10

#### **fixed recording medium**

*part of the Final Recording Medium which is protected against fire, shock, penetration and a prolonged period on the ocean floor. It is expected to be recovered from the deck of the vessel that has sunk. It has a means of indicating location.*

Note 1 to entry: See (MSC.333(90)/4.4).

### 3.1.11

#### **float-free recording medium**

*part of the Final Recording Medium which should float-free after a sinking. It has a means of indicating location.*

Note 1 to entry: See (MSC.333(90)/4.5).

### 3.1.12

#### **long-term recording medium**

*permanently installed part of the Final Recording Medium. It provides the longest record duration and has a readily accessible interface for downloading the stored data.*

Note 1 to entry: See (MSC.333(90)/4.6).

### 3.1.13

#### **playback equipment**

*any data medium with the playback software, the operational instructions and any special parts required for connecting a commercial-off-the-shelf laptop computer to the VDR*

Note 1 to entry: See (MSC.333(90)/4.7).

### 3.1.14

#### **playback software**

*copy of the software program to provide the capability to download the stored data and play back the information. The software should be compatible with an operating system available with commercial-off-the-shelf laptop computers and where non-standard or proprietary formats are used for storing the data in the VDR, the software should convert the stored data into open industry standard formats.*

Note 1 to entry: See (MSC.333(90)/4.8).

### 3.1.15 playback system

system including the playback equipment that is capable of downloading and playing back the recorded data

### 3.1.16

#### **recorder**

#### **VDR**

*complete system, including any items required to interface with the sources of input signals, their processing and encoding, the final recording medium, the playback equipment, the power supply and dedicated reserve power source*

Note 1 to entry: See (MSC.333(90)/4.1).

**3.1.17**

**resolution**

smallest detectable increment between two values

**3.1.18**

**signal source**

*any sensor or device external to the VDR, to which the VDR is connected and from which it obtains signals and data to be recorded*

Note 1 to entry: See (MSC.333(90)/4.2).

**3.2 Abbreviations**

EPFS	Electronic position-fixing system
EUT	Equipment under test
FFT	Fast Fourier Transform
GMDSS	Global maritime distress and safety system
IMO	International Maritime Organization
INS	Integrated navigation system
ITU	International Telecommunication Union
LAN	Local area network
ROV	Remotely operated vehicle
SAR	Search and rescue
SINAD	Signal to noise and distortion
SPL	Sound pressure level
STI	Speech transmission index
STIPA	Speech transmission index for public address systems
UTC	Coordinated universal time <a href="#">IEC 61996-1:2013</a>

VHF Very high frequency <https://standards.iteh.ai/standards/iec/ab334baa-d669-4545-b871-dbdd0598b1d3/iec-61996-1-2013>

**4 Performance requirements**

**4.1 General**

Performance requirements described in this clause are specified by reference to the numbered paragraphs of IMO Resolution MSC.333(90).

**4.2 Purpose**

(MSC.333(90)/1) *The purpose of a Voyage Data Recorder (VDR) is to maintain a store, in a secure and retrievable form, of information concerning the position, movement, physical status, command and control of a vessel over the period leading up to, and following, an incident having an impact thereon. Information contained in a VDR shall be made available to both the Administration and the shipowner. This information is for use during any subsequent safety investigation to identify the cause(s) of the incident.*

**4.3 Operational requirements**

**4.3.1 Design and construction**

(See 6.1.5)

(MSC.333(90)/5.1.4) *The design and construction, which shall be in accordance with the requirements of resolution A.694(17) and international standards acceptable to the*