

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-21: Particular requirements for storage water heaters
(standards.iteh.ai)

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-21: Règles particulières pour les chauffe-eau à accumulation

<https://standards.iteh.ai/catalog/standards/sist/bc626cda-d1b7-4ed-0680-093ae212bbe7/iec-60335-2-21-2012>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60335-2-21

Edition 6.0 2012-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-21: Particular requirements for storage water heaters

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-21: Règles particulières pour les chauffe-eau à accumulation

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

U

ICS 13.120; 91.140.65

ISBN 978-2-83220-452-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	9
3 Terms and definitions.....	9
4 General requirement.....	10
5 General conditions for the tests.....	10
6 Classification.....	10
7 Marking and instructions.....	10
8 Protection against access to live parts.....	12
9 Starting of motor-operated appliances.....	12
10 Power input and current.....	12
11 Heating.....	12
12 Void.....	12
13 Leakage current and electric strength at operating temperature.....	12
14 Transient overvoltages.....	12
15 Moisture resistance.....	12
16 Leakage current and electric strength.....	12
17 Overload protection of transformers and associated circuits.....	13
18 Endurance.....	13
19 Abnormal operation.....	13
20 Stability and mechanical hazards.....	14
21 Mechanical strength.....	14
22 Construction.....	14
23 Internal wiring.....	16
24 Components.....	16
25 Supply connection and external flexible cords.....	18
26 Terminals for external conductors.....	18
27 Provision for earthing.....	18
28 Screws and connections.....	18
29 Clearances, creepage distances and solid insulation.....	18
30 Resistance to heat and fire.....	18
31 Resistance to rusting.....	19
32 Radiation, toxicity and similar hazards.....	19
Annexes.....	22
Annex A (informative) Routine tests.....	22
Annex R (normative) Software evaluation.....	23
Annex AA (normative) Additional requirement for immersion heater units intended for the installation in heat exchange closed water heaters.....	24
Bibliography.....	27

iTeH STANDARD PREVIEW

(standards.iteh.ai)

IEC 60335-2-21:2012

[https://standards.iteh.ai/catalog/standards/sist/bcb20eda-df67-4ef9-b886-](https://standards.iteh.ai/catalog/standards/sist/bcb20eda-df67-4ef9-b886-093ae212bbe7/iec-60335-2-21-2012)

[093ae212bbe7/iec-60335-2-21-2012](https://standards.iteh.ai/catalog/standards/sist/bcb20eda-df67-4ef9-b886-093ae212bbe7/iec-60335-2-21-2012)

Figure 101 – Examples of types of storage water heaters 20
Figure 102 – Example of positions of the thermocouples..... 21

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60335-2-21:2012](https://standards.iteh.ai/catalog/standards/sist/bcb20eda-df67-4ef9-b886-093ae212bbe7/iec-60335-2-21-2012)

<https://standards.iteh.ai/catalog/standards/sist/bcb20eda-df67-4ef9-b886-093ae212bbe7/iec-60335-2-21-2012>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-21: Particular requirements for storage water heaters**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This sixth edition cancels and replaces the fifth edition published in 2002 including its Amendment 1 (2004) and its Amendment 2 (2008). It constitutes a technical revision.

The principal changes in this edition as compared with the fifth edition of IEC 60335-2-21 are as follows (minor changes are not listed):

- added requirements for immersion heater units (fixed immersion heaters);
- removed reference to ISO 13732-1 from Bibliography.

The text of this standard is based on the following documents:

FDIS	Report on voting
61/4452/FDIS	61/4505/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for storage water heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The following differences exist in the countries indicated below.

- 6.1: Class 0I appliances are allowed (Japan).

- 6.2: IPX0 water heaters are allowed (France, United Kingdom and USA).
- 7.1: Additional markings are required (Australia, New Zealand and South Africa).
- 7.1: The rated pressure is to be marked in pounds per square inch (USA).
- 7.1: Open outlet water heaters are not required to be marked with rated pressure (USA).
- 7.12.1: Additional instructions are required (South Africa).
- 11.7: The test is different (USA).
- 13.2: An additional leakage current test is required (China).
- 19.1: Appliances incorporating sheathed heating elements are not required to have an outer enclosure of metal but their rated power input is limited to 12 kW (USA).
- 19.101: The test is different (USA).
- 22.47: The minimum pressure is 2,1 MPa. The test is not carried out on water heaters having a capacity less than 2 l or on appliances having containers open to the atmosphere (USA).
- 22.101: Pressure reducing valves have to be designed for an inlet pressure of 2 MPa (South Africa).
- 22.102: The temperature limit is 95 °C (South Africa).
- 22.102: The temperature limit is 85 °C (USA).
- 22.101: The minimum rated pressure is 1,0 MPa (Denmark, Finland, Norway and Sweden).
- 22.103: Closed water heaters having a capacity exceeding 50 l or a rated power input exceeding 2 kW have to incorporate a pressure-relief device sensitive to both pressure and temperature that operates before the water temperature reaches 99 °C (South Africa).
- 22.103: Closed water heaters have to incorporate a temperature relief valve or a combined temperature and pressure-relief valve that operates before the water temperature reaches 100 °C (United Kingdom). [IEC 60335-2-21:2012](https://standards.iteh.ai/catalog/standards/sist/bcb20eda-467-4e9-b886-093a212bbe7/iec-60335-2-21-2012)
- 22.106: The thermal cut-out of single-phase closed water heaters need only provide single-pole disconnection (Japan). <https://standards.iteh.ai/catalog/standards/sist/bcb20eda-467-4e9-b886-093a212bbe7/iec-60335-2-21-2012>
- 22.106: For all closed water heaters, the thermal cut-out is to provide all-pole disconnection (France, Netherlands,).
- 22.109: A tool is not required for draining the appliance (USA).
- 22.110: Additional requirements apply to plastic or resin-based containers for open outlet, cistern type and low pressure type (South Africa).
- 24.1.4 Additional requirements apply to Thermal cut-outs (South Africa)
- 24.101: Thermal cut-outs are required to have a trip-free switching mechanism (USA).
- 24.102: The maximum water temperature is 99 °C (Japan, Norway, Portugal, United Kingdom and USA).
- 24.102: The temperature limit of 130 °C is only allowed for closed water heaters having a rated pressure of at least 0,4 MPa (South Africa).

The contents of the corrigendum of April 2013 have been included in this copy.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

(standards.iteh.ai)

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

<https://standards.iteh.ai/catalog/standards/sist/bcb20eda-df67-4ef9-b886-674ac212b974/iec-60335-2-21-2012>

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-21: Particular requirements for storage water heaters

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **storage water heaters** for household and similar purposes and intended for heating water below boiling temperature, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

This standard is also applicable to **immersion heater units** intended to be retrofitted in a **heat exchange closed water heater** having provision for retrofitting. Such a unit shall comply with the requirements in Annex AA.

NOTE Australia, Netherlands and New Zealand do not allow **immersion heater units** intended to be retrofitted in a **heat exchange closed water heater** unless:

- the **immersion heater unit** has been tested with the tank models and brands listed in the instructions of the **immersion heater unit**;
- the tank models and brands list the models of the **immersion heater units** that can be retrofitted.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities, or
 - lack of experience and knowledge
 prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities;
- in many countries regulations exist for the installation of equipment connected to the water mains.

NOTE 102 This standard does not apply to

- appliances for boiling water (IEC 60335-2-15);
- instantaneous water heaters (IEC 60335-2-35);
- commercial dispensing appliances and vending machines (IEC 60335-2-75);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable.

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance after installation in accordance with the instructions and filled with cold water

3.101

storage water heater

stationary appliance for heating and storing water in a container and incorporating devices to control the water temperature

3.102

closed water heater

unvented **storage water heater** intended to operate at the pressure of the water system, the flow of water being controlled by one or more valves in the outlet system

Note 1 to entry: A **closed water heater** is shown in Figure 101a.

Note 2 to entry: The operating pressure may be the output pressure of a reducing or boosting device.

3.103

cistern-fed water heater

storage water heater that is vented to atmosphere and intended to be supplied by water under gravity from a separate cistern, the flow of water being controlled by one or more valves in the outlet system

Note 1 to entry: A **cistern-fed water heater** is shown in Figure 101d.

Note 2 to entry: The water heater may be installed so that the expanded water returns to the cistern.

Note 3 to entry: In a **cistern-fed water heater**, the pressure in the container results from the column of water in the cistern.

3.104

cistern-type water heater

storage water heater having a container supplied by water under gravity from a cistern incorporated in the appliance.

Note 1 to entry: The expanded water can return to the cistern, the flow of water being controlled by one or more valves in the outlet system

Note 2 to entry: A **cistern-type water heater** is shown in Figure 101c.

Note 3 to entry: In a **cistern-type water heater**, the surface of the water is always at atmospheric pressure.

3.105

open-outlet water heater

storage water heater in which the flow of water is only controlled by a valve in the inlet pipe and in which the expanded or displaced water flows through the outlet

Note 1 to entry: An **open-outlet water heater** is shown in Figure 101b.

Note 2 to entry: In an **open-outlet water heater**, the static pressure at the outlet is always at atmospheric pressure.

3.106

low-pressure water heater

storage water heater that is vented to atmosphere and intended to be connected to the water mains through a pressure reducing valve, the flow of water being controlled by one or more valves in the outlet system

Note 1 to entry: A **low-pressure water heater** is shown in Figure 101e.

3.107

rated pressure

water pressure assigned to the appliance by the manufacturer

3.108

heat exchange water heater

storage water heater in which heated water is fed into a heat exchanger, such as a coiled tube or similar device, which is itself immersed in a container with the water to be heated.

Note 1 to entry: The heated water fed into the heat exchanger is heated from a primary heat source such as a solar panel or heat pump.

Note 2 to entry: A **heat exchange water heater** is shown in Figure 101f.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

NOTE 101 Additional appliances can be required if damage occurs during the tests of 19.2 or 19.3.

5.3 Addition:

When the tests are carried out on a single appliance, the tests of 22.47, 22.102, 22.103, and 24.102 are carried out before the tests of Clause 19.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Water heaters shall be **class I**, **class II** or **class III**.

6.2 Addition:

Water heaters for installation outdoors shall be at least IPX4. Other water heaters shall be at least IPX1.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliances, other than **cistern-type water heaters**, shall be marked with the **rated pressure** in pascals.

Appliances shall be marked with the rated capacity in litres.

Closed water heaters shall be marked with a statement that a pressure-relief device is to be fitted in the installation, unless it is incorporated in the appliance.

Closed water heaters having a **rated pressure** less than 0,6 MPa and **low-pressure water heaters** shall be marked with a statement that a pressure reducing valve is to be fitted in the installation.

Open-outlet water heaters shall be marked, close to the outlet connection or on a tag attached to the appliance, with the substance of the following:

WARNING: This outlet acts as a vent and must only be connected to a fitting recommended by the manufacturer. It must not be connected to a tap.

7.12 Addition:

The instructions for **closed water heaters** shall state the substance of the following:

- the water may drip from the discharge pipe of the pressure-relief device and that this pipe must be left open to the atmosphere;
- the pressure-relief device is to be operated regularly to remove lime deposits and to verify that it is not blocked;
- how the water heater can be drained.

7.12.1 Addition:

The installation instructions shall state the substance of the following:

- the type or characteristics of the pressure-relief device and how to connect it, unless it is incorporated in the appliance;
- a discharge pipe connected to the pressure-relief device is to be installed in a continuously downward direction and in a frost-free environment;
- the type or characteristics of a pressure reducing valve and the installation details (for appliances having a **rated pressure** less than 0,6 MPa).

The instructions for **closed water heaters** incorporating a heat exchanger shall give details on the installation of control devices and the temperature settings that are necessary to prevent operation of the **thermal cut-out** caused by the heat from the exchanger.

The instructions for **cistern-fed water heaters** and **low-pressure water heaters** shall contain the substance of the following:

WARNING: Do not connect any pressure-relief device to the vent pipe of this water heater.

7.101 The water inlet and the water outlet shall be identified. This identification shall not be on **detachable parts**. If colours are used, blue shall be used for the inlet and red for the outlet. An alternative means of identification may be by means of arrows showing the direction of the water flow.

Compliance is checked by inspection.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

*The appliance is operated until steady conditions are established or until the **thermostat** interrupts the current for the first time after 16 h, whichever is shorter.*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.2 Addition:

*The test is only applicable to **cistern-type water heaters**.*

15.3 Addition:

NOTE 101 If the appliance is too large for the humidity cabinet, the test can be carried out on those parts that contain electrical components.

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.1 Modification:

Instead of the tests specified for appliances incorporating heating elements, the following applies.

For closed water heaters, low-pressure water heaters and open-outlet water heaters, compliance is checked by the tests of 19.2, 19.3 and 19.4 if applicable. However, 19.101 applies instead for appliances not liable to be emptied in normal use and having all four of the following features:

- *an outer enclosure of metal or a water container of metal and an outer enclosure of non-metallic material;*

NOTE 101 Non-metallic covers can be used for the supply terminals and controls.

- *non-combustible thermal insulation;*

NOTE 102 Insulation withstanding the needle flame test of Annex E is considered to be non-combustible.

- *a capacity exceeding 30 l;*
- *a rated power input not exceeding 6 kW.*

NOTE 103 Appliances are not considered liable to be emptied in normal use if emptying through the inlet is prevented by a check valve, a pipe interrupter or an air gap. These devices can be fitted in the inlet pipe in accordance with the instructions. Emptying through openings provided for servicing purposes only is not considered to be normal use.

NOTE 104 Cistern-fed water heaters and cistern-type water heaters are not subjected to the tests.

19.2 Addition:

The appliance is operated empty, any thermal control that operates during the test of Clause 11 being short-circuited.

NOTE 101 If the appliance is provided with more than one thermal control, these are short-circuited in turn.

19.3 Addition:

NOTE 101 If the water heater has been damaged during the previous test, a new appliance is used.

19.4 Replacement:

For open-outlet water heaters, the test of 19.2 is repeated but with the container filled with water to a level at least 10 mm above the highest point of the heating element. The appliance is operated at 1,15 times rated power input under normal operation.

NOTE 101 If the water heater has been damaged during previous tests, a new appliance is used.