

Edition 5.2 2020-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety – Part 2-35: Particular requirements for instantaneous water heaters

Appareils électrodomestiques et analogues – Sécurité – Partie 2-35: Exigences particulières pour les chauffe-eau instantanés

https://standards.iteh.ai/catalog/standards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-

60335-2-35-2012





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



Edition 5.2 2020-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety – Part 2-35: Particular requirements for instantaneous water heaters

Appareils électrodomestiques et analogues – Sécurité – Partie 2-35: Exigences particulières pour les chauffe-eau instantanés

https://standards.iteh.ai/catalog/standards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-

60335-2-35-2012

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 13.120: 97.040.50 ISBN 978-2-8322-8457-5

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60335-2-35:2012

https://standards.iteh.ai/catalog/standards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-60335-2-35-2012



Edition 5.2 2020-06

REDLINE VERSION

VERSION REDLINE



Household and similar electrical appliances – Safety – Part 2-35: Particular requirements for instantaneous water heaters

Appareils électrodomestiques et analogues – Sécurité – Partie 2-35: Exigences particulières pour les chauffe-eau instantanés

https://standards.iteh.ai/catalog/standards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-

60335-2-35-2012



CONTENTS

FOF	REWORD	4
INT	RODUCTION	7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	General requirement	9
5	General conditions for the tests	9
6	Classification	. 10
7	Marking and instructions	. 10
8	Protection against access to live parts	.12
9	Starting of motor-operated appliances	.12
10	Power input and current	.12
11	Heating	.12
12	Void	. 13
13	Leakage current and electric strength at operating temperature	.13
14	Transient overvoltages	
15	Moisture resistance	.14
16	Leakage current and electric strength	.14
17	Overload protection of transformers and associated circuits	
18	Endurance III Communication Co	
19	Abnormal operation //	
20	Stability and mechanical hazards60335-2-35-2012	
21	Mechanical strength	
22	Construction	
23	Internal wiring	. 19
24	Components	. 19
25	Supply connection and external flexible cords	
26	Terminals for external conductors	
	Provision for earthing	
28	Screws and connections	
29	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	
32	Radiation, toxicity and similar hazards	
	nexes	
	nex A (informative) Routine tests	
Annex R (normative) Software evaluation		
Bibliography		
		-
	ure 101 – Diagram for the leakage current measurement for single-phase bare- ment water heaters	.22

IEC 60335-2-35:2012+AMD1:2016 +AMD2:2020 CSV © IEC 2020	- 3 -		
Figure 102 – Diagram for the leakage currer element water heaters	nt measurement for three-phase bare-	23	
Figure 103 – Diagram for the leakage current measurement for single-phase bare- element water heaters supplied by a supply cord fitted with a plug			
Figure 104 – Probe for measuring surface to	emperatures	24	
Table 101 – Maximum temperature rises for under normal operating conditions	specified external accessible surfaces	13	

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60335-2-35:2012

https://standards.iteh.ai/catalog/standards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-60335-2-35-2012

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-35: Particular requirements for instantaneous water heaters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60335-2-35 edition 5.2 contains the fifth edition (2012-11) [documents 61/4454/FDIS and 61/4507/RVD], its amendment 1 (2016-11) [documents 61/5282/FDIS and 61/5299/RVD] and its amendment 2 (2020-06) [documents 61/5932/CDV and 61/6005/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fifth edition constitutes a technical revision.

The principal changes in this edition as compared with the fourth edition of IEC 60335-2-35 are as follows (minor changes are not listed):

- converted notes to normative text (7.12, 7.102, 8.1.5, 22.104, and 22.109.3);
- deleted notes in 19.13, 22.109, and A.101;
- added Annex R and 22.108 for appliances with programmable electronic circuits;
- added requirements for water heaters (22.50, 22.51).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for instantaneous water heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used: 0335-2-352012

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- · replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

-6-

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The following differences exist in the countries indicated below.

- 6.1: Bare-element water heaters are not allowed (India).
- 6.1: Class 0I appliances are allowed (Japan).
- 7.1: Marking of rated pressure is different and marking of water resistivity is not required (USA).
- 19.4: Flow switches tested for reliability are not short-circuited (USA).
- 19.13: The water temperatures are different (USA).
- 22.101: For closed water heaters, the minimum rated pressure is 1,0 MPa (Norway, Sweden).
- 22.103: Closed water heaters have to incorporate a temperature relief valve or a combined temperature and pressure relief valve that has to operate before the water temperature reaches 100 °C (United Kingdom).
- 22.103: The pressure relief valve is not required to be provided with the heater (USA).

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

<u>IEC 60335-2-35:2012</u>

https://standards.iteh.ai/catalog/standards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-60335-2-35-2012

IEC 60335-2-35:2012+AMD1:2016 +AMD2:2020 CSV © IEC 2020

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-35: Particular requirements for instantaneous water heaters

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **instantaneous water heaters** for household and similar purposes and intended for heating water below boiling temperature, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Instantaneous water heaters incorporating bare heating elements are within the scope of this standard.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended for use in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances which are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or as fi-67b5-40d2-8fad-708f734554a9/lec-
 - lack of experience and knowledge 35-2-35-2012

prevents them from using the appliance safely without supervision or instruction;

- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities;
- in many countries regulations exist for the installation of equipment connected to the water mains.

NOTE 103 This standard does not apply to

- appliances for heating liquids (IEC 60335-2-15);
- storage water heaters (IEC 60335-2-21);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- commercial dispensing appliances and vending machines (IEC 60335-2-75).

2 Normative references

This clause of Part 1 is applicable.

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance while supplied with water, the flow being adjusted to attain the highest outlet water temperature without operation of the **thermal cut-out**

3.101

instantaneous water heater

stationary appliance for heating water while it flows through the appliance

Note 1 to entry: Instantaneous water heaters are referred to as water heaters.

3.102

closed water heater

instantaneous water heater intended to operate at the pressure of the water system, the flow of water being controlled by one or more valves in the outlet system

Note 1 to entry: The operating pressure can be the output pressure of a reducing or boosting device.

3.103

open-outlet water heater

instantaneous water heater in which the flow of water is controlled by a valve in the inlet pipe, there being no valve in the outlet pipe

3.104

bare-element water heater

instantaneous water heater in which uninsulated heating elements are immersed in the water

3.105

rated pressure

water pressure assigned to the appliance by the manufacturer

3.106

flow switch

device that operates in response to a flow of water

3.107

pressure switch

device that operates in response to a change in pressure

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

NOTE 101 Additional samples can be required for the tests of 22.109.

5.3 Addition:

When the tests are carried out on a single appliance, the tests of 22.102, 22.107, 22.108 and 24.102 are carried out before the tests of Clause 19.

5.7 Addition:

Inlet water having a temperature of 15 °C \pm 5 °C is used for the tests unless the inlet water temperature marked on the appliance will give a more unfavourable result, in which case inlet water at the marked temperature shall be used.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 *Modification:*

Bare-element water heaters shall be class I or class III.

Other water heaters shall be class I, class II or class III.

6.2 Addition: Teh STANDARD PREVIEW

Water heaters shall be at least IPX1.

NOTE 101 Specific zones in which the water heater is installed require a higher degree of protection as specified in IEC 60364.

7 Marking and instructions tandards/sist/7ce2a8ff-67b5-40d2-8fad-708f734554a9/iec-

This clause of Part 1 is applicable except as follows.

7.1 Addition:

The marked rated frequency for bare-element water heaters shall not be less than 50 Hz.

Appliances shall be marked with the rated pressure in pascals.

If the appliance is intended for use as a booster for inlet water heated by other water heating systems, the maximum inlet water temperature shall be marked.

Bare-element water heaters shall be marked with the minimum water resistivity with which the appliance may be used, and the marked value shall not be greater than 1 300 Ω cm.

7.12 Addition:

The instructions for **open-outlet water heaters** to be used with a spray head shall state that the spray head must be descaled regularly.

The instructions for an appliance not incorporating a flow switch shall include the substance of the following:

WARNING: Do not switch on if there is a possibility that the water in the heater is frozen.

7.12.1 Addition:

The installation instructions for **open-outlet water heaters** shall state that the outlet must not be connected to any tap or fitting other than those specified.

If a pressure relief device is required for **closed water heaters**, the instructions shall state that it must be fitted during installation, unless it is incorporated in the appliance.

If the appliance is not marked with an inlet water temperature, the installation instructions shall state the substance of the following:

The water inlet of this appliance shall not be connected to inlet water obtained from any other water heating system.

The installation instructions for **bare-element water heaters** shall state the substance of the following:

- the resistivity of the water supply must not be less than ... Ω cm;
- the appliance must be permanently connected to fixed wiring (not necessary if it complies with the requirements for the connection by a supply cord fitted with a plug specified in 13.2 and 24.101);
- the appliance must be earthed (for class I appliances only).

When **bare-element water heaters** cannot be emptied, the installation instruction shall state that the appliance is not to be installed in locations where freezing can occur.

In a multiple water outlet system where the water temperature can be set at each individual water outlet, the instructions shall state the substance of the following:

The system shall be installed so that the control for setting the water temperature in normal use installed at a shower outlet shall take priority over any other controls in the system that set the water temperature in normal use at other water outlets.

For appliances not intended for potable water heating, such as for heating water for a water-based space heating system, the instructions shall state the substance of the following:

WARNING: This appliance is not to be used for a potable water supply.

7.15 Addition:

The additional markings for **bare-element water heaters** shall be visible during the installation of the appliance.

7.101 The water inlet and water outlet shall be identified. This identification shall not be on **detachable parts**. If colours are used, blue shall be used for the inlet and red for the outlet. An alternative means of identification may be by means of arrows showing the direction of the water flow.

Compliance is checked by inspection.

7.102 Class I bare-element water heaters shall be marked to state that the appliance must be earthed.

Compliance is checked by inspection.

The use of a removable label or tag attached to the appliance is an acceptable means of meeting this requirement.