

Edition 2.2 2012-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances — Safety — F W Part 2-66: Particular requirements for water-bed heaters

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-66: Règles, particulières pour les dispositifs de chauffage pour matelas à eau 60f79d1eb097/iec-60335-2-66-2002amd1-2008amd2-2011-csv





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

Tel.: +41 22 919 02 11 IFC Central Office 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects 3 replaced and AMD1 withdrawn publications.

https://standards.iteh.ai/catalog/standards/

IEC Just Published - webstoreflet.ch/justpublished/0335-2-66-2002 Customer Service Centresswebstore.iec.ch/csc

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

ectropedia.org

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 2.2 2012-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances - Safety-IEW Part 2-66: Particular requirements for water-bed heaters

Appareils électrodomestiques et analogues - Sécurité CSV

Partie 2-66: Règles/particulières pour les dispositifs de chauffage pour matelas à eau f0f79d1eb097/iec-60335-2-66-2002amd1-2008amd2-2011-csv

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 97.100.10 ISBN 978-2-88912-870-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FΟ	REWORD	3
INT	FRODUCTION	5
1	Scope	6
2	Normative references	6
3	Definitions	7
4	General requirement	7
5	General conditions for the tests	7
6	Classification	8
7	Marking and instructions	8
8	Protection against access to live parts	9
9	Starting of motor-operated appliances	9
10	Power input and current	9
11	Heating	9
12	Void	10
13	Leakage current and electric strength at operating temperature	10
14	Transient overvoltages	10
15	Moisture resistance P. C. M. D. A. R. D. P. R. E. V. I.E. W.	10
16	Leakage current and electric strength	
17		
18	Endurance <u>FEC 60335-2-66 2002+AMD1 2008+AMD2 2011 CSV</u>	11
19	Abnormal operation/standards.iteh.ai/catalog/standards/sist/ced502f9-8c48-4019-9891-	11
20	Stability and mechanical hazards Stability and mechanical hazards	11
21	Mechanical strength	11
22	Construction	12
23	Internal wiring	12
24	Components	12
25	Supply connection and external flexible cords	13
26	Terminals for external conductors	13
27	Provision for earthing	13
28	Screws and connections	13
29	Clearances, creepage distances and solid insulation	14
30	Resistance to heat and fire	14
31	Resistance to rusting	14
32	Radiation, toxicity and similar hazards	14
Anr	nexes	16
Bib	liography	16
Fia	ure 101 – Wood block	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-66: Particular requirements for water-bed heaters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- https://standards.itch.ai/catalog/standards/sist/ced502f9-8c48-4019-98915) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-66 consists of the second edition (2002) [documents 61/2175/FDIS and 61/2256/RVD], its amendment 1 (2008) [documents 61/3534/FDIS and 61/3586/RVD], its amendment 2 (2011) [documents 61/4101/CDV and 61/4199/RVC] and its corrigendum of July 2004.

The technical content is therefore identical to the base edition and its amendments and has been prepared for user convenience.

It bears the edition number 2.2.

A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric water-bed heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- Class I appliances are not allowed (China, Czech Republic, Norway, Slovakia and Yugoslavia).
- 7.12.1: Additional details of the water mattress are to be stated (USA).
- 11.8: The temperature rise limit is different (USA) 308 amd 2-2011-csv
- 11.101: The test is not carried out (USA).
- 21.101: The test is different (USA).
- 24.101: Self-resetting thermal cut-outs are allowed (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the amendment 1 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

It is the recommendation of the committee that the content of the amendment 2 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-66: Particular requirements for water-bed heaters

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **water-bed heaters** and their associated control units, for household and similar purposes, their **rated voltage** being not more than 250 V.

Appliances not intended for normal household use, but that nevertheless may be a source of danger to the public, such as appliances intended to be used in hotels, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account STANDARD PREVIEW

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge 2+AMD12008+AMD2:2011 CSV

prevents them from using the appliance safely without supervision or instruction;

children playing with the appliance.

NOTE 101 Attention is drawn to the fact that

 for appliances intended to be used in vehicles or on board ships or in aircraft, additional requirements may be necessary:

5-2-66-2002amd1-2008amd2-2011-csv

 in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 102 This standard does not apply to appliances

- for medical purposes (IEC 60601);
- intended for immersion in water during use.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

ISO 2439, Flexible cellular polymeric materials – Determination of hardness (indentation technique)

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance after the heater has been installed under a water mattress, taking into account the installation instructions

The appliance is supported by a wooden base that is consistent with the size of the mattress. The top of the base consists of plywood approximately 13 mm thick and is supported 150 mm above the floor by pinewood boards approximately 20 mm thick. The boards are assembled to form a rectangular framework that includes a longitudinal and two transverse members to produce six approximately equal sections.

The wooden base is completely covered by a sheet of open-cell polyether approximately 25 mm thick. The polyether has the following composition:

- cell count: $18 \stackrel{+2}{_{0}}$ per cm;

– specific mass: 30 kg/m 3 $^{+10}_0$ %

hardness: 120 N to 170 N at 40 % impression, measured according to ISO 2439.

NOTE 101 This polyether sheet is omitted if the instructions state that the heater is unsuitable for use on a soft support.

NOTE 102 Additional material is placed on the polyether sheet if this is stated in the instructions.

The heater, together with any control, is positioned on the polyether sheet. A piece of the bottom layer of water mattress material, having dimensions 100 mm x 200 mm, is folded to form a crease 50 mm x 200 mm. It is placed on the upper surface of the heater, parallel to the shortest side and approximately in the centre of the longest side.

The mattress is placed over the heater, filled with water and completely covered by a similar piece of polyether sheet approximately 36 mm thick.

3.101

water-bed heater

appliance incorporating a heating element within an enclosure and intended for use under a water mattress

NOTE 1 The appliance may be contained in an envelope of the mattress.

NOTE 2 The appliance may incorporate a **thermostat** having a sensing element that has to be positioned during installation.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.3 Addition:

The test of 21.101 is carried out immediately after the test of Clause 11.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Addition:

The rated voltage of class III appliances shall not exceed 24 V.

6.2 Addition:

Parts of the appliance, other than those of **class III**, that are intended to be placed under the water mattress shall be at least IPX7.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition: iTeh STANDARD PREVIEW

The appliance shall be marked with the substance of the following:

- read the instructions darefully 2-2-66:2002+AMD1:2008+AMD2:2011 CSV
- check that the heater, the mattress and any envelope are faid flat and without folds before filling the mattress with water;
- 2 place the heater centrally under the mattress so that it does not project from the sides of the mattress enclosure:
 - the support under the heater is to be flat, continuous and without sharp edges;
 - use only to heat water-beds;
 - this side up, if applicable;
 - model or type reference of a detachable control unit, if applicable.

7.12 Addition:

The instructions shall include the substance of the following:

- the heater is only to be used with the type of detachable control unit that is marked on the appliance, if applicable;
- the appliance is not intended for use in hospitals;
- the appliance is intended only to heat water-beds;
- sharp objects such as needles and pins must not be inserted in the appliance;
- the orientation of the plug in the socket-outlet of class II appliances provided with a metal screen to minimize the capacitive leakage current and the electrostatic field. The means of checking the orientation shall be given;
 - NOTE 101 This does not apply to appliances having a polarized plug.
- bedding is not to come into contact with the heater.

7.12.1 Addition:

The installation instructions shall include the substance of the following:

- the details of the installation of the heater and its control. In particular, details shall be given regarding the correct positioning and installation of any temperature sensing element of the control unit, to ensure that it does not easily slip out of position;
- the minimum dimensions of the water mattress and the minimum depth of water with which it is to be filled;
- details of any additional supporting material required if the heater is installed on a soft support, or a statement that the heater is unsuitable for such installation.

7.101 Detachable control units shall be marked with:

- rated voltage or rated voltage range in volts;
- symbol for nature of supply, unless the rated frequency is marked;
- name, trade mark or identification mark of the manufacturer or responsible vendor;
- model or type reference;
- identification of the relevant water-bed heater.

Compliance is checked by inspection.

iTeh STANDARD PREVIEW Protection against access to live parts standards.iteh.ai)

This clause of Part 1 is applicable.

IEC 60335-2-66:2002+AMD1:2008+AMD2:2011 CSV

https://standards.iteh.ai/catalog/standards/sist/ced502f9-8c48-4019-9891-Starting of motor-operated appliances_{0.02amd1-2008amd2-2011-csv}

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Replacement:

The appliance is installed as specified for normal operation.

11.3 Addition:

The temperature rise of the surface of the water-bed heater and the surface temperature of the mattress are determined by means of fine-wire thermocouples attached to oxidized copper or brass plates measuring 65 mm x 65 mm x 0,5 mm.

11.4 Addition:

Thermostats are short-circuited if their sensing elements are not fixed in relation to the heater after installation.

NOTE 101 Sensing elements are not considered to be fixed if they are positioned outside the enclosure of the heater and without provision for fixing.

11.7 Replacement:

The appliance is operated until steady conditions are established.

11.8 *Addition:*

The temperature rise of the surface of the **water-bed heater** shall not exceed 35 K except under the folded material where the limit is 60 K.

11.101 The appliance shall operate without risk of heat-stroke to the user.

Compliance is checked by the following test.

The appliance is operated as specified in 11.1 to 11.7 except that **thermostats** are not short-circuited. Controls are set in the lowest position **PREVIEW**

The temperature of the upper surface of the water mattress shall not exceed 37 °C.

12 Void

<u>IEC 60335-2-66:2002+AMD1:2008+AMD2:2011 CSV</u> https://standards.iteh.ai/catalog/standards/sist/ced502f9-8c48-4019-9891f0f79d1eb097/jec-60335-2-66-2002amd1-2008amd2-2011-csv

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable except as follows.

13.2 *Modification:*

The leakage current of **class II appliances** provided with a metal screen connected to **live parts** shall not exceed 0,25 mA when the selector switch is in one position and 0,75 mA in the other position.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable.

16 Leakage current and electric strength

This clause of Part 1 is applicable.