

Edition 3.0 2013-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-44: Tests – Flexing of the strain relief of fibre optic devices

Dispositifs d'interconnexion et composants passifs à fibres optiques –
Procédures fondamentales d'essais et de mesures + 3
Partie 2-44: Essais – Flexion du serre-câble des dispositifs à fibres optiques





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on EC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications. b2d1-b329a43c1075/ii

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 3.0 2013-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures (standards.iteh.ai)
Part 2-44: Tests – Flexing of the strain relief of fibre optic devices

Dispositifs d'interconnexion et composants passifs à fibres optiques – Procédures fondamentales d'essais et de mésures 123

Partie 2-44: Essais – Flexion du serre-câble des dispositifs à fibres optiques

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.180.20 ISBN 978-2-8322-3124-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOI	REWC)RD	3			
1	Scop	e	5			
2	Normative references					
3	General description					
4		Apparatus				
	4.1	General				
	4.2	Optical source (S)				
	4.3	Detector (D)				
	4.4	Mounting fixture				
	4.5	Flex test machine or jig	7			
5	Procedure		7			
	5.1	Preparation of specimens	7			
	5.2	Preconditioning				
	5.3	Initial measurements	7			
	5.4	Conditioning	7			
	5.5	Recovery	8			
	5.6	Final measurements	8			
6	Seve	rity iTeh STANDARD PREVIEW	٤			
7	Details to be specified(standards.iteh.ai)					
		- Apparatus for testing <u>IEC 61300-2-44:2013</u>				
Figi	ure 2 -	- Application the load in the case on duplex cordage - e875-4823- b2d1-b329a43c1075/iec-61300-2-44-2013	6			
Tab	ole 1 –	Severities	8			

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 2-44: Tests – Flexing of the strain relief of fibre optic devices

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, Lec National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61300-2-44 has been prepared by subcommittee SC86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition published in 2008 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) revision of Figure 1;
- b) change of fibre length from the flex point to the weight.

This bilingual version (2016-01) corresponds to the monolingual English version, published in 2013-07.

The text of this standard is based on the following documents:

CDV	Report on voting
86B/3499/CDV	86B/3600/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61300 series, published under the general title *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

reconfirmed,

iTeh STANDARD PREVIEW

withdrawn,

(standards.iteh.ai)

· replaced by a revised edition, or

• amended.

IEC 61300-2-44:2013

https://standards.iteh.ai/catalog/standards/sist/13408363-e875-4823-b2d1-b329a43c1075/iec-61300-2-44-2013

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 2-44: Tests – Flexing of the strain relief of fibre optic devices

1 Scope

This part of IEC 61300 specifies a test to determine the influence of flexing under tensile load of the strain relief of fibre optic devices. The intention is to simulate the number of flexing cycles which would typically be experienced during service life. This test is applied to both single fibre cable and multiple fibre cable.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance

IEC 61300-3-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination

IEC 61300-3-3, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-3: Examinations and measurements – Active monitoring of changes in attenuation and return loss

IEC 61300-3-4, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-4: Examinations and measurements – Attenuation

IEC 61753-1, Fibre optic interconnecting devices and passive components performance standard – Part 1: General and guidance for performance standards


3 General description

The device under test (DUT) is rotated $\pm\,90^\circ$ in the plane of the cable about an axis perpendicular to the axis of the attached cable and in the case of ribbon cable, parallel to the width of the ribbon. This causes flexing of the strain relief and cable close to the DUT. During the flexing, a tensile force, but no torque, is applied.

4 Apparatus

4.1 General

The apparatus for testing and the flexing patterns involved are presented in Figure 1.



IEC 1603/13

Figure 1 - Apparatus for testing

In the case of duplex cordage or ribbon, the loads shall not be doubled and the cable shall be bent in the minor axis direction as shown in Figure 2.




Figure 2 - Application of the load in the case of duplex cordage

The equipment used is that indicated in 4.2 to 4.5.

4.2 Optical source (S)

The recommended source shall be in accordance with IEC 61300-3-3 and IEC 61300-3-4 as appropriate.

4.3 Detector (D)

The recommended detector shall be in accordance with IEC 61300-3-3 and IEC 61300-3-4 as appropriate.

4.4 Mounting fixture

The mounting fixture rigidly holds the fibre optic DUT in correct alignment during the test. If the device is a fibre optic connector, an adaptor or a receptacle may be used as a mounting fixture. The fixture shall not distort the DUT. The fixture shall allow the DUT to be connected to monitoring equipment.

Flex test machine or jig 4.5

A machine or jig that can rotate the DUT \pm 90° from a straight position while applying a load to the fibre or cable.

5 **Procedure**

5.1 Preparation of specimens

Prepare and clean the specimen in accordance with the manufacturer's instructions.

Visually check that the attachment of the cable to the fibre optic device is not damaged in accordance with IEC 61300-3-1.

(standards.iteh.ai)

Fibre length from the flex point to the weight: $25 \text{ cm} \pm 5 \text{ cm}$.

Fibre length is measured from the point of flexing to the point of application of the load.

b2d1-b329a43c1075/iec-61300-2-44-2013

Preconditioning 5.2

Pre-condition the specimen and all equipment for 2 h at the standard test conditions as defined in IEC 61300-1, unless otherwise specified in the relevant specification.

5.3 Initial measurements

Complete initial examinations and measurements on the specimen as required by the relevant specification.

5.4 Conditioning

Install the DUT on the apparatus.

Measure the attenuation of the DUT with the flexing arm in a vertical position in accordance with IEC 61300-3-4.

Apply the specified tensile load and apply the specified number of flexes. Use gentle rotational movements, not exceeding 20 cycles/min. The dwell at each extreme shall be not greater than 5 s.

Measure the change in attenuation during test in accordance with IEC 61300-3-3.

Stop the flexing with the flexing arm in vertical position. Remove the tensile force.

5.5 Recovery

Allow the DUT to remain under standard test conditions for 2 h, as defined in IEC 61300-1, unless otherwise specified in the relevant specification. Clean the DUT in accordance with the manufacturer's instructions.

5.6 Final measurements

Remove the DUT from the apparatus and make final measurements, as defined by the relevant specification, to ensure that there is no permanent damage to the DUT. The results of the final measurement shall be within the limit established in the relevant specification.

Visually check that the attachment of the cable to the fibre optic DUT is not damaged in accordance with IEC 61300-3-1.

6 Severity

Severity is specified by the magnitude of tensile force and the number of cycles $+90^{\circ}$ to -90° .

Recommended values of the test parameters are given in Table 1.

Table 1 - Severities
Teh STANDARD PREVIEW

Category ^a	Component type (standards.it	Tensile force	Number of cycles			
С	Connectors – Reinforced cable	2	100			
С	Passive components - Reinforced cable 0-2-44.2	<u>013</u> 2	30			
U and E	Connectors Reinforced cable Connectors Reinforced cable 13,2943,610,75/jec.613	ist/13408363 <u>-</u> e8/5-4823-	100			
U and E	Passive components – Reinforced cable	5	30			
0	Passive components –					
	Reinforced jacketed cables	5	30			
	Primary and secondary coated fibre	2	30			
0	Connectors –					
	Reinforced jacketed cables	8,9	100 b			
	SFF connectors	5,9	100 ^b			
a Category can be found in IEC 61753-1.						

a Category can be found in IEC 61753-1.

 $^{^{}b}$ $\,$ Applied at 25 $\,$ cm \pm 5 cm from cable entrance to plug.

7 Details to be specified

The relevant specification shall specify the following details:

- magnitude of tensile force;
- number of flexes;
- applicable optical fibre cable (type, length, etc.);
- initial examination and measurements and performance requirements;
- permitted change of attenuation during test;
- final examination and measurements and performance requirements;
- pass/fail decision criterion;
- deviations from test procedure.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 61300-2-44:2013</u> https://standards.iteh.ai/catalog/standards/sist/13408363-e875-4823-b2d1-b329a43c1075/iec-61300-2-44-2013