

INTERNATIONAL STANDARD


NORME INTERNATIONALE



Generic cabling systems – Specification for the testing of balanced communication cabling in accordance with ISO/IEC 11801 – Part 2-23: Cord and work area cord category 7 – Blank detail specification

IEC 61935-2-23:2015
https://standards.iec.ch/catalog/standards/sis/61935-2-23/61935-2-23.htm

Systèmes de câblage générique – Spécification relative aux essais de câblages de télécommunications symétriques selon l'ISO/IEC 11801 – Partie 2-23: Cordons et cordons de zone de travail de catégorie 7 – Spécification particulière cadre





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Generic cabling systems – Specification for the testing of balanced communication cabling in accordance with ISO/IEC 11801 – Part 2-23: Cord and work area cord category 7 – Blank detail specification

IEC 61935-2-23:2015
Systemes de câblage générique – Spécification relative aux essais de câblages de télécommunications symétriques selon l'ISO/IEC 11801 – Partie 2-23: Cordons et cordons de zone de travail de catégorie 7 – Spécification particulière cadre

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.10

ISBN 978-2-8322-2816-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Guidance for preparation of detail specifications.....	6
4 Blank detail specification for cords and work area cords category 7	8

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 61935-2-23:2015](https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015)

<https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**GENERIC CABLING SYSTEMS –
SPECIFICATION FOR THE TESTING OF BALANCED
COMMUNICATION CABLING IN ACCORDANCE WITH ISO/IEC 11801 –**

**Part 2-23: Cord and work area cord category 7 –
Blank detail specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61935-2-23 has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

The text of this standard is based on the following documents:

FDIS	Report on voting
46/556/FDIS	46/562/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61935 series, published under the general title *Generic cabling systems – Specification for the testing of balanced communication cabling in accordance with ISO/IEC 11801*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 61935-2-23:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015>

**GENERIC CABLING SYSTEMS –
SPECIFICATION FOR THE TESTING OF BALANCED
COMMUNICATION CABLING IN ACCORDANCE WITH ISO/IEC 11801 –**

**Part 2-23: Cord and work area cord category 7
Blank detail specification**

1 Scope

This part of IEC 61935, which is a blank detail specification, describes cords and work area cords category 7, as defined in ISO/IEC 11801 series.

According to the above cabling specifications, these cords are category 7 compliant for which the requirements are given in ISO/IEC 11801 series.

This specification should be used in conjunction with IEC 61935-2, IEC 61156-1 and IEC 61156-6 and IEC 60603-7-7. The blank detail specification determines the layout and style for detail specifications describing cords with transmission characteristics up to 600 MHz for digital communications. Detail specifications, based on the blank detail specification, may be prepared by a national organization, a manufacturer, or a user.

Test configuration applicable to cords is detailed in IEC 61935-2.

2 Normative references

[IEC 61935-2-23:2015](https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015)

[https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-](https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015)

[67c07b61705d/iec-61935-2-23-2015](https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015)

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60603-7-7, *Connectors for electronic equipment – Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors for data transmission with frequencies up to 600 MHz*

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods*

IEC 61156-1:2007, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC 61156-5, *Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring – Sectional specification*

IEC 61156-6:2010, *Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification*

IEC 61156-6:2010/AMD1:2012

IEC 61935-2:2010, *Specification for the testing of balanced and coaxial information technology cabling – Part 2: Cords as specified in ISO/IEC 11801 and related standards*

IEC 62012-1:2002, *Multicore and symmetrical pair/quad cables for digital communications to be used in harsh environment – Part 1: Generic specification*

ISO/IEC 11801, *Information technology – Generic cabling for customer premises*

ISO/IEC 24702, *Information technology – Generic cabling – Industrial premises*

3 Guidance for preparation of detail specifications

It is necessary to keep the transmission characteristics indicated in the relevant sectional specification for the referenced category number, i.e. 7 and the characteristic impedance.

The detail specification shall be written in accordance with the layout of the blank detail specification, which forms part of this standard. When a characteristic does not apply, then na (for not applicable) should be entered in the appropriate space.

When a characteristic applies but a specific value is not considered necessary, then ns (for not specified) should be entered in the appropriate space. When ns is used, the appropriate requirement in the sectional specification should apply.

The numbers shown in brackets in this and the following pages correspond to the following items of required information, which should be entered in the spaces provided.

- STANDARD PREVIEW**
(standards.iteh.ai)
- [1] Name and address of the organization that has prepared the document.
- [2] IEC document number, issue number and date of issue.
- [3] Address of the organization from which the document is available.
- [4] Related documents. [IEC 61935-2-23:2015](https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07661705d/iec-61935-2-23-2015)
- [5] Any other reference to the cable, national reference, trade name, etc.
- [6] A complete description of the cord which shall include
- type and number of elements;
 - nominal impedance;
 - screening;
 - application;
 - Specific category of cord, cable and connectors;
 - other distinguishing performance characteristics.

EXAMPLE 4-pair, shielded twisted pair cable for use in work area wiring, having a nominal impedance of 100 Ω , and meeting the transmission requirements of category 7 and the coupling attenuation requirements of type I.

- [7] Details of the cable material and construction.
- [8] Special requirements for bending radius or operating temperatures.
- [9] List of cable characteristics. They are separated into electrical, transmission, mechanical and environmental characteristics.

The recommended environmental severities are derived from the MICE table requirements of ISO/IEC 24702. These recommendations were made to better reflect the cable behaviour.

It should be noted that ingress requirements using particles is not applicable to a cable.

The temperature requirements are addressed in [8]. Rapid change of temperature is irrelevant for cables.

Electromagnetic requirements coming from the MICE table of ISO/IEC 24702 have been dealt with by using the requirements that are given for transfer impedance, coupling attenuation. ESD requirements are considered non-applicable.


- [10] Appropriate subclause references in the generic specification IEC 61156-1/IEC 61935-2.
- [11] Appropriate subclause references in the sectional specification IEC 61156-6/IEC 61935-2.
- [12] Requirements applicable to this cord. The values shall meet the requirements of sectional specification IEC 61156-6 for category 7.
For those limits that are not related to the cord category and for which a choice is proposed, they have to be chosen to meet the related MICE table requirements.
- [13] Comments – Relevant remarks.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 61935-2-23:2015](https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015)

<https://standards.iteh.ai/catalog/standards/sist/89cca0ac-6b1d-4dbe-9a30-67c07b61705d/iec-61935-2-23-2015>

4 Blank detail specification for cords and work area cords category 7

[1] Prepared by:		[2] Document: Issue: Date:	
[3] Available from:		[4] Sectional specifications for the testing of cords: IEC 61935-2 Blank detail specification: IEC 61935-2-23	
[5] Additional references: ISO/IEC 11801			
[6] Cord description: a) Specific category of cord, cable and connectors b) Nominal impedance c) Connector type d) Cable e) Conductors material f) Screening g) Housing h) MICE			
[7] Cable assembly construction:			
			
IEC 61935-2: 2010 § 4.1	IEC 61156-1: 2007	IEC 61156-6: 2010	
	5.2.6		Sheath Material Nominal thickness ^b
	5.2.6		Colour Maximum overall Diameter
	5.2.7		Marking
	5.2.8		Packaging
IEC 60603-7-7			
Visual inspection	IEC 61935-2: 2010 § 5.1		
^b It is assumed that a thickness of 0,5 mm is sufficient for spark testing up to 3 kV, thickness larger than 0,8 mm is assumed to be sufficient for spark testing up to 5 kV.			
[8]			
Minimum bending radius for static bending:		mm	
Minimum bending radius for dynamic bending:		mm	
Temperature range for installation:		°C	
Operating temperature range under static conditions: -10 °C to +60 °C (C1), -25 °C to +70 °C (C2), -40 °C to +70 °C (C3) ^c			

[9] Characteristics	[10] IEC 61156-1:2007 subclause	[11] IEC 61156-6:2010 subclause	[12] Recommended severities/ Requirements	[13] Comments
Electrical characteristics	6.2	6.2		
DC loop resistance	6.2.1	6.2.1	Assumed to be met by design	
Resistance unbalance	6.2.2	6.2.2	Assumed to be met by design	
Wire map	IEC 61935-2:2010 §5.2			

Transmission characteristics				
Propagation delay	– ^a	IEC 61935-2:2010 §5.3	Assumed to be met by design	
Differential phase delay (skew)	– ^a	IEC 61935-2:2010 §5.4	Assumed to be met by design	
Insertion loss		IEC 61935-2:2010 §5.5	≤ ... dB	
Near-end crosstalk (pair to pair)	6.3.5	IEC 61935-2:2010 §5.7	≥ ... dB	
Return loss		IEC 61935-2:2010 §5.6	≥ ... dB	
TCL		IEC 61935-2:2010 §6.3.4	Under consideration	
Transfer impedance	6.2.7	6.2.7	na	Grade 2 Grade 1
Coupling attenuation ^b	IEC 61935-2:2010 §6.8	6.2.8		Type I
^a Not specified in IEC 61156-1. ^b Type Ib per the IEC 61156-5 is also recognized.				