IEC 62823

Edition 1.1 2019-12
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Thyristor valves for thyristor controlled series capacitors (TCSC) – Electrical testing

Valves à thyristors pour condensateurs série commandés par thyristors (CSCT) – Essai électrique

IEC 62823:2015-08+AMD1:2019-12 CSV(en-fr)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

IEC 62823

Edition 1.1 2019-12
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Thyristor valves for thyristor controlled series capacitors (TCSC) – Electrical testing

Valves à thyristors pour condensateurs série commandés par thyristors (CSCT) – Essai électrique

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.240.99

ISBN 978-2-8322-7704-1

IEC 62823

Edition 1.1 2019-12
CONSOLIDATED VERSION

REDLINE VERSION

VERSION REDLINE

colour inside

Thyristor valves for thyristor controlled series capacitors (TCSC) – Electrical testing

Valves à thyristors pour condensateurs série commandés par thyristors (CSCT) – Essai électrique

IEC 62823:2015-08+AMD1:2019-12 CSV(en-fr)

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

THYRISTOR VALVES FOR THYRISTOR CONTROLLED SERIES CAPACITORS (TCSC) – ELECTRICAL TESTING

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62823 edition 1.1 contains the first edition (2015-08) [documents 22F/342/CDV and 22F/354A/RVC] and its amendment 1 (2019-12) [documents 22F/518/CDV and 22F/532/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62823 has been prepared by subcommittee 22F: Power electronics for electrical transmission and distribution systems, of IEC technical committee 22: Power electronic systems and equipment.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

THYRISTOR VALVES FOR THYRISTOR CONTROLLED SERIES CAPACITORS (TCSC) – ELECTRICAL TESTING

1 Scope

This International Standard defines routine and type tests on thyristor valves used in thyristor controlled series capacitor (TCSC) installations for AC power transmission.

The tests specified in this International Standard are based on air insulated valves operating in capacitive boost mode or bypass mode. For other types of valve and for a valve operating in inductive boost mode, the test requirements and acceptance criteria are agreed between purchaser and supplier.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60071-1, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60071-2, *Insulation co-ordination – Part 2: Application guide*

IEC 60270, *High-voltage test techniques – Partial discharge measurements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
thyristor valve
electrically and mechanically combined assembly of thyristor levels, complete with all connections, auxiliary components and mechanical structures, which can be connected in series with each phase of the reactor of a TCSC

3.2
valve section
electrical assembly, comprising a number of thyristors and other components, which exhibits prorated electrical properties of a complete valve

Note 1 to entry: This term is mainly used to define a test object for valve testing purposes.

3.3
thyristor level
<of a valve> part of a valve comprising an anti-parallel connected pair of thyristors together with their immediate auxiliaries, and reactor, if any

3.4
redundant thyristor levels, pl
maximum number of thyristor levels in the thyristor valve that may be short-circuited, externally or internally, during service without affecting the safe operation of the thyristor valve as demonstrated by type tests and which, if and when exceeded, would require either the shutdown of the thyristor valve to replace the failed thyristors or the acceptance of increased risk of failures

3.5
valve arrester
arrester connected across a valve

3.6
valve electronics
VE
electronic circuits at valve potential(s) that perform control functions

Note 1 to entry: This note applies to the French language only.

3.7
valve interface electronics unit
electronic unit which provides an interface between the control equipment, at earth potential, and the valve electronics or valve devices

Note 1 to entry: Valve interface electronics units, if used, are typically located at earth potential close to the valve(s).

Note 2 to entry: The term “valve base electronics” (VBE) is also used to designate this unit.

3.8
thyristor-controlled series capacitor bank
TCSC bank
assembly of thyristor valves, reactor(s), capacitors, and associated auxiliaries, such as structures, support insulators, switches, and protective devices, with control equipment required for a complete operating installation

3.9
TCSC reactor
one or more reactors connected in series with the thyristor valve

SEE: Figure 1, item 4.

3.10
valve enclosure
platform-mounted enclosure containing thyristor valve(s) with associated valve cooling and electronic hardware

3.11
temporary overload
short-term overload capability of the TCSC at rated frequency and ambient temperature range

SEE: Figure 5.

Note 1 to entry: Temporary overload is typically of several seconds duration, less than 10 s.

3.12
valve protective firing
means of protecting the thyristors from excessive voltage by firing them at a predetermined voltage

3.13
line current
i_L
power frequency line current

SEE: Figure 2.

3.14
rated current
I_N
RMS line current (I_L) at which the TCSC should be capable of continuous operation with rated reactance (X_N) and rated voltage (U_N)

3.15
valve current
i_V
current through the thyristor valve

SEE: Figure 2.

3.16
bypass current
current flowing through the thyristor valve in parallel with the series capacitor, when the series capacitor is bypassed

3.17
capacitor voltage
U_C
voltage across the TCSC

SEE: Figure 2.

3.18
nominal reactance
X_N
nominal power frequency reactance for each phase of the TCSC with nominal boost factor

3.19
rated TCSC voltage
U_N
power frequency voltage across each phase of the TCSC that can be continuously controlled at nominal reactance (X_N), rated current (I_N), nominal power frequency, and ambient temperature range

3.20
apparent reactance
$X(\alpha)$
TCSC apparent power frequency reactance as a function of thyristor control angle (α)

SEE: Figure 3, Figure A.1 and Formula A.1.

3.21
rated capacitance
C_N
capacitance value for which the TCSC capacitor has been designed

3.22
physical reactance
X_C
power frequency reactance for each phase of the TCSC bank with thyristors blocked and a capacitor internal dielectric temperature of 20 °C

$$X_C = 1/(\omega_N \cdot C_N)$$

3.23
boost factor
k_B
the ratio of apparent reactance $X(\alpha)$ ~~divided by~~ and physical reactance X_C

$$k_B = X(\alpha) / X_C$$

3.24
conduction interval
σ
part of a half of a power frequency cycle during which a thyristor valve is in the conducting state

$$\sigma = 2\beta$$

SEE: Figure 3.

3.25
control angle
α
time expressed in electrical angular measure from the capacitor voltage (U_C) zero crossing to the starting of current conduction through the thyristor valve

SEE: Figure 3.

3.26
internal fault
line fault occurring within the protected line section containing the series TCSC subsegment

3.27
external fault
line fault occurring outside the protected line section containing the series TCSC subsegment

4 TCSC valve and valve operation in general

4.1 TCSC installation and TCSC valve

Transmission line series reactance can be compensated by combinations of fixed series capacitors (FSC) and TCSC based controllable segments, as shown in Figure 1. A TCSC subsegment uses a thyristor-controlled reactor (TCR) in parallel with a capacitor bank with the rated capacitance C_N, as shown in Figure 2. The thyristor valve used in this TCSC subsegment is a TCSC valve (See Figure 1, item 5).