

TECHNICAL REPORT



Communication networks and systems for power utility automation –
Part 90-4: Network engineering guidelines

(<https://standards.iteh.ai>)

Document Preview

IEC TR 61850-90-4:2013

<https://standards.iteh.ai/calc/standard/iec/32cc2b64-bbb0-4813-8935-ac95c9fb138b/iec-tr-61850-90-4-2013>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

<https://standards.iteh.ai/caxb/standard/iec/32cc2b64-bbb0-4813-8935-ac95c9fb138b/iec-tr-61850-90-4-2013>



IEC/TR 61850-90-4

Edition 1.0 2013-08

TECHNICAL REPORT



Communication networks and systems for power utility automation –
Part 90-4: Network engineering guidelines

iTech Standards
(<https://standards.iteh.ai>)

Document Preview

IEC TR 61850-90-4:2013

<https://standards.iteh.ai/caxb0/standard/iec/32cc2b64-bbb0-4813-8935-ac95c9fb138b/iec-tr-61850-90-4-2013>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-0903-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|---|----|
| FOREWORD..... | 12 |
| INTRODUCTION..... | 14 |
| 1 Scope..... | 15 |
| 2 Normative references | 16 |
| 3 Terms, definitions, abbreviations and conventions..... | 19 |
| 3.1 Terms and definitions | 19 |
| 3.2 Abbreviations | 22 |
| 3.3 Conventions | 25 |
| 3.3.1 Network diagram symbols..... | 25 |
| 3.3.2 Port and link symbols | 26 |
| 3.3.3 Bridges symbols | 26 |
| 4 Overview of IEC 61850 networks..... | 27 |
| 4.1 Logical allocation of functions and interfaces..... | 27 |
| 4.2 IEC 61850 protocol stack | 29 |
| 4.2.1 General | 29 |
| 4.2.2 IEC 61850 traffic classes | 29 |
| 4.2.3 MMS protocol | 30 |
| 4.2.4 GOOSE protocol..... | 30 |
| 4.2.5 SV protocol..... | 32 |
| 4.3 Station bus and process bus..... | 32 |
| 5 Network design checklist..... | 34 |
| 5.1 Design principles..... | 34 |
| 5.2 Engineering flow..... | 34 |
| 5.3 Checklist to be observed | 35 |
| 5.3.1 Summary | 35 |
| 5.3.2 Environmental issues | 36 |
| 5.3.3 EMI immunity..... | 36 |
| 5.3.4 Form factor | 36 |
| 5.3.5 Physical media | 36 |
| 5.3.6 Substation application and network topology | 36 |
| 5.3.7 Redundancy | 37 |
| 5.3.8 Reliability, availability, maintainability | 37 |
| 5.3.9 Logical data flows and traffic patterns..... | 37 |
| 5.3.10 Latency for different types of traffic | 37 |
| 5.3.11 Performance | 37 |
| 5.3.12 Network management..... | 38 |
| 5.3.13 Network supervision | 38 |
| 5.3.14 Time synchronization and accuracy | 38 |
| 5.3.15 Remote connectivity | 38 |
| 5.3.16 Cyber security | 38 |
| 5.3.17 Scalability, upgradeability and future-proof | 39 |
| 5.3.18 Testing | 39 |
| 5.3.19 Cost | 39 |
| 6 Ethernet technology for substations | 39 |
| 6.1 Ethernet subset for substation automation..... | 39 |
| 6.2 Topology | 39 |

| | | |
|--------|--|-----|
| 6.3 | Physical layer | 41 |
| 6.3.1 | Data rate and medium | 41 |
| 6.3.2 | Full-duplex communication and auto-negotiation | 41 |
| 6.3.3 | Copper cabling at 100 Mbit/s | 41 |
| 6.3.4 | Optical cabling at 100 Mbit/s (100BASE-FX)..... | 42 |
| 6.3.5 | Optical cabling at 1 Gbit/s (1000BASE-LX) | 44 |
| 6.3.6 | Copper cabling at 1 Gbit/s | 44 |
| 6.4 | Link layer | 44 |
| 6.4.1 | Unicast and multicast MAC addresses | 44 |
| 6.4.2 | Link layer and bridges | 45 |
| 6.4.3 | Bridging nodes | 45 |
| 6.4.4 | Loop prevention and RSTP | 45 |
| 6.4.5 | Traffic control in the bridges | 47 |
| 6.4.6 | Unicast MAC address filtering..... | 47 |
| 6.4.7 | Multicast MAC address filtering | 47 |
| 6.4.8 | Virtual LANs (VLANS) traffic control | 48 |
| 6.4.9 | Comparison VLAN versus multicast filtering..... | 53 |
| 6.4.10 | Layer 2 redundancy protocols..... | 53 |
| 6.5 | Network layer | 57 |
| 6.5.1 | Internet protocol | 57 |
| 6.5.2 | IP public and private addresses | 57 |
| 6.5.3 | Subnet masks..... | 58 |
| 6.5.4 | Network address translation | 59 |
| 7 | Network and substation topologies | 59 |
| 7.1 | General rule | 59 |
| 7.2 | Reference topologies and network redundancy..... | 60 |
| 7.3 | Reference topologies | 64 |
| 7.3.1 | Station bus topologies | 64 |
| 7.3.2 | Process bus and attachment of primary equipment..... | 77 |
| 7.3.3 | Station bus and process bus connection | 92 |
| 8 | Addressing in the substation..... | 98 |
| 8.1 | Network IP address plan for substations | 98 |
| 8.1.1 | General structure..... | 98 |
| 8.1.2 | IP address allocation of NET | 99 |
| 8.1.3 | IP address allocation of BAY | 100 |
| 8.1.4 | IP address allocation of device | 100 |
| 8.1.5 | IP address allocation of devices with PRP | 101 |
| 8.2 | Routers and GOOSE / SV traffic..... | 101 |
| 8.3 | Communication outside the substation | 101 |
| 9 | Application parameters | 102 |
| 9.1 | MMS parameters | 102 |
| 9.2 | GOOSE parameters | 102 |
| 9.3 | SV parameters | 102 |
| 10 | Performance..... | 103 |
| 10.1 | Station bus performance | 103 |
| 10.1.1 | Logical data flows and traffic patterns..... | 103 |
| 10.1.2 | GOOSE traffic estimation | 104 |
| 10.1.3 | MMS traffic estimation | 104 |

| | | |
|--------|---|-----|
| 10.1.4 | station bus measurements | 105 |
| 10.2 | Process bus performance | 106 |
| 11 | Latency | 106 |
| 11.1 | Application requirements | 106 |
| 11.2 | Latency requirements for different types of traffic | 107 |
| 11.2.1 | Latency requirements in IEC 61850-5 | 107 |
| 11.2.2 | Latencies of physical paths | 107 |
| 11.2.3 | Latencies of bridges | 107 |
| 11.2.4 | Latency and hop counts | 108 |
| 11.2.5 | Network latency budget | 108 |
| 11.2.6 | Example of traffic delays | 109 |
| 11.2.7 | Engineering a network for IEC 61850 protection | 109 |
| 12 | Network traffic control | 110 |
| 12.1 | Factors that affect performance | 110 |
| 12.1.1 | Influencing factors | 110 |
| 12.1.2 | Traffic reduction | 110 |
| 12.1.3 | Example of traffic reduction scheme | 111 |
| 12.1.4 | Multicast domains in a combined station bus and process bus network | 112 |
| 12.2 | Traffic control by VLANs | 113 |
| 12.2.1 | Trunk traffic reduction by VLANs | 113 |
| 12.2.2 | VLAN usage | 114 |
| 12.2.3 | VLAN handling at the IEDs | 114 |
| 12.2.4 | Example of correct VLAN configuration | 114 |
| 12.2.5 | Example of incorrect VLAN configuration | 115 |
| 12.2.6 | Retaining priority throughout the network | 117 |
| 12.2.7 | Traffic filtering with VLANs | 117 |
| 12.3 | Traffic control by multicast filtering | 118 |
| 12.3.1 | Trunk traffic reduction by multicast filtering | 118 |
| 12.3.2 | Multicast/VLAN management and redundancy protocol reconfiguration | 119 |
| 12.3.3 | Physical topologies and multicast management implications | 119 |
| 12.4 | Configuration support from tools and SCD files | 122 |
| 13 | Dependability | 122 |
| 13.1 | Resiliency requirements | 122 |
| 13.2 | Availability and reliability requirements | 123 |
| 13.3 | Recovery time requirements | 123 |
| 13.4 | Maintainability requirements | 123 |
| 13.5 | Dependability calculations | 124 |
| 13.6 | Risk analysis attached to "unwanted events" | 124 |
| 14 | Time services | 125 |
| 14.1 | Clock synchronization and accuracy requirements | 125 |
| 14.2 | Global time sources | 125 |
| 14.3 | Time scales and leap seconds | 126 |
| 14.4 | Epoch | 127 |
| 14.5 | Time scales in IEC 61850 | 127 |
| 14.6 | Synchronization mechanisms in IEC 61850 | 128 |
| 14.6.1 | Clock synchronization protocols | 128 |
| 14.6.2 | 1 PPS | 130 |

| | | |
|---------|--|-----|
| 14.6.3 | IRIG-B | 130 |
| 14.6.4 | NTP/SNTP clock synchronization for IEC 61850-8-1 (station bus) | 130 |
| 14.6.5 | PTP (IEC 61588) synchronization | 132 |
| 14.6.6 | PTP clock synchronization and IEC 62439-3:2012 | 137 |
| 14.6.7 | IEEE C37.238-2011 Power profile | 140 |
| 14.7 | PTP network engineering | 141 |
| 14.7.1 | PTP reference clock location | 141 |
| 14.7.2 | PTP connection of station bus and process bus | 142 |
| 14.7.3 | Merging units synchronization | 143 |
| 15 | Network security | 143 |
| 16 | Network management | 143 |
| 16.1 | Protocols for network management | 143 |
| 16.2 | Network management tool | 144 |
| 16.3 | Network diagnostic tool | 144 |
| 17 | Remote connectivity | 145 |
| 18 | Network testing | 145 |
| 18.1 | Introduction to testing | 145 |
| 18.2 | Environmental type testing | 146 |
| 18.3 | Conformance testing | 146 |
| 18.3.1 | Protocols subject to conformance testing | 146 |
| 18.3.2 | Integrator acceptance and verification testing | 147 |
| 18.3.3 | Simple verification test set-up | 147 |
| 18.3.4 | Simple VLAN handling test | 148 |
| 18.3.5 | Simple priority tagging test | 148 |
| 18.3.6 | Simple multicast handling test | 149 |
| 18.3.7 | Simple RSTP recovery test | 149 |
| 18.3.8 | Simple HSR test | 150 |
| 18.3.9 | Simple PRP test | 150 |
| 18.3.10 | Simple PTP test | 150 |
| 18.4 | Factory and site acceptance testing | 150 |
| 19 | IEC 61850 bridge and port object model | 151 |
| 19.1 | Purpose | 151 |
| 19.2 | Bridge model | 152 |
| 19.2.1 | Simple model | 152 |
| 19.2.2 | Bridge Logical Node linking | 154 |
| 19.3 | Clock model | 154 |
| 19.3.1 | IEC 61588 datasets | 154 |
| 19.3.2 | Clock objects | 155 |
| 19.3.3 | Simple clock model | 155 |
| 19.3.4 | Linking of clock objects | 156 |
| 19.4 | Autogenerated IEC 61850 objects | 157 |
| 19.4.1 | General | 157 |
| 19.4.2 | Abbreviated terms used in data object names | 157 |
| 19.4.3 | Logical nodes | 158 |
| 19.4.4 | Data semantics | 171 |
| 19.4.5 | Enumerated data attribute types | 174 |
| 19.4.6 | SCL enumerations | 176 |
| 19.4.7 | Common data class specifications | 176 |

| | | |
|---|---|-----|
| 19.4.8 | Enumerated types | 182 |
| 19.4.9 | SCL enumerations | 183 |
| 19.5 | Mapping of bridge objects to SNMP | 183 |
| 19.5.1 | Mapping of LLN0 and LPHD attributes to SNMP | 183 |
| 19.5.2 | Mapping of LBRI attributes to SNMP for bridges | 184 |
| 19.5.3 | Mapping of LPCP attributes to SNMP for bridges | 184 |
| 19.5.4 | Mapping of LPLD attributes to SNMP for bridges | 184 |
| 19.5.5 | Mapping of HSR/PRP link redundancy entity to SNMP | 185 |
| 19.6 | Mapping of clock objects to the C37.238 SNMP MIB | 186 |
| 19.7 | Machine-readable description of the bridge objects | 189 |
| 19.7.1 | Method and examples | 189 |
| 19.7.2 | Four-port bridge | 189 |
| 19.7.3 | Simple IED with PTP | 199 |
| 19.7.4 | RedBox with HSR | 206 |
| Annex A (informative) | Case study – Process bus configuration for busbar protection system | 214 |
| Annex B (informative) | Case study – Simple Topologies (Transener/Transba, Argentina) | 218 |
| Annex C (informative) | Case study – An IEC 61850 station bus (Powerlink, Australia) | 226 |
| Annex D (informative) | Case study – Station bus with VLANs (Trans-Africa, South Africa) | 242 |
| Bibliography | 263 | |
| Figure 1 – Network symbols | 26 | |
| Figure 2 – Port symbols | 26 | |
| Figure 3 – Bridge symbol as beam | 27 | |
| Figure 4 – Bridge symbol as bus | 27 | |
| Figure 5 – Levels and logical interfaces in substation automation systems | 28 | |
| Figure 6 – IEC 61850 protocol stack | 29 | |
| Figure 7 – MMS protocol time/distance chart | 30 | |
| Figure 8 – GOOSE protocol time/distance chart | 31 | |
| Figure 9 – GOOSE protocol time chart | 32 | |
| Figure 10 – Example of SV traffic (4 800 Hz) | 32 | |
| Figure 11 – Station bus, process bus and traffic example | 33 | |
| Figure 12 – Example of engineering flow | 35 | |
| Figure 13 – Ethernet local area network (with redundant links) | 40 | |
| Figure 14 – Switch with copper (RJ45) ports | 40 | |
| Figure 15 – RJ45 connector | 42 | |
| Figure 16 – LC connector | 43 | |
| Figure 17 – Switch with optical fibres (LC connectors) | 44 | |
| Figure 18 – RSTP principle | 46 | |
| Figure 19 – IEEE 802.3 frame format without and with VLAN tagging | 49 | |
| Figure 20 – PRP principle | 54 | |
| Figure 21 – HSR principle | 56 | |
| Figure 22 – HSR and PRP coupling (multicast) | 57 | |
| Figure 23 – Mapping of electrical grid to data network topology | 60 | |

| | |
|--|-----|
| Figure 24 – Station bus as single bridge | 64 |
| Figure 25 – Station bus as hierarchical star | 65 |
| Figure 26 – Station bus as dual star with PRP | 66 |
| Figure 27 – Station bus as ring of RSTP bridges..... | 67 |
| Figure 28 – Station bus as separated Main 1 (Bus 1) and Main 2 (Bus 2) LANs | 68 |
| Figure 29 – Station bus as ring of HSR bridging nodes | 70 |
| Figure 30 – Station bus as ring and subrings with RSTP | 71 |
| Figure 31 – Station bus as parallel rings with bridging nodes | 72 |
| Figure 32 – Station bus as parallel HSR rings..... | 73 |
| Figure 33 – Station bus as hierarchical rings with RSTP bridging nodes | 74 |
| Figure 34 – Station bus as hierarchical rings with HSR bridging nodes | 76 |
| Figure 35 – Station bus as ring and subrings with HSR | 77 |
| Figure 36 – Double busbar bay with directly attached sensors | 78 |
| Figure 37 – Double busbar bay with SAMUs and process bus..... | 79 |
| Figure 38 – Double busbar bay with ECT/EVTs and process bus | 80 |
| Figure 39 – 1 ½ CB diameter with conventional, non-redundant attachment..... | 81 |
| Figure 40 – 1 ½ CB diameter with SAMUs and process bus | 82 |
| Figure 41 – 1 ½ CB diameter with ECT/EVT and process bus | 83 |
| Figure 42 – Process bus as connection of PIA and PIB (non-redundant protection)..... | 84 |
| Figure 43 – Process bus as single star (not redundant protection) | 85 |
| Figure 44 – Process bus as dual star | 87 |
| Figure 45 – Process bus as a single bridge (no protection redundancy) | 88 |
| Figure 46 – Process bus as separated LANs for main 1 and main 2 | 90 |
| Figure 47 – Process bus as ring of HSR nodes | 91 |
| Figure 48 – Process bus as star to merging units and station bus as RSTP ring | 93 |
| Figure 49 – Station bus and process bus as rings connected by a router | 95 |
| Figure 50 – Station bus ring and process bus ring with HSR | 96 |
| Figure 51 – Station bus as dual PRP ring and process bus as HSR ring | 98 |
| Figure 52 – Station bus used for the measurements | 105 |
| Figure 53 – Typical traffic (packet/s) on the station bus | 105 |
| Figure 54 – Generic multicast domains | 110 |
| Figure 55 – Traffic patterns | 112 |
| Figure 56 – Multicast domains for a combined process bus and station bus | 113 |
| Figure 57 – Bridges with correct VLAN configuration..... | 115 |
| Figure 58 – Bridges with poor VLAN configuration | 116 |
| Figure 59 – Bridges with traffic segmentation through VLAN configuration | 118 |
| Figure 60 – Station bus separated into multicast domains by voltage level..... | 119 |
| Figure 61 – Multicast traffic on an RSTP ring | 120 |
| Figure 62 – RSTP station bus and HSR ring | 121 |
| Figure 63 – RSTP station bus and HSR process bus | 121 |
| Figure 64 – Clock synchronization channels | 129 |
| Figure 65 – 1 PPS synchronisation | 130 |
| Figure 66 – SNTP clock synchronization and delay measurement..... | 131 |

| | |
|--|-----|
| Figure 67 – PTP elements | 133 |
| Figure 68 – PTP one-step clock synchronization and delay measurement..... | 134 |
| Figure 69 – PTP two-step clock synchronization and delay measurement | 136 |
| Figure 70 – Clocks in a PRP network coupled by BCs with an HSR ring..... | 139 |
| Figure 71 – C37.238-specific TLV | 141 |
| Figure 72 – Hierarchy of clocks..... | 142 |
| Figure 73 – Quality assurance stages (copied from IEC 61850-4) | 145 |
| Figure 74 – Test set-up for verification test | 147 |
| Figure 75 – Multiport device model | 153 |
| Figure 76 – Linking of bridge objects | 154 |
| Figure 77 – Clock model | 156 |
| Figure 78 – Linking of clock objects | 157 |
| Figure 79 – Class diagram LogicalNodes_90_4::LogicalNodes_90_4 | 158 |
| Figure 80 – Class diagram LNGroupL::LNGroupLExt | 159 |
| Figure 81 – Class diagram LNGroupL::LNGroupLNew | 160 |
| Figure 82 – Usage of VLAN filtering | 163 |
| Figure 83 – Usage of clock references | 169 |
| Figure 84 – Class diagram DetailedDiagram::DOEnums_90_4 | 175 |
| Figure 85 – Class diagram CommonDataClasses_90_4::CommonDataClasses_90_4 | 176 |
| Figure 86 – Class diagram CDCStatusInfo::CDCStatusInfo | 177 |
| Figure 87 – Class diagram CDCStatusSet::CDCStatusSet | 180 |
| Figure 88 – Four-port bridge | 189 |
| Figure 89 – Simple IED with PTP but no LLDP support | 199 |
| Figure 90 – RedBox with LLDP but no PTP | 207 |
| Figure A.1 – Preconditions for the process bus configuration example | 215 |
| Figure B.1 – First Ethernet-based Transba substation automation network | 218 |
| Figure B.2 – Transba SAS architecture | 219 |
| Figure B.3 – Transener substation automation network | 220 |
| Figure B.4 – Transener SAS architecture – ET Esperanza | 222 |
| Figure B.5 – Transener 500 kV architecture – El Morejón | 223 |
| Figure B.6 – 500 kV kiosk topology | 224 |
| Figure B.7 – 33 kV kiosk topology | 225 |
| Figure C.1 – Example HV and LV single line diagram and IEDs | 226 |
| Figure C.2 – HV bay and cabinet module | 228 |
| Figure C.3 – Data network areas | 232 |
| Figure C.4 – Substation LAN topology | 234 |
| Figure C.5 – SAS Gen1 High level traffic flows | 235 |
| Figure C.6 – SCADA & gateway connection | 236 |
| Figure C.7 – Station Core | 236 |
| Figure C.8 – Overall VLANs | 238 |
| Figure C.9 – Three domains | 238 |
| Figure C.10 – One domain per diameter, bus zone and transformer protection | 239 |
| Figure D.1 – Conceptual topology of substation LAN network with redundancy | 245 |

| | |
|--|-----|
| Figure D.2 – Detailed topology of substation LAN with redundancy | 246 |
| Figure D.3 – Original IPv4 Type of Service (ToS) octet | 249 |
| Figure D.4 – Differentiated Services (DiffServ) codepoint field | 249 |
| | |
| Table 1 – IEC 61850-5 interface definitions | 28 |
| Table 2 – Example of port ingress setting table | 51 |
| Table 3 – Example of port egress settings | 52 |
| Table 4 – Advantages and drawbacks of VLAN versus multicast filtering | 53 |
| Table 5 – IANA private IP address blocks (copied from RFC 1918) | 58 |
| Table 6 – IP address and mask example | 58 |
| Table 7 – Summary of reference topologies | 62 |
| Table 8 – Reference topologies and redundancy protocols used | 63 |
| Table 9 – Station bus as single bridge | 64 |
| Table 10 – Station bus as hierarchical star | 65 |
| Table 11 – Station bus as dual star | 66 |
| Table 12 – Station bus as ring | 67 |
| Table 13 – Station bus as separated Main 1 and Main 2 protection | 69 |
| Table 14 – Station bus as ring of bridging nodes | 70 |
| Table 15 – Station bus as ring and subrings | 71 |
| Table 16 – Station bus as parallel rings | 73 |
| Table 17 – Station bus as parallel HSR rings | 74 |
| Table 18 – Station bus as ring of rings with RSTP | 75 |
| Table 19 – Station bus as ring of rings with HSR | 76 |
| Table 20 – Station bus as ring and subrings with HSR | 77 |
| Table 21 – Process bus as connection of PIA and PIB | 84 |
| Table 22 – Process bus as single star | 86 |
| Table 23 – Process bus as dual star | 87 |
| Table 24 – Process bus as single bridge | 89 |
| Table 25 – Process bus as separated LANs | 90 |
| Table 26 – Process bus as simple ring | 91 |
| Table 27 – Advantages and drawbacks of physical separation | 92 |
| Table 28 – Advantages and drawbacks of logical separation | 92 |
| Table 29 – Process bus as star to merging units | 93 |
| Table 30 – Connection of station bus to process bus by routers | 95 |
| Table 31 – Connection of station bus to process bus by RedBoxes | 97 |
| Table 32 – Connection of duplicated station bus to process bus by RedBoxes | 98 |
| Table 33 – Example IP address allocation of NET | 99 |
| Table 34 – Example IP address allocation of BAY | 100 |
| Table 35 – Example IP address allocation of device | 100 |
| Table 36 – Example IP address allocation of switches in PRP | 101 |
| Table 37 – IEC 61850-5 interface traffic | 103 |
| Table 38 – Message types and addresses | 104 |
| Table 39 – Transfer time requirements of IEC 61850-5 | 107 |

| | |
|--|-----|
| Table 40 – Elapsed time for an IEEE 802.3 frame to traverse the physical medium | 107 |
| Table 41 – Delay for an IEEE 802.3 frame to ingress or to egress a port | 108 |
| Table 42 – Latencies caused by waiting for a lower-priority frame to egress a port | 109 |
| Table 43 – Synchronization classes of IEC 61850-5..... | 125 |
| Table 44 – Time representations..... | 128 |
| Table 45 – Standards applicable to network elements..... | 146 |
| Table 46 – Normative abbreviations for data object names | 157 |
| Table 47 – Data objects of LNGroupL::LPHDExt | 161 |
| Table 48 – Data objects of LNGroupL::LBRI..... | 162 |
| Table 49 – Data objects of LNGroupL::LCCF | 163 |
| Table 50 – Data objects of LNGroupL::LCCHExt | 164 |
| Table 51 – Data objects of LNGroupL::PortBindingLN | 165 |
| Table 52 – Data objects of LNGroupL::LPCP | 165 |
| Table 53 – Data objects of LNGroupL::LPLD..... | 166 |
| Table 54 – Data objects of LNGroupL::LBSP | 168 |
| Table 55 – Data objects of LNGroupL::LTIMExt | 168 |
| Table 56 – Data objects of LNGroupL::LTMSExt | 170 |
| Table 57 – Data objects of LNGroupL::LTPC | 170 |
| Table 58 – Data objects of LNGroupL::LTPP..... | 171 |
| Table 59 – Attributes defined on classes of LogicalNodes_90_4 package | 171 |
| Table 60 – Literals of DOEnums_90_4::ChannelRedundancyKind..... | 174 |
| Table 61 – Literals of DOEnums_90_4::LeapSecondKind..... | 175 |
| Table 62 – Literals of DOEnums_90_4::RstpStateKind..... | 175 |
| Table 63 – Clock grandmaster status common data class definition | 177 |
| Table 64 – Clock port status common data class definition | 178 |
| Table 65 – Clock ordinary settings common data class definition | 180 |
| Table 66 – VLAN filters common data class definition | 182 |
| Table 67 – Literals of DAEnums_90_4::VlanTagKind | 182 |
| Table 68 – Mapping of LLN0 and LPHD attributes to SNMP | 183 |
| Table 69 – Mapping of LBRI and LBSP attributes to SNMP for bridges | 184 |
| Table 70 – Mapping of LPCP attributes to SNMP for bridges..... | 184 |
| Table 71 – Mapping of LPLD attributes to SNMP for bridges | 185 |
| Table 72 – Mapping of LCCH attributes for SNMP for HSR/PRP LREs | 186 |
| Table 73 – Mapping of clock objects in IEC 61850, IEC 61588 and IEEE C37.238 | 186 |
| Table A.1 – Summary of expected latencies..... | 215 |
| Table C.1 – Site categories HV | 227 |
| Table C.2 – Site categories MV..... | 227 |
| Table C.3 – Building modules | 228 |
| Table C.4 – Network modules | 233 |
| Table C.5 – Domain assignment for three domains | 239 |
| Table C.6 – Domain assignment for one domain per diameter..... | 239 |
| Table C.7 – Summary of expected latencies | 241 |
| Table C.8 – Traffic types and estimated network load | 241 |

| | |
|--|-----|
| Table D.1 – VLAN numbering and allocation | 247 |
| Table D.2 – Prioritization selection for various applications..... | 248 |
| Table D.3 – Mapping of applications to service levels | 249 |
| Table D.4 – List of DiffServ codepoint field values | 250 |
| Table D.5 – Example of DSCP to class of service mapping | 250 |
| Table D.6 – Example of DSCP mappings | 251 |
| Table D.7 – Typical substation IP Address map (IP range: 10.0.16.0/21) | 251 |
| Table D.8 – SNMP MIBs applicable to substation devices | 253 |
| Table D.9 – Example of device naming | 255 |
| Table D.10 – Example of interface addressing and allocation..... | 255 |
| Table D.11 – Example of device access and SNMP assignment..... | 256 |
| Table D.12 – Example of hardware identification..... | 257 |
| Table D.13 – Example of device name table | 257 |
| Table D.14 – Example of firmware and software table..... | 257 |
| Table D.15 – Example of interface addressing and allocation..... | 258 |
| Table D.16 – Example of network switch details..... | 258 |
| Table D.17 – Example of VLAN definitions | 259 |
| Table D.18 – Example of IP routing..... | 259 |
| Table D.19 – Example of QoS mapping..... | 259 |
| Table D.20 – Example of trunk and link aggregation table (void)..... | 260 |
| Table D.21 – LAN switch port speed and duplex configuration | 260 |
| Table D.22 – LAN switch port security settings | 261 |
| Table D.23 – Example of DHCP snooping | 262 |
| Table D.24 – Example of storm control table..... | 262 |

<https://standards.iteh.ai/caxb0/standard/iec/32cd2b64-bbb0-4813-8935-ac95c9fb138b/iec-tr-61850-90-4-2013>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**COMMUNICATION NETWORKS AND
SYSTEMS FOR POWER UTILITY AUTOMATION –****Part 90-4: Network engineering guidelines****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 61850-90-4, which is a technical report, has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this technical report is based on the following documents:

| | |
|---------------|------------------|
| Enquiry draft | Report on voting |
| 57/1238/DTR | 57/1330/RVC |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.