

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Lamps for road vehicles – Performance requirements**

**Lampes pour véhicules routiers – Exigences de performances**

IEC 60810:2014

<https://standards.iteh.ai/catalog/standards/iec/c726240e-f5ce-4a0d-98fe-54ff61414bf6/iec-60810-2014>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Lamps for road vehicles – Performance requirements**

**Lampes pour véhicules routiers – Exigences de performances**

<https://standards.iteh.ai/catalog/standards/iec/c726240e-f5ce-4a0d-98fe-54ff61414bf6/iec-60810-2014>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.140.99

ISBN 978-2-8322-4102-8

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



## REDLINE VERSION

## VERSION REDLINE



**Lamps for road vehicles – Performance requirements**

**Lampes pour véhicules routiers – Exigences de performances**

IEC 60810:2014

<https://standards.iteh.ai/catalog/standards/iec/c726240e-f5ce-4a0d-98fe-54ff61414bf6/iec-60810-2014>

## CONTENTS

FOREWORD .....	7
1 Scope .....	9
2 Normative references .....	9
3 Terms and definitions .....	11
4 Requirements and test conditions for filament lamps .....	14
4.1 Basic function and interchangeability .....	14
4.2 Torsion strength .....	14
4.3 Characteristic life $T$ .....	15
4.4 Life B3 .....	15
4.5 Luminous flux maintenance .....	15
4.6 Resistance to vibration and shock .....	15
4.7 Glass-bulb strength .....	16
5 Filament lamp data .....	16
6 Requirements and test conditions for discharge lamps .....	19
6.1 Basic function and interchangeability .....	19
6.2 Mechanical strength .....	20
6.2.1 Bulb-to-cap connection .....	20
6.2.2 Cable-to-cap connection (if any) .....	20
6.3 Characteristic life $T$ .....	20
6.4 Life B3 .....	20
6.5 Luminous flux maintenance .....	20
6.6 Resistance to vibration and shock .....	20
6.7 Discharge lamps with integrated starting device .....	20
6.8 Discharge lamps with integrated starting device and integrated ballast .....	20
7 Requirements and test conditions for LED light sources .....	21
7.1 Basic function and interchangeability .....	21
7.2 UV radiation .....	22
7.3 Luminous flux and colour maintenance .....	22
7.4 Resistance to vibration and shock .....	23
7.5 Electromagnetic compatibility .....	23
7.6 Powered thermal cycling test .....	23
8 Requirements and test conditions for LED packages .....	25
8.1 LED package stress test qualification .....	25
8.2 Test samples .....	25
8.2.1 Lot requirements .....	25
8.2.2 Production requirements .....	25
8.2.3 Pre- and post-stress test requirements .....	26
8.2.4 Assembly of LED packages on test boards .....	26
8.2.5 Moisture pre-conditioning (MP) .....	26
8.2.6 Thermal resistance (TR) test .....	26
8.3 Definition of failure criteria .....	26
8.4 Choice between test conditions .....	27
8.5 Criteria for passing qualification/requalification .....	27
8.6 Qualification test definition .....	27
8.6.1 Pre- and post- electrical and photometric test .....	27

8.6.2	Pre- and post- external visual (EV) test .....	27
8.6.3	High temperature operating life (HTOL) test .....	27
8.6.4	Temperature cycling (TMCL) test .....	28
8.6.5	Wet high temperature operating life (WHTOL) test .....	28
8.6.6	Power temperature cycling (PTMCL) test .....	28
8.6.7	Electrostatic discharge, human body model (ESD-HBM) test .....	29
8.6.8	Electrostatic discharge, machine model (ESD-MM) test .....	29
8.6.9	Destructive physical analysis (DPA) test .....	29
8.6.10	Physical dimensions (PD) test .....	29
8.6.11	Vibrations variable frequency (VVF) test .....	29
8.6.12	Mechanical shock (MS) test .....	29
8.6.13	Resistance to soldering heat (RSH-TTW) test .....	29
8.6.14	Resistance to soldering heat (RSH-reflow) test .....	30
8.6.15	Solderability (SO) test .....	30
8.6.16	Thermal shock (TMSK) test .....	30
8.6.17	Hydrogen sulphide (H <sub>2</sub> S) test .....	30
8.6.18	Pulsed operating life (PLT) test .....	30
8.6.19	Dew (DEW) test .....	31
8.6.20	Flowing mixed gas corrosion (FMGC) test .....	31
Annex A (normative)	Life test conditions for filament lamps .....	32
A.1	Ageing .....	32
A.2	Test voltage .....	32
A.3	Operating position and operating conditions .....	32
A.4	Switching cycle .....	32
A.4.1	Single-filament lamps .....	32
A.4.2	Dual-filament lamps for headlamps .....	33
A.4.3	Dual-filament lamps for light signalling equipment .....	33
A.5	Luminous flux and colour maintenance .....	33
Annex B (normative)	Vibration tests .....	34
B.1	General .....	34
B.2	Test conditions .....	35
B.2.1	General .....	35
B.2.2	Mounting (see IEC 60068-2-47) .....	35
B.2.3	Measuring points .....	35
B.2.4	Control point .....	35
B.2.5	Conditioning .....	35
B.2.6	Axis of vibration .....	35
B.2.7	WBR test – Basic motion .....	36
B.3	Test conditions .....	36
B.3.1	General .....	36
B.3.2	Narrowband random vibration tests .....	36
B.3.3	Wideband random vibration tests .....	37
Annex C (normative)	Glass-bulb strength test .....	39
C.1	General .....	39
C.2	Test equipment and procedure .....	39
C.2.1	Principle of the test equipment (see Figure C.1) .....	39
C.2.2	Test conditions .....	39
C.2.3	Requirements for plates .....	40

C.3	Requirements .....	40
C.4	Evaluation.....	40
C.4.1	General .....	40
C.4.2	Assessment based on attributes .....	40
C.4.3	Assessment based on variables.....	41
Annex D (normative)	Life and luminous flux maintenance test conditions for discharge lamps.....	42
D.1	Ageing .....	42
D.2	Test circuit and test voltage .....	42
D.3	Burning position and operating conditions .....	42
D.4	Switching cycle .....	42
D.5	Luminous flux maintenance.....	44
Annex E (normative)	Bulb deflection test.....	45
E.1	General.....	45
E.2	Test set-up and procedure .....	45
E.3	Requirement .....	45
Annex F (informative)	Guidance for equipment design .....	46
F.1	Pinch temperature limit .....	46
F.2	Solder temperature limit.....	46
F.3	Maximum filament lamp outline .....	46
F.4	Maximum surge voltage .....	46
F.5	Recommended instructions for use and handling of halogen filament lamps.....	46
F.6	Recommended instructions for use and handling of discharge lamps .....	47
Annex G (informative)	Information for ballast design .....	52
Annex H (informative)	Symbols .....	53
H.1	General.....	53
H.2	Symbol indicating that lamps operate at high temperatures.....	53
H.3	Symbol indicating that care should be taken to avoid touching the bulb.....	53
H.4	Symbol indicating that the use of protective gloves is advised.....	53
H.5	Symbol indicating that lamps with scratched or otherwise damaged bulbs should not be used.....	53
H.6	Symbol indicating that before handling, the lamp shall be switched off.....	53
H.7	Symbol indicating that the use of eye protection is advised .....	54
H.8	Symbol indicating that during operation, the lamp emits UV-radiation .....	54
H.9	Symbol indicating that the lamp shall be operated only in a luminaire with a protective shield.....	54
H.10	Symbol indicating dangerous voltage .....	54
H.11	Pictogram for instruction "Non-ECE" .....	54
H.12	Pictogram for instruction "Interior lighting only" .....	55
Annex I (normative)	Luminous flux maintenance test conditions for LED light sources .....	56
I.1	Ageing .....	56
I.2	Test voltage .....	56
I.3	Operating conditions .....	56
I.3.1	Test rack .....	56
I.3.2	LED light sources with integrated thermal management.....	56
I.3.3	LED light sources with external thermal management.....	56
I.4	Switching cycle .....	57
I.4.1	Single-function LED light sources .....	57



1.4.2	Dual-function LED light sources for headlamps .....	57
1.4.3	Multiple-function LED light sources for light signalling equipment .....	57
1.5	Luminous flux maintenance measurements .....	58
1.6	Colour measurement.....	58
Annex J (normative)	Destructive physical analysis for LED packages .....	59
J.1	Description .....	59
J.2	Equipment .....	59
J.3	Procedure .....	59
J.4	Failure criteria.....	59
Annex K (informative)	Communication sheet LED package testing.....	60
Annex L (normative)	Re-testing matrix for LED package testing .....	63
Bibliography.....		64
Figure 1	– Examples of LED packages.....	12
Figure 2	– Example for an LED module without integrated heatsink .....	13
Figure 3	– Example for an LED module with integrated heatsink .....	13
Figure 4	– Example for a replaceable LED light source .....	13
Figure 5	– Example for a non-replaceable LED light source .....	14
Figure 6	– Position of the centre of gravity (shaded areas).....	21
Figure 7	– Extract from IEC 60068-2-14 Test Nb, showing the temperature cycle profile .....	24
Figure B.1	– Recommended equipment layout for vibration testing .....	38
Figure C.1	– Diagrammatic sketch of the principle of the test equipment.....	39
Figure D.1	– Superposition of on/off switching and power switching cycle .....	43
Figure E.1	– Sketch of the test set-up.....	45
Figure F.1	– Voltage surges for 12 V filament lamps – Maximum tolerable duration for a voltage surge as a function of its height.....	47
Figure F.2	– Maximum filament lamp outlines H1 .....	48
Figure F.3	– Maximum filament lamp outlines H2 .....	49
Figure F.4	– Maximum filament lamp outlines H3 .....	50
Figure F.5	– Maximum filament lamp outlines P21W, PY21W, P21/4W and P21/5W .....	51
Figure H.1	– Pictogram for instruction "Non-ECE" .....	55
Figure H.2	– Pictogram for instruction "Interior lighting only" .....	55
Table 1	– Conditions of compliance for life B3 .....	15
Table 2	– Conditions of compliance for the vibration test .....	16
Table 3	– Rated life values for continuous operation .....	17
Table 4	– Rated luminous flux-maintenance values for continuous operation .....	19
Table 5	– Minimum $L_{70-B_{10}}$ values for standardised LED light sources .....	22
Table 6	– Typical "on"-times for the different functions per 100 000 km drive distance, based on an average speed of 33,6 km/h <sup>a</sup> .....	22
Table 7	– Example for product data .....	23
Table 8	– Temperature classes for the powered thermal cycling test.....	24
Table B.1	– Vibration test on motor vehicle lamps – Test conditions .....	36
Table B.2	– Vibration test on motor vehicle lamps – Standard test conditions .....	36

Table B.3 – Vibration test on motor vehicle lamps – Heavy-duty test conditions ..... 37

Table B.4 – Vibration test on motor vehicle lamps – Standard test conditions ..... 37

Table C.1 – Compression strength ..... 40

Table C.2 – Inspection by attributes – Double sampling plan ..... 40

Table C.3 – Inspection by variables – "S" method of assessment..... 41

Table D.1 – On/off switching cycle ..... 42

Table D.2 – Power switching cycle ..... 43

Table D.3 – Fast power switching cycle ..... 44

Table G.1 – Open circuit voltage ..... 52

Table I.1 – Examples for possible product data ..... 57

Table L.1 – Retesting matrix ..... 63

WITHDRAWN

iTech Standards  
(<https://standards.iteh.ai>)  
Document Preview

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### LAMPS FOR ROAD VEHICLES – PERFORMANCE REQUIREMENTS

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.**

**IEC 60810 edition 4.1 contains the fourth edition (2014-12) [documents 34A/1797/FDIS and 34A/1818/RVD] and its amendment 1 (2017-03) [documents 34A/1888/CDV and 34A/1927/RVC].**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

International Standard IEC 60810 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This edition includes the following significant technical changes with respect to the previous edition:

- a) introduction of new gas discharge light sources;
- b) introduction of requirements for non-replaceable filament lamps;
- c) introduction of requirements and test conditions for LED packages.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

IEC 60810:2014

<https://standards.iteh.ai/en/standards/iec/60810/726240e-f5ce-4a0d-98fe-54ff61414bf6/iec-60810-2014>

## LAMPS FOR ROAD VEHICLES – PERFORMANCE REQUIREMENTS

### 1 Scope

This International Standard is applicable to lamps (filament lamps, discharge lamps and LED light sources) to be used in headlamps, fog-lamps and signalling lamps for road vehicles. It is especially applicable to those lamps which are listed in IEC 60809. However, the standard may also be used for other lamps falling under the scope of this standard.

It specifies requirements and test methods for the measurement of performance characteristics such as lamp life, luminous flux maintenance, torsion strength, glass bulb strength and resistance to vibration and shock. Moreover, information on temperature limits, maximum lamp outlines and maximum tolerable voltage surges is given for the guidance of lighting and electrical equipment design.

For some of the requirements given in this standard, reference is made to data given in tables. For lamps not listed in such tables, the relevant data are supplied by the lamp manufacturer or responsible vendor.

The performance requirements are additional to the basic requirements specified in IEC 60809. They are, however, not intended to be used by authorities for legal type-approval purposes.

NOTE 1 In the various vocabularies and standards, different terms are used for "incandescent lamp" (IEC 60050-845:1987, 845-07-04) and "discharge lamp" (IEC 60050-845:1987, 845-07-17). In this standard, "filament lamp" and "discharge lamp" are used. However, where only "lamp" is written both types are meant, unless the context clearly shows that it applies to one type only.

NOTE 2 This standard does not apply to luminaires.

NOTE 3 In this standard, the term LED light source is used, in other standards the term LED lamps can be used to describe similar products.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at <http://www.electropedia.org/>)

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60068-2-6:1995, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-43, *Environmental testing – Part 2-43: Tests – Test Kd: Hydrogen sulphide test for contacts and connections*

IEC 60068-2-60, *Environmental testing – Part 2: Tests – Test Ke: Flowing mixed gas corrosion test*

IEC 60410:1973, *Sampling plans and procedures for inspection by attributes*

IEC 60809:2014, *Lamps for road vehicles*

CISPR 25, *Vehicles, boats and internal combustion engines – Radio disturbance characteristics – Limits and methods of measurement for the protection of on-board receivers*

United Nations, *Agreement concerning the adoption of uniform technical prescription for wheeled vehicles, equipment and parts which can be fitted and/or be used on wheeled vehicles and the conditions for reciprocal recognition of approvals granted on the basis of these prescriptions.*<sup>1</sup>

Available from Internet: [www.unece.org/trans/main/wp29/wp29regs.html](http://www.unece.org/trans/main/wp29/wp29regs.html) (website checked 2014-08-19)

Addendum 37: Regulation No. 38, *Uniform provisions concerning the approval of rear fog lamps for power-driven vehicles and their trailers*

Addendum 47: Regulation No 48, *Uniform provisions concerning the approval of vehicles with regard to the installation of lighting and light-signalling devices*

Addendum 122: Regulation No. 123, *Uniform provisions concerning the approval of adaptive front-lighting systems (AFS) for motor vehicles*

Addendum 100: Regulation No. 101, *Uniform provisions concerning the approval of passenger cars powered by an internal combustion engine only, or powered by a hybrid electric power train with regard to the measurement of the emission of carbon dioxide and fuel consumption and/or the measurement of electric energy consumption and electric range, and of categories M1 and N1 vehicles powered by an electric power train only with regard to the measurement of electric energy consumption and electric range*

Addendum 127: Regulation No. 128, *Uniform provisions concerning the approval of light emitting diode (LED) light sources for use in approved lamp units on power-driven*

JESD22-A100D, *Cycled temperature humidity bias life test*

JESD22-A101C, *Steady-state temperature humidity bias life test*

JESD22-A104D, *Temperature cycling*

JESD22-A105C, *Power and temperature cycling*

JESD22-A106B, *Thermal shock*

JESD22-A108D, *Temperature, bias, and operating life*

JESD22-A113F, *Preconditioning of plastic surface mount devices prior to reliability testing*

JESD22-A115C, *Electrostatic discharge (ESD) sensitivity testing machine model (MM)*

JESD22-B101B, *External visual*

JESD22-B103B, *Vibration, variable frequency*

JESD22-B110B, *Mechanical shock*

JESD22-B106D, *Resistance to solder shock for through-hole mounted devices*

---

<sup>1</sup> Also known as *The 1958 Agreement*. In the text of this standard the regulations under this agreement are referred to as, for example, UN Regulation 37 or R37.