

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Energy management system application program interface (EMS-API) –
Part 301: Common information model (CIM) base**

**Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) –
Partie 301: Base de modèle d'information commun (CIM)**

<https://standards.iteh.ai/catalog/standards/iec/19718431-6bbb-4d1a-a6c0-90cdb7eb0407/iec-61970-301-2013>

<https://standards.iteh.ai/catalog/standards/iec/19718431-6bbb-4d1a-a6c0-90cdb7eb0407/iec-61970-301-2013>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Energy management system application program interface (EMS-API) –
Part 301: Common information model (CIM) base**

**Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) –
Partie 301: Base de modèle d'information commun (CIM)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XH**
CODE PRIX

ICS 33.200

ISBN 978-2-8322-1291-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	27
INTRODUCTION.....	29
1 Scope.....	31
2 Normative references	31
3 Terms and definitions	32
4 CIM specification	33
4.1 CIM modeling notation	33
4.2 CIM packages.....	33
4.3 CIM classes and relationships.....	35
4.3.1 Classes	35
4.3.2 Generalization	36
4.3.3 Simple association.....	37
4.3.4 Aggregation	37
4.4 CIM model concepts and examples	38
4.4.1 Concepts	38
4.4.2 Containment, equipment hierarchies and naming.....	38
4.4.3 Names model	40
4.4.4 Connectivity model	41
4.4.5 Inheritance hierarchy.....	44
4.4.6 Transformer model	45
4.4.7 Transformer tap modeling.....	48
4.4.8 Phase wire modeling	52
4.4.9 Cuts, clamps and jumpers model	53
4.4.10 Measurements and controls	56
4.4.11 Regulating control models	61
4.5 Modeling guidelines	62
4.5.1 Modeling for change	62
4.5.2 Process for amendments to the CIM	62
4.5.3 Changes to the CIM UML model	63
4.5.4 Changes to the CIM standards documents.....	63
4.5.5 Deprecations	63
4.5.6 CIM profiles	63
4.6 Modeling tools	64
4.7 User implementation conventions.....	64
4.7.1 Conventions beyond UML	64
4.7.2 Number of Terminals for ConductingEquipment objects	64
4.8 CIM modeling examples	64
5 Detailed model	65
5.1 Overview.....	65
5.2 Context.....	65
6 Top package IEC61970	67
6.1 General.....	67
6.2 IEC61970CIMVersion root class.....	67
6.3 Package Domain.....	68
6.3.1 General	68
6.3.2 ActivePower datatype	73

6.3.3	ActivePowerChangeRate datatype	73
6.3.4	Admittance datatype	73
6.3.5	AngleDegrees datatype	73
6.3.6	AngleRadians datatype	74
6.3.7	ApparentPower datatype	74
6.3.8	Boolean primitive	74
6.3.9	Capacitance datatype	74
6.3.10	Conductance datatype	75
6.3.11	ConductancePerLength datatype	75
6.3.12	CostPerEnergyUnit datatype	75
6.3.13	CostPerVolume datatype	75
6.3.14	CostRate datatype	76
6.3.15	Currency enumeration	76
6.3.16	CurrentFlow datatype	77
6.3.17	Damping datatype	77
6.3.18	Date primitive	78
6.3.19	DateInterval compound	78
6.3.20	DateTime primitive	78
6.3.21	DateTimeInterval compound	78
6.3.22	Decimal primitive	78
6.3.23	Displacement datatype	78
6.3.24	Duration primitive	79
6.3.25	Float primitive	79
6.3.26	FloatQuantity datatype	79
6.3.27	Frequency datatype	79
6.3.28	Hours datatype	79
6.3.29	Impedance datatype	80
6.3.30	Inductance datatype	80
6.3.31	Integer primitive	80
6.3.32	IntegerQuantity datatype	80
6.3.33	KiloActivePower datatype	80
6.3.34	Length datatype	81
6.3.35	Minutes datatype	81
6.3.36	Money datatype	81
6.3.37	PU datatype	81
6.3.38	PerCent datatype	82
6.3.39	Pressure datatype	82
6.3.40	Reactance datatype	82
6.3.41	ReactancePerLength datatype	83
6.3.42	ReactivePower datatype	83
6.3.43	RealEnergy datatype	83
6.3.44	Resistance datatype	83
6.3.45	ResistancePerLength datatype	84
6.3.46	RotationSpeed datatype	84
6.3.47	Seconds datatype	84
6.3.48	Speed datatype	85
6.3.49	String primitive	85
6.3.50	StringQuantity datatype	85
6.3.51	Susceptance datatype	85

6.5	Package DiagramLayout	116
6.5.1	General	116
6.5.2	Diagram	117
6.5.3	DiagramObject	118
6.5.4	DiagramObjectGluePoint root class	119
6.5.5	DiagramObjectPoint root class	119
6.5.6	DiagramObjectStyle	120
6.5.7	OrientationKind enumeration	120
6.5.8	TextDiagramObject	120
6.5.9	VisibilityLayer	121
6.6	Package OperationalLimits	122
6.6.1	General	122
6.6.2	ActivePowerLimit	123
6.6.3	ApparentPowerLimit	124
6.6.4	BranchGroup	125
6.6.5	BranchGroupTerminal root class	125
6.6.6	CurrentLimit	126
6.6.7	OperationalLimit	126
6.6.8	OperationalLimitDirectionKind enumeration	127
6.6.9	OperationalLimitSet	127
6.6.10	OperationalLimitType	128
6.6.11	VoltageLimit	128
6.7	Package Topology	129
6.7.1	General	129
6.7.2	BusNameMarker	133
6.7.3	TopologicalIsland	134
6.7.4	TopologicalNode	135
6.8	Package Wires	136
6.8.1	General	136
6.8.2	ACLineSegment	149
6.8.3	ACLineSegmentPhase	151
6.8.4	AsynchronousMachine	152
6.8.5	Breaker	154
6.8.6	BusbarSection	155
6.8.7	Clamp	156
6.8.8	CompositeSwitch	157
6.8.9	CompositeSwitchType datatype	158
6.8.10	Conductor	158
6.8.11	Connector	159
6.8.12	CoolantType enumeration	160
6.8.13	Cut	160
6.8.14	DCLineSegment	162
6.8.15	Disconnecter	163
6.8.16	EnergyConsumer	164
6.8.17	EnergyConsumerPhase	166
6.8.18	EnergySource	166
6.8.19	FrequencyConverter	167
6.8.20	Fuse	169
6.8.21	Ground	170

6.8.71	TapChanger	219
6.8.72	TapChangerControl	220
6.8.73	TapChangerKind enumeration	221
6.8.74	TapSchedule	221
6.8.75	TransformerControlMode enumeration	222
6.8.76	TransformerCoreAdmittance	222
6.8.77	TransformerEnd	223
6.8.78	TransformerMeshImpedance	225
6.8.79	TransformerStarImpedance	225
6.8.80	TransformerTank	226
6.8.81	TransformerTankEnd	227
6.8.82	VoltageControlZone	228
6.8.83	WindingConnection enumeration	229
6.9	Package Generation	229
6.9.1	General	229
6.9.2	Package GenerationDynamics	230
6.9.3	Package Production	246
6.10	Package LoadModel	294
6.10.1	General	294
6.10.2	ConformLoad	295
6.10.3	ConformLoadGroup	296
6.10.4	ConformLoadSchedule	297
6.10.5	DayType	298
6.10.6	EnergyArea	298
6.10.7	LoadArea	299
6.10.8	LoadGroup	299
6.10.9	LoadResponseCharacteristic	300
6.10.10	NonConformLoad	301
6.10.11	NonConformLoadGroup	302
6.10.12	NonConformLoadSchedule	303
6.10.13	PowerCutZone	304
6.10.14	Season root class	304
6.10.15	SeasonDayTypeSchedule	305
6.10.16	SeasonName enumeration	305
6.10.17	StationSupply	306
6.10.18	SubLoadArea	307
6.11	Package Outage	308
6.11.1	General	308
6.11.2	ClearanceTag	309
6.11.3	ClearanceTagType	310
6.11.4	OutageSchedule	311
6.11.5	SwitchingOperation	311
6.11.6	SwitchState enumeration	312
6.12	Package AuxiliaryEquipment	312
6.12.1	General	312
6.12.2	AuxiliaryEquipment	313
6.12.3	CurrentTransformer	314
6.12.4	FaultIndicator	315
6.12.5	PostLineSensor	316

6.12.6	PotentialTransformer	317
6.12.7	Sensor	318
6.12.8	SurgeProtector	319
6.13	Package Protection	320
6.13.1	General	320
6.13.2	CurrentRelay	321
6.13.3	ProtectionEquipment	322
6.13.4	RecloseSequence	323
6.13.5	SynchrocheckRelay	324
6.14	Package Equivalents	325
6.14.1	General	325
6.14.2	EquivalentBranch	325
6.14.3	EquivalentEquipment	326
6.14.4	EquivalentInjection	327
6.14.5	EquivalentNetwork	328
6.14.6	EquivalentShunt	329
6.15	Package Meas	330
6.15.1	General	330
6.15.2	Accumulator	333
6.15.3	AccumulatorLimit	334
6.15.4	AccumulatorLimitSet	335
6.15.5	AccumulatorValue	335
6.15.6	Analog	336
6.15.7	AnalogLimit	337
6.15.8	AnalogLimitSet	337
6.15.9	AnalogValue	338
6.15.10	Command	339
6.15.11	Control	340
6.15.12	ControlType	341
6.15.13	Discrete	341
6.15.14	DiscreteValue	342
6.15.15	Limit	343
6.15.16	LimitSet	343
6.15.17	Measurement	344
6.15.18	MeasurementValue	345
6.15.19	MeasurementValueQuality	346
6.15.20	MeasurementValueSource	347
6.15.21	Quality61850 root class	348
6.15.22	SetPoint	348
6.15.23	StringMeasurement	349
6.15.24	StringMeasurementValue	350
6.15.25	Validity enumeration	350
6.15.26	ValueAliasSet	351
6.15.27	ValueToAlias	352
6.16	Package SCADA	352
6.16.1	General	352
6.16.2	CommunicationLink	353
6.16.3	RemoteControl	354
6.16.4	RemotePoint	354

6.16.5	RemoteSource	355
6.16.6	RemoteUnit	356
6.16.7	RemoteUnitType enumeration	357
6.16.8	Source enumeration	357
6.17	Package ControlArea	357
6.17.1	General	357
6.17.2	AltGeneratingUnitMeas root class	359
6.17.3	AltTieMeas root class	360
6.17.4	ControlArea	360
6.17.5	ControlAreaGeneratingUnit root class	361
6.17.6	ControlAreaTypeKind enumeration	362
6.17.7	TieFlow root class	362
6.18	Package Contingency	363
6.18.1	General	363
6.18.2	Contingency	363
6.18.3	ContingencyElement	364
6.18.4	ContingencyEquipment	364
6.18.5	ContingencyEquipmentStatusKind enumeration	365
6.19	Package StateVariables	365
6.19.1	General	365
6.19.2	StateVariable root class	366
6.19.3	SvInjection	366
6.19.4	SvPowerFlow	367
6.19.5	SvShortCircuit	367
6.19.6	SvShuntCompensatorSections	368
6.19.7	SvStatus	368
6.19.8	SvTapStep	369
6.19.9	SvVoltage	369
	Bibliography	371
	Figure 1 – Example of working group package dependencies	34
	Figure 2 – CIM IEC 61970-301 package diagram	35
	Figure 3 – Example of generalization	37
	Figure 4 – Example of simple association	37
	Figure 5 – Example of aggregation	38
	Figure 6 – Equipment containers	39
	Figure 7 – Names	40
	Figure 8 – Connectivity model	41
	Figure 9 – Simple network example	43
	Figure 10 – Simple network connectivity modeled with CIM Topology	44
	Figure 11 – Equipment inheritance hierarchy	45
	Figure 12 – Transformer and Tank model	46
	Figure 13 – Transformer model	47
	Figure 14 – Transformer tap model	48
	Figure 15 – Symmetrical Phase Shifter	50
	Figure 16 – Asymmetrical Phase Shifter	51

Figure 17 – Phase connectivity	52
Figure 18 – Cuts, clamps, and jumpers UML model	53
Figure 19 – Example before cuts and jumpers applied	54
Figure 20 – Example after cuts and jumpers applied	55
Figure 21 – Example of jumper without cut or clamp	56
Figure 22 – Navigating from PSR to MeasurementValue	58
Figure 23 – Measurement placement	61
Figure 24 – Regulating control models	62
Figure 25 – CIM top level packages	65
Figure 26 – Class diagram IEC61970::IEC61970Dependencies	67
Figure 27 – Class diagram Domain::BasicDatatypes	68
Figure 28 – Class diagram Domain::ElectricityDatatypes	69
Figure 29 – Class diagram Domain::EnumeratedUnitDatatypes	70
Figure 30 – Class diagram Domain::GeneralDatatypes	71
Figure 31 – Class diagram Domain::MonetaryDatatypes	72
Figure 32 – Class diagram Domain::TimeDatatypes	72
Figure 33 – Class diagram Core::Main	91
Figure 34 – Class diagram Core::Names	92
Figure 35 – Class diagram Core::CurveSchedule	92
Figure 36 – Class diagram Core::Datatypes	93
Figure 37 – Class diagram Core::Reporting	93
Figure 38 – Class diagram Core::OperatingShare	94
Figure 39 – Class diagram DiagramLayout::DiagramLayout	117
Figure 40 – Class diagram OperationalLimits::OperationalLimits	123
Figure 41 – Class diagram OperationalLimits::BranchGroup	123
Figure 42 – Class diagram Topology::TopologicalNodeTerminal	130
Figure 43 – Class diagram Topology::TopologyMeasRelations	131
Figure 44 – Class diagram Topology::TopologyReporting	132
Figure 45 – Class diagram Topology::Main	133
Figure 46 – Class diagram Wires::CutsAndJumpers	136
Figure 47 – Class diagram Wires::MutualCoupling	137
Figure 48 – Class diagram Wires::Schedules	138
Figure 49 – Class diagram Wires::SwitchingEquipment	139
Figure 50 – Class diagram Wires::WiresPhaseModel	140
Figure 51 – Class diagram Wires::Datatypes	141
Figure 52 – Class diagram Wires::InheritanceHierarchy	142
Figure 53 – Class diagram Wires::LineModel	143
Figure 54 – Class diagram Wires::NamingHierarchyPart1	144
Figure 55 – Class diagram Wires::NamingHierarchyPart2	145
Figure 56 – Class diagram Wires::RegulatingEquipment	146
Figure 57 – Class diagram Wires::TapChanger	147
Figure 58 – Class diagram Wires::VoltageControl	148
Figure 59 – Class diagram Wires::Transformer	149

Figure 60 – Class diagram Generation::Main	230
Figure 61 – Class diagram GenerationDynamics::Main	230
Figure 62 – Class diagram GenerationDynamics::Datatypes	231
Figure 63 – Class diagram Production::Nuclear	247
Figure 64 – Class diagram Production::Main	248
Figure 65 – Class diagram Production::Datatypes	249
Figure 66 – Class diagram Production::Hydro	250
Figure 67 – Class diagram Production::Thermal	251
Figure 68 – Class diagram LoadModel::Main	294
Figure 69 – Class diagram LoadModel::Datatypes	295
Figure 70 – Class diagram Outage::Datatypes	308
Figure 71 – Class diagram Outage::Main	309
Figure 72 – Class diagram AuxiliaryEquipment::AuxiliaryEquipment	313
Figure 73 – Class diagram Protection::Main	320
Figure 74 – Class diagram Equivalent::Main	325
Figure 75 – Class diagram Meas::Datatypes	330
Figure 76 – Class diagram Meas::Control	331
Figure 77 – Class diagram Meas::Measurement	332
Figure 78 – Class diagram Meas::MeasurementInheritance	333
Figure 79 – Class diagram Meas::Quality	333
Figure 80 – Class diagram SCADA::Datatypes	352
Figure 81 – Class diagram SCADA::Main	353
Figure 82 – Class diagram ControlArea::ControlArea	358
Figure 83 – Class diagram ControlArea::ControlAreaInheritance	359
Figure 84 – Class diagram ControlArea::Datatypes	359
Figure 85 – Class diagram Contingency::Contingency	363
Figure 86 – Class diagram StateVariables::StateVariables	366
Table 1 – NameType class naming conventions	40
Table 2 – measurementType naming conventions	59
Table 3 – MeasurementValueSource naming conventions	60
Table 4 – Attributes of Package1::Class1	66
Table 5 – Association ends of Package1::Class1 with other classes	66
Table 6 – Literals of Package1::Enumeration1	66
Table 7 – Attributes of IEC61970::IEC61970CIMVersion	68
Table 8 – Attributes of Domain::ActivePower	73
Table 9 – Attributes of Domain::ActivePowerChangeRate	73
Table 10 – Attributes of Domain::Admittance	73
Table 11 – Attributes of Domain::AngleDegrees	74
Table 12 – Attributes of Domain::AngleRadians	74
Table 13 – Attributes of Domain::ApparentPower	74
Table 14 – Attributes of Domain::Capacitance	74
Table 15 – Attributes of Domain::Conductance	75

Table 16 – Attributes of Domain::ConductancePerLength	75
Table 17 – Attributes of Domain::CostPerEnergyUnit	75
Table 18 – Attributes of Domain::CostPerVolume	76
Table 19 – Attributes of Domain::CostRate	76
Table 20 – Literals of Domain::Currency	77
Table 21 – Attributes of Domain::CurrentFlow	77
Table 22 – Attributes of Domain::Damping	77
Table 23 – Attributes of Domain::DateInterval	78
Table 24 – Attributes of Domain::DateTimeInterval	78
Table 25 – Attributes of Domain::Displacement	78
Table 26 – Attributes of Domain::FloatQuantity	79
Table 27 – Attributes of Domain::Frequency	79
Table 28 – Attributes of Domain::Hours	79
Table 29 – Attributes of Domain::Impedance	80
Table 30 – Attributes of Domain::Inductance	80
Table 31 – Attributes of Domain::IntegerQuantity	80
Table 32 – Attributes of Domain::KiloActivePower	81
Table 33 – Attributes of Domain::Length	81
Table 34 – Attributes of Domain::Minutes	81
Table 35 – Attributes of Domain::Money	81
Table 36 – Attributes of Domain::PU	82
Table 37 – Attributes of Domain::PerCent	82
Table 38 – Attributes of Domain::Pressure	82
Table 39 – Attributes of Domain::Reactance	82
Table 40 – Attributes of Domain::ReactancePerLength	83
Table 41 – Attributes of Domain::ReactivePower	83
Table 42 – Attributes of Domain::RealEnergy	83
Table 43 – Attributes of Domain::Resistance	84
Table 44 – Attributes of Domain::ResistancePerLength	84
Table 45 – Attributes of Domain::RotationSpeed	84
Table 46 – Attributes of Domain::Seconds	85
Table 47 – Attributes of Domain::Speed	85
Table 48 – Attributes of Domain::StringQuantity	85
Table 49 – Attributes of Domain::Susceptance	86
Table 50 – Attributes of Domain::SusceptancePerLength	86
Table 51 – Attributes of Domain::Temperature	86
Table 52 – Attributes of Domain::TimeInterval	87
Table 53 – Literals of Domain::UnitMultiplier	87
Table 54 – Literals of Domain::UnitSymbol	87
Table 55 – Attributes of Domain::Voltage	88
Table 56 – Attributes of Domain::VoltagePerReactivePower	88
Table 57 – Attributes of Domain::Volume	89
Table 58 – Attributes of Domain::VolumeFlowRate	89