



Edition 3.0 2016-05 REDLINE VERSION

INTERNATIONAL STANDARD





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iBad

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary -std.iec.ch/glossary

of publications of the publications of IEC TC 37, 77, 86 and OISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

84-3:2016

https://standards.iteh.a/>/ 10/standards/ec/2e9164c-77ae-4943-80d7-f28d2dc2f55f/iec-61784-3-2010



Edition 3.0 2016-05 REDLINE VERSION

INTERNATIONAL STANDARD



INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.05 ISBN 978-2-8322-3372-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

	FORE	WORD	8
	ıl 0	ntroduction	10
	0.1	General	10
	0.2	Transition from Edition 2 to extended assessment methods in Edition 3	12
1	0.3	Patent declaration	12
	1 S	cope	14
	2 N	lormative references	14
		erms, definitions, symbols, abbreviated terms and conventions	
	3.1		16
1	• • • • • • • • • • • • • • • • • • • •	1.1 Common terms and definitions	10
	•	1.2 CPF 1: Additional terms and definitions	>
	3	.1.3 CPF 2: Additional terms and definitions	
		1.4 CPF 3: Additional terms and definitions	
		.1.5 CPF 6: Additional terms and definitions	
	•	1.6 CPF 8: Additional terms and definitions	
	3	.1.7 CPF 12: Additional terms and definitions	
	3	.1.8 CPF 13: Additional terms and definitions	
	3	.1.9 CPF 14: Additional terms and definitions	
I	3.2		24
1		.2.1 Common symbols and abbreviated terms	
	3	.2.2 CPF 1: Additional symbols and abbreviated terms	
	3	.2.3 CPF 2: Additional symbols and abbieviated terms	
	3	.2.4 CPF 3: Additional symbols and abbreviated terms	
	3	.2.5 CPF 6: Additional symbols and abbreviated terms	
httns	∘//stai <mark>3</mark>	.2.6 CRF 8: Additional symbols and abbreviated terms	
пиры		.2.7 CPF (2: Additional symbols and abbreviated terms	
	3	.2.8 CRF 13. Additional symbols and abbreviated terms	
	3	.2.9 CPF 14 Additional symbols and abbreviated terms	
I	4 C	conformance	
	5 B	asics of safety related fieldbus systems	26
	5.1		
	5.2		
		.2.1 General	
		.2.2 IEC 61158 fieldbuses	
	_	.2.3 Communication channel types	
		.2.4 Safety function response time	
	5.3		
		.3.1 General	
		.3.2 Corruption	
		.3.3 Unintended repetition	
		.3.4 Incorrect sequence	
		.3.5 Loss	
		.3.6 Unacceptable delay	
		.3.7 Insertion	
		.3.8 Masquerade	
		3.9 Addressing	30

	5.4	Deterministic remedial measures	31
	5.4.1	General	31
	5.4.2	Sequence number	31
	5.4.3	Time stamp	31
	5.4.4	Time expectation	31
	5.4.5	Connection authentication	31
	5.4.6	Feedback message	31
	5.4.7	Data integrity assurance	32
	5.4.8	Redundancy with cross checking	32
	5.4.9	9 ,	
	5.5	Typical relationships between errors and safety measures	32
	5.6		33
	5.7	FSCP implementation aspects	34
	5.8	Data integrity considerations	34
	5.8.1		34
	5.8.2		37
	5.9	Relationship between functional safety and security	38
	5.10	Boundary conditions and constraints	39
	5.10.		39
	5.10.	2 Electromagnetic compatibility (EMC)	39
	5.11	Installation guidelines	40
	5.12	Safety manual	40
	5.13	Safety policy	40
6		munication Profile Family 1 (FOUNDATION™ Fieldbus) – Profiles for functional	
		y	
	6.1	Functional Safety Communication Profile 1/1	
	6.2	Technical overview	
:7/ _S	Com	munication Profile Family 2 (CIP™) and Family 16 (SERCOS®)– Profiles for a safety	/84-3-2 42
	7.1	-Functional Safety Communication Profile 2/1	
	7.2	-Technical overview.	
8	Com funct	munication Profile Family 3 (PROFIBUS™, PROFINET™) – Profiles for ional safety	44
	8.1-	Functional Safety Communication Profile 3/1	
	8.2-	-Technical overview	
9	Com	munication Profile Family 6 (INTERBUS®) – Profiles for functional safety	46
	9.1	Functional Safety Communication Profile 6/7	
	9.2	-Technical overview	
10	Com	munication Profile Family 8 (CC-Link™) – Profiles for functional safety	48
	10.1	Functional Safety Communication Profile 8/1	48
	10.2	Technical overview Functional Safety Communication Profile 8/2	
11	-	munication Profile Family 12 (EtherCAT™) – Profiles for functional safety	
		Functional Safety Communication Profile 12/1	
		-Technical overview.	
12	Com	munication Profile Family 13 (Ethernet POWERLINK™) – Profiles for	
		ional safety	
		Functional Safety Communication Profile 13/1	

13 Com	munication Profile Family 14 (EPA®) – Profiles for functional safety	52
13.1 —	-Functional Safety Communication Profile 14/1	
13.2 —	-Technical overview	
14 Com	munication Profile Family 17 (RAPIEnet™) – Profiles for functional safety	53
	munication Profile Family 18 (SafetyNET p™ Fieldbus) – Profiles for	
	tional safety	
Annex A	(informative) Example functional safety communication models	54
A.1	General	54
A.2	Model A (single message, channel and FAL, redundant SCLs)	54
A.3	Model B (full redundancy)	
A.4	Model C (redundant messages, FALs and SCLs, single channel)	55
A.5	Model D (redundant messages and SCLs, single channel and FAL)	55
	(informative normative) Safety communication channel mode using CRC-	>
	or checking	57
B.1	Overview	57
B.2		57
B.3		58
B.4	Cyclic redundancy checking	
B.4.		
B.4.2		
	(informative) Structure of technology-specific parts	
Annex D	(informative) Assessment guideline	64
D.1	Overview	
D.2	Channel types	64
D.2.	1 General	64
D.2.2	A () TEN C1NO 4 2 201 C	64
D.2.3	1 ', 1 \ /	
D.3	Data integrify considerations for white channel approaches	65
D.3.		65
D.3.2		
D.3.		
D.4 <	Verification of safety measures	
D.4.		
D.4.2	() () () () () () () () () ()	
D.4.3		
D.4.4		
D.4.		
D.4.0	, ,	
D.4.		
D.4.8		
D.4.9	,	
D.4.	and the second of the second o	
D.4.		
	(informative) Examples of implicit vs. explicit FSCP safety measures	
E.1	General	
E.2	Example fieldbus message with safety PDUs	
E.3	Model with completely explicit safety measures	
□ /	Model with explicit A code and implicit T code safety measures	71

E.5 Model with explicit T-code and implicit A-code safety measures	71
E.6 Model with split explicit and implicit safety measures	72
E.7 Model with completely implicit safety measures	73
E.8 Addition to Annex B – impact of implicit codes on properness	73
Annex F (informative) Extended models for estimation of the total residual error re	ate74
F.1 Applicability	74
F.2 General models for black channel communications	74
F.3 Identification of generic safety properties	75
F.4 Assumptions for residual error rate calculations	75
F.5 Residual error rates	76
F.5.1 Explicit and implicit mechanisms	76
F.5.1 Explicit and implicit mechanisms F.5.2 Residual error rate calculations	76
F.6 Data integrity	78
F.6.1 Probabilistic considerations	78
F.6.2 Deterministic considerations	78
F.7 Authenticity	79
F.7.1 General	79
F.7.2 Residual error rate for authenticity (RRA)	80
F.8 Timeliness	81
F.8.1 General	81
F.8.2 Residual error rate for timeliness (RRT)	83
F.9 Masquerade	
F.9.1 General	84
F.9.2 Other terms used to calculate residual error rate for masquerade	•
rejection (RRM)	
F.10 Calculation of the total residual error rates	
F.10.1 Based on the summation of the residual error rates	
os://sta F.10.2 tel Based on other quantitative proofs	
F.11 Total residual error rate and SIL	
F.12 Configuration and parameterization for an FSCP	
F.12.1 General	
F.12.2 Configuration and parameterization change rate	
F.12.3 Residual error rate for configuration and parameterization	
Bibliography	89
Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)	
Figure 2 – Relationships of IEC 61784-3 with other standards (process)	11
Figure 3 – Transition from Edition 2 to Edition 3 assessment methods	12
Figure 4 – Safety communication as a part of a safety function	27
Figure 5 – Example model of a functional safety communication system	28
Figure 6 – Example of safety function response time components	29
Figure 7 – Scope of FSCP 1/1	
Figure 7 – Conceptual FSCP protocol model	
Figure 8 – Relationship of Safety Validators	
Figure 8 – FSCP implementation aspects	
Figure 9 – Basic communication preconditions for FSCP 3/1	
I INGLE O BASIS COMMINICATION DI COSTITUTO IN LOCALISTA DI L	

Figure 9 – Example application 1 (m=4)	
Figure 10 – Structure of a FSCP 3/1 safety PDU	
Figure 10 – Example application 2 (m = 2)	37
Figure 11 Safe communication modes	
Figure 11 – Zones and conduits concept for security according to IEC 62443	39
Figure 12 FSCP 6/7 communication preconditions	
Figure 13 Basic FSCP 12/1 system	
Figure 14 Producer consumer example	
Figure 15 Client server example	
Figure 16 FSCP 14/1 safety communication architecture	\
Figure A.1 – Model A	54
Figure A.2 – Model B	55
Figure A.3 – Model C	55
Figure A.4 – Model D	56
Figure B.1 – Communication channel with perturbation	57
Figure B.2 – Binary symmetric channel (BSC)	
Figure B.3 – Example of a block with a message part and a CRC bits (redundant code) signature	ey
Figure B.4 – Block codes for error detection	606n
Figure B.5 – Proper and improper CRC polynomials	
Figure D.1 – Basic Markov model	
Figure E.1 – Example safety PDVs embedded in a fieldbus message	
Figure E.2 – Model with completely explicit safety measures	
Figure E.3 – Model with explicit A-code and implicit T-code safety measures	
Figure E.4 – Model with explicit T-code and implicit A-code safety measures	
Figure E.5 – Model with split explicit and implicit safety measures	
Figure E.6 – Model with completely implicit safety measures	
Figure F.1 – Black channel from an FSCP perspective	
Figure F.2 - Model for authentication considerations	
Figure F.3 – Fieldbus and internal address errors	
Figure F.4 – Example of slowly increasing message latency	
Figure F.5 – Example of an active network element failure	
Figure F.6 – Example application 1 (m = 4)	
Figure F.7 – Example application 2 (m = 2)	
Figure F.8 – Example of configuration and parameterization procedures for FSC	P87
Table 1 – Overview of the effectiveness of the various measures on the possible	errors33
Table 2 – Definition of items used for calculation of the residual error rates	36
Table 3 – Typical relationship of residual error rate to SIL-level	37
Table 4 – Typical relationship of residual error on demand to SIL	37
Table 5 – Overview of profile identifier usable for FSCP 6/7	47
Table B.1 – Example dependency d _{min} and block bit length n	60
Table C.1 – Common subclause structure for technology-specific parts	62

Table F.1 – Typical relationship of residual error rate to SIL86	;
Table F.2 – Typical relationship of residual error on demand to SIL86	3



INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 3: Functional safety fieldbuses – General rules and profile definitions

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Compittees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable to the correct application of this publication.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 61784-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- clarifications and additional explanations for requirements, updated references;
- deletion of technical overviews of profiles (Clauses 6 to 13), and associated dedicated subclauses for terms, definitions, symbols and abbreviations;
- addition of profiles for Communication Profile Families 8, 17 and 18 (Clauses 10, 14, 15);
- clarifications of models in Annex A;
- Annex B changed from informative to normative;
- addition of a new informative Annex E describing models for explicit and implicit FSCP mechanisms;
- addition of a new informative Annex F introducing an extended model for estimation of the total residual error rate;
- updates in parts for CPF 1, CPF 2, CRF 3, CRF 8, CPF (3 (details provided in the parts);
- addition of a new part for CPF 17.

The text of this standard is based on the following documents:

<		FI)IS		\bigcup	Re	por	t on voting	
$\sqrt{}$	6	5CV84	0/FD	13		6	5C/	/848/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-3 series, published under the general title *Industrial* communication networks - Profiles - Functional safety fieldbuses, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.


0 Introduction

0.1 General

The IEC 61158 fieldbus standard together with its companion standards IEC 61784-1 and IEC 61784-2 defines a set of communication protocols that enable distributed control of automation applications. Fieldbus technology is now considered well accepted and well proven. Thus—many fieldbus enhancements—are emerging continue to emerge, addressing—not yet standardized applications for areas such as real time, safety-related and security-related applications.

This standard explains the relevant principles for functional safety communications with reference to IEC 61508 series and specifies several safety communication layers (profiles and corresponding protocols) based on the communication profiles and protocol layers of IEC 61784-1, IEC 61784-2 and the IEC 61158 series. It does not cover electrical safety and intrinsic safety aspects.


Figure 1 shows the relationships between this standard and relevant safety and fieldbus standards in a machinery environment.



NOTE Subclauses 6.7.6.4 (high complexity) and 6.7.8.1.6 (low complexity) of IEC 62061 specify the relationship between PL (Category) and SIL.

Figure 1 - Relationships of IEC 61784-3 with other standards (machinery)

Figure 2 shows the relationships between this standard and relevant safety and fieldbus standards in a process environment.



^a For specified electromagnetic environments; otherwise IEC 61326-3-1 or IEC 61000-6-7.

b EN ratified.

Figure 2 - Relationships of IEC 61784-3 with other standards (process)

Safety communication layers which are implemented as parts of safety-related systems according to IEC 61508 series provide the necessary confidence in the transportation of messages (information) between two or more participants on a fieldbus in a safety-related system, or sufficient confidence of safe behaviour in the event of fieldbus errors or failures.

Safety communication layers specified in this standard do this in such a way that a fieldbus can be used for applications requiring functional safety up to the Safety Integrity Level (SIL) specified by its corresponding functional safety communication profile.

The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile (FSCP) within this system – implementation of a functional safety communication profile in a standard device is not sufficient to qualify it as a safety device.

This standard describes:

- basic principles for implementing the requirements of IEC 61508 series for safety-related data communications, including possible transmission faults, remedial measures and considerations affecting data integrity;
- individual description of functional safety communication profiles for several communication profile families in IEC 61784-1 and IEC 61784-2, including safety layer extensions to the communication service and protocols sections of the IEC 61158 series.

0.2 Transition from Edition 2 to extended assessment methods in Edition 3

This edition of the generic part of the standard includes additional extended models for future use when estimating the total residual error rate for an FSCP. This value can be used to determine if the FSCP meets the requirements of functional safety applications up to a given SIL. These extended models for qualitative and quantitative safety determination methods are detailed in Annex E and Annex F.

However, because of the typical duration of the assessment process, the FSCRs published prior to or concurrently with this new edition of the generic part can only be assessed using the methods from previous editions, based on data integrity considerations specified in 5.8.

The validity schema in Figure 3 shows how to handle the transition from original assessment methods of Edition 2 (specified in 5.8) to extended assessment methods in Edition 3 (currently specified in Annex F). According to this schema, the FSCRs are exempt from a new assessment according to Annex F until Edition 4, where the contents of current Annex F will replace the current 5.8.

NOTE However, a particular FSCP can achieve an earlier assessment and publish an adequate amendment.




Figure 3 – Transition from Edition 2 to Edition 3 assessment methods

0.3 Patent declaration

Data Integrity

Timeliness, Authenticity, Data Integrity

DI

TADI

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning functional safety communication profiles for families 1, 2, 3, 6, 8, 12, 13, 14, 17 and 18 given