IEC 62863

Edition 1.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Method of measuring performances of electric hair clippers or trimmers for household use

Méthode de mesure de l'aptitude a la fonction des tondeuses ou tondeuses de finition pour usage domestique

IEC 62863:2017-08(en-fr)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org
Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC 62863

Edition 1.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Method of measuring performances of electric hair clippers or trimmers for household use

Méthode de mesure de l'aptitude a la fonction des tondeuses ou tondeuses de finition pour usage domestique

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.170

ISBN 978-2-8322-6201-6

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

METHOD OF MEASURING PERFORMANCES OF ELECTRIC HAIR CLIPPERS OR TRIMMERS FOR HOUSEHOLD USE

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62863 has been prepared by subcommittee 59L: Small household appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

This bilingual version (2018-11) corresponds to the monolingual English version, published in 2017-08.

The text of this standard is based on the following documents:

FDIS	Report on voting
59L/144/FDIS	59L/146/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

METHOD OF MEASURING PERFORMANCES OF ELECTRIC HAIR CLIPPERS OR TRIMMERS FOR HOUSEHOLD USE

1 Scope

This document applies to reciprocating electric hair clippers or trimmers for household use.

This document deals with the methods of measuring performances of electric hair clippers or trimmers for household use with a rated voltage not greater than 250V.

This document does not specify safety or performance requirements.

This document does not apply to professional hair clippers or trimmers, animal shearers and animal clippers, or shavers. For shavers, refer to IEC 61254.

NOTE This document does not cover safety requirements (see IEC 60335-2-8).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60704-2-8, *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2: Particular requirements for electric shavers*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardisation at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1
clipper
trimmer
appliance that is designed to cut hair that consists of a motor, drive system, fixed blade containing teeth and a moving blade containing teeth moving in a reciprocating motion intended for clipping/trimming, not shaving

Note 1 to entry: Depending on the specific function, clippers are also called trimmers.

3.2
battery-operated hair clipper
battery-operated hair trimmer
hair clipper or trimmer deriving its energy solely from primary batteries or secondary batteries and not designed for connection to the mains supply or a charger, or from the battery packs that are supplied by manufacturers together with the hair clipper or trimmer

Note 1 to entry: If the manufacturer supplies a specific charger and rechargeable batteries with the clipper or trimmer, the combined device is considered as a rechargeable hair clipper or trimmer when performance is measured.

3.3
rechargeable hair clipper
rechargeable hair trimmer
hair clipper or trimmer powered by rechargeable batteries or battery packs that are recharged in the hair clipper or trimmer

Note 1 to entry: There are two types, cordless rechargeable hair clipper or trimmer and cord/cordless rechargeable hair clipper or trimmer.

3.4
cordless rechargeable hair clipper
cordless rechargeable hair trimmer
rechargeable hair clipper or trimmer that is not intended to run while connected to the mains supply or a charger

3.5
cord/cordless rechargeable hair clipper
cord/cordless rechargeable hair trimmer
cordless rechargeable hair clipper or trimmer that can be operated while connected to the mains supply with discharged batteries

3.6
corded hair clipper
corded hair trimmer
hair clipper or trimmer without batteries or battery packs, that can operate only while connected to the mains supply

3.7
cool state
state in which one hour passes after the outside of the device has fallen to ambient temperature

3.8
stationary blade tooth plane
SEE: Figure 1.



Figure 1 – Sketch for the stationary blade tooth plane

3.9
soft surface
surface that prevents the device from moving while running and should have limited impact on the temperature of the device

4 General conditions for the tests

4.1 General

Unless otherwise specified, the tests are carried out in accordance with Subclauses 4.1 to 4.8.

Unless otherwise specified, the tests are carried out when the controller of the hair clipper or trimmer is set to the highest setting.

4.2 Pre-conditioning

For rechargeable hair clippers, preconditioning shall be carried out according to 5.2.1 before performing the tests specified in this document.

For hair clippers or trimmers other than rechargeable types, a preconditioning run shall be carried out according to 5.2.2 before performing the tests specified in this document.

4.3 Battery condition

For battery-operated hair clippers or trimmers, new batteries shall be used, unless otherwise specified.

For rechargeable hair clippers or trimmers, the battery shall be fully charged before each test according to the manufacturer’s instructions.

4.4 Test environment

The tests are carried out in draft-free indoor environment at an ambient temperature of (23 ± 2) °C.

4.5 Limits of voltage variation

During the test, the variation in the voltage shall not exceed ± 1 % of the test voltage.

4.6 Test voltage

Unless otherwise specified, the tests are carried out at a specific voltage within a voltage range (e.g. 100 V to 240 V) or at the rated voltage or voltages (e.g. 120 V, or 120 V and 240 V).

4.7 Test frequency

Hair clippers or trimmers are tested at the rated frequency or within a rated frequency range (e.g. rated as 50 Hz and 60 Hz, or 50 Hz to 60 Hz).

4.8 Test electrical supply system

Total harmonic distortion of the test electrical supply system shall be less than 5 %.

5 Testing procedures

5.1 General

Oil the cutting system according to the instructions for use before each test, unless otherwise specified. During the oiling, the clipper blades shall be in a horizontal position.

5.2 Preconditioning run

5.2.1 For rechargeable hair clipper or trimmers, the following preconditioning run is required.

a) Fully charge the device according to its instructions for use.
b) Let the device reach the cool state.
c) Oil the cutting system according to its instructions for use.
d) Lay the device horizontally on a soft surface with the teeth of the cutting element pointing upwards.
e) Continuously run (discharge) the device under no-load test condition until it stops.
f) Let the device reach the cool state.
g) Repeat the procedures a) to f) three times.

5.2.2 For hair clippers or trimmers other than rechargeable type, the following preconditioning run is required.

a) Oil the cutting system according to its instructions for use.

b) Lay the device horizontally on a soft surface with the teeth of the cutting element pointing upwards.

c) Continuously run the device under no-load test conditions for 20 min.

d) Let the device reach the cool state.

5.3 Test condition for no-load operation

Lay the device horizontally on a soft surface with the teeth of the cutting element pointing upwards and without any load on the cutters. If possible, there shall be no combs attached. The device shall operate in normal mode (e.g. no turbo) with only the main cutting system in operation.

The cutting head mounted during the tests shall be recorded.

5.4 Measurement of supply cord length

The length of the supply cord is measured between the point where the cord or the cord sheath enters into the enclosure and the entry to the plug (see Figure 2). The cord is stretched to its full length. For coiled cords, a 10 N force is applied to stretch.

Figure 2 – Measurement of supply cord length

5.5 Starting ability test

Oil the cutting system of the corded hair clipper or trimmer according to the instructions for use. The corded hair clipper or trimmer is started three times at 0,9 times the rated voltage. The hair clipper or trimmer shall come to a complete stop before it is restarted. The outcome of starting for each time shall be recorded.

For battery-operated hair clippers or trimmers and rechargeable hair clippers or trimmers, the starting ability test is not carried out.

5.6 Ability-to-cut test

All attachments are removed.

The clipper is fed into a specified hair strip with the stationary blade tooth plane being less than 5 mm from, and parallel to, the hair strip surface (see Figure 3) at a maximum uniform stroke speed so that 100 % of the hair across the blade's cutting width is cut. Try to find the fastest time where the clipper is still able to cut 100 %.



Key

A: direction of trimmer/clipper movement

Figure 3 – Stationary blade tooth plane parallel to the hair strip surface

At least 2 units are tested and at least 3 cutting times are measured for each unit. The time to cut the hair strip in seconds for each test is recorded.

The cutting distance is 20 cm (from the start point to the end point). In addition, 5 cm of blank distance is reserved on the hair strip to facilitate the cutting operation (see Figure 5).

The cutting width of the blade is shown in Figure 4 where

$$B = A + (\geq 2 \text{ cm})$$



Key

A: blade width

B: strip width

Figure 4 – Hair strip width

The hair strip width is equal to B with the following characteristics:

– a hair stitch density of approximately 25 stitches/cm^2 and approximately (15 ± 3) hairs per stitch (see Figure 5);

– a hair orientation angle of approximately 45° to 65° (angle α in Figure 6).

The length of the hair is approximately 20 mm.

The material of the strip hair can be artificial and the hair diameter is 70 µm to 110 µm.



Key
L: hair strip length = 25 cm
Cutting length = 20 cm
Blank distance = 5 cm

Figure 5 – Distribution of hairs on the hair strip



Figure 6 – Orientation and length of hair

5.7 Test of airborne acoustical noise

The test shall be carried out according to IEC 60704-2-8:1997.

NOTE The test set up is shown in Annex B.

The result of A-weighted sound power level is recorded.

5.8 Test of reliability of the mechanical /electrical connection between the adapter and the cord/cordless rechargeable hair clipper or trimmer

The axis of both the pin of the adapter and the socket of the clipper or trimmer are kept in a horizontal position and aligned with each other. The pin is inserted into the socket of the clipper or trimmer and then the plug is pulled out of the socket with the maximum pull force being measured and recorded. Then the pin is inserted into and pulled out of the socket of the clipper or trimmer with the charger plugged into the supply mains. One cycle includes one insertion and one extraction. Care should be taken not to pull on the cord.

The test is repeated and the pull force and the electrical connection shall be checked and recorded at intervals of 60 cycles. The electrical connection is checked by observing the