



SLOVENSKI STANDARD
SIST EN 806-1:2001/A1:2001
01-december-2001

Specifikacije za napeljave za pitno vodo v stavbah - 1. del: Splošno

Specifications for installations inside buildings conveying water for human consumption - Part 1: General

Technische Regeln für Trinkwasser-Installationen - Teil 1: Allgemeines

Spécifications techniques relatives aux installations pour l'eau destinée à la consommation humaine à l'intérieur des bâtiments - Partie 1: Généralités

Ta slovenski standard je istoveten z: EN 806-1:2000/A1:2001

SIST EN 806-1:2001/A1:2001
<https://standards.iteh.ai/catalog/standards/sist/2486019-51ef-4553-84a0-d061e1e77389/sist-en-806-1-2001-a1-2001>

ICS:

13.060.20	Pitna voda	Drinking water
91.140.60	Sistemi za oskrbo z vodo	Water supply systems

SIST EN 806-1:2001/A1:2001 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 806-1:2001/A1:2001](#)

<https://standards.iteh.ai/catalog/standards/sist/f24860f9-3fef-4533-84a0-d061e1e77389/sist-en-806-1-2001-a1-2001>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 806-1:2000/A1

August 2001

ICS 91.140.60

English version

Specifications for installations inside buildings conveying water for human consumption - Part 1: General

Spécifications techniques relatives aux installations pour
l'eau destinée à la consommation humaine à l'intérieur des
bâtiments - Partie 1: Généralités

Technische Regeln für Trinkwasser-Installationen - Teil 1:
Allgemeines

This amendment A1 modifies the European Standard EN 806-1:2000; it was approved by CEN on 29 June 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 806-1:2001/A1:2001](https://standards.iteh.ai/catalog/standards/sist/f24860f9-3fef-4533-84a0-d061e1e77389/sist-en-806-1-2001-a1-2001)

<https://standards.iteh.ai/catalog/standards/sist/f24860f9-3fef-4533-84a0-d061e1e77389/sist-en-806-1-2001-a1-2001>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 806-1:2000/A1:2001 (E)

Foreword

This Amendment EN 806-1:2000/A1:2001 to the EN 806-1:2000 has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2002, and conflicting national standards shall be withdrawn at the latest by December 2004.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

EN 806-1:2000/A1:2001

For a better understanding of EN 806-1 these are the following necessary amendments

- 1) Add in Table 1, N 6.6.11 under remarks
« For security group see N 6.14.5 »

Add after 6.14.4 a new line

6.14.5	Ex	Grafic symbol 	Part 22 : 5101, 5102, 5112 Part 3, 405 see remarks SIST EN 806-1:2001/A1:2001	Security group	ISO 6412 - 1
--------	----	--	---	----------------	--------------

- 2) To clarify add in Figure 1 :
Point of delivery is variable between main (A) and first building (B) (see figure enclosed)

