

Edition 2.0 2016-11

EXTENDED VERSION



This Extended version of IEC 61204-7:2016 includes the provisions of the general rules of IEC 62477-1:2012

Low-voltage switch mode power supplies – and s
Part 7: Safety requirements

Standards.iteh.ai

Document Preview

IEC 61204-7:2016

011/https://standards.iteh.ai/catalog/standards/iec/c83d2fa2-88bd-4420-8661-a65facbc1331/iec-61204-7





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC 61204-7:2016

https://standards.iteh.ai/catalog/standards/iec/c83d2fa2-88bd-4420-8661-a65facbc1331/iec-61204-7-2016



Edition 2.0 2016-11

EXTENDED VERSION



This Extended version of IEC 61204-7:2016 includes the provisions of the general rules of IEC 62477-1:2012

Low-voltage switch mode power supplies – lands
Part 7: Safety requirements

Standards.iteh.ai

Document Preview

IEC 61204-7:2016

https://standards.iteh.ai/catalog/standards/iec/c83d2fa2-88bd-4420-8661-a65facbc1331/iec-61204-7-2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.200 ISBN 978-2-8322-3751-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	FOREWORD		
IN	TRODUCTI	ON	12
0	Principle	s of safety	13
	0.1 Ge	neral	13
		zards	
	0.2.1	General	14
	0.2.2	Electric shock	14
	0.2.3	Energy related hazards	15
	0.2.4	Fire	15
	0.2.5	Heat related hazards	16
	0.2.6	Mechanical hazards	16
	0.2.7	Chemical hazards	16
	0.3 Ma	terials and components	16
1	Scope		17
	1.1 Equ	uipment covered by this document	17
	1.2 Exc	clusions	17
		ditional requirements	
2	Normativ	e references	18
3		nd definitions	
4	Protectio	n against hazards	29
-		neral	
	4.1.100	Constructions not specifically covered	
	4.1.101	Orientation during transport and use	
	_	ult and abnormal conditions	
		Application of faults and abnormal conditions	
		ort circuit and overload protection	
	4.3.1	General	
	4.3.2	Specification of input short-circuit withstand strength and output short	
		circuit current ability	33
	4.3.3	Short-circuit coordination (backup protection)	34
	4.3.4	Protection by several devices	34
	4.4 Pro	tection against electric shock	34
	4.4.1	General	
	4.4.2	Decisive voltage class	
	4.4.3	Provision for basic protection	
	4.4.4	Provision for fault protection	
	4.4.5	Enhanced protection	
	4.4.6	Protective measures	
	4.4.7	Insulation	
	4.4.8	Compatibility with residual current-operated protective devices (RCD)	
	4.4.9	Capacitor discharge	
		tection against electrical energy hazards	
	4.5.1	Operator access areas	
	4.5.2	Service access areas	
		stection against fire and thermal hazards	
	4.6.1	Circuits representing a fire hazard	69

	4.6.2	Components representing a fire hazard	69
	4.6.3	Fire enclosures	70
	4.6.4	Temperature limits	74
	4.6.5	Limited power sources	78
	4.7	Protection against mechanical hazards	79
	4.7.1	General	79
	4.7.2	Specific requirements for liquid cooled SMPS	79
	4.8	Equipment with multiple sources of supply	81
	4.9	Protection against environmental stresses	81
	4.10	Protection against sonic pressure hazards	82
	4.10		
	4.10	2 Sonic pressure and sound level	82
	4.11	Wiring and connections	
	4.11	.1 General	83
	4.11	5	
	4.11	3	
	4.11		
	4.11		
	4.11	•	
	4.11		84
	4.11		
		Enclosures	
	4.12		
	4.12		
	4.12		
	4.12		
_	4.12	<u>11.0 01204-7.2010</u>	
attp.5/	stalest	requirements	ico.64204.6 91 01
	5.1	General	
	5.1.1	,	
	5.1.2	·	
	5.1.3	'	
	5.1.4	5	
	5.1.5		
	5.1.6	•	
	5.1.7		
	5.2	Test specifications	
	5.2.1		
	5.2.2		
	5.2.3		
	5.2.4	•	
	5.2.5		
	5.2.6		
_	5.2.7	, (3)	
6	Infor	mation and marking requirements	
	6.1	General	
	6.2	Information for selection	
	6.2.1	3 1	
	6.2.1	01 Additional information for component SMPS	139

6.3	Information for installation and commissioning	139
6.3.	1 General	139
6.3.	2 Mechanical considerations	139
6.3.	3 Environment	140
6.3.	4 Handling and mounting	140
6.3.	5 Enclosure temperature	140
6.3.	6 Connections	140
6.3.	7 Protection requirements	142
6.3.	8 Commissioning	144
6.4	Information for use	144
6.4.	1 General	144
6.4.	2 Adjustment	144
6.4.	3 Labels, signs and signals	144
6.5	Information for maintenance	146
6.5.	1 General	146
6.5.	2 Capacitor discharge	147
6.5.		
6.5.	• •	
6.5.	5 Equipment with multiple sources of supply	147
6.5.	• • • • • • • • • • • • • • • • • • • •	
6.5.		
7 Com	ponents	
7.1	General	
7.2	Switches	
7.2.		
7.2.		
7.2.	·	
	4 s_ite Test method and compliance criteria	
7.3	Overtemperature protection devices (thermal cut-offs or thermal links)	
7.3 7.4	PTC thermistors	
7. 4 7.5		
7.5 7.6	Overcurrent protective devices	
7.6.	·	
7.6.	- 1	
7.7	Transformers	
7.7.		
7.7.		
7.8	Motors	
7.9	Mains supply cords	
7.9.		
7.9.	3	
7.10	Surge protective devices (SPDs)	
7.10	ŭ	
7.10	•	
7.10	3 3 11	
7.10	1 3 3	
7.11	Wound components	
7.12	IC current limiters	
7.12	2.1 General	158

7.12.2 Test program 1	. 159
7.12.3 Test program 2	. 159
7.12.4 Test program 3	
7.13 Capacitors and RC units bridging insulation	
7.14 Optocouplers bridging insulation	
7.15 Relays	
7.16 Electrolytic capacitors	
Annex A (normative) Additional information for protection against electric shock	
Annex B (informative) Considerations for the reduction of the pollution degree	
Annex C (informative) Symbols referred to in IEC 62477-1	
Annex D (normative) Evaluation of clearance and creepage distances	
Annex E (informative) Altitude correction for clearances	. 180
Annex F (normative) Clearance and creepage distance determination for frequencies greater than 30 kHz	. 181
Annex G (informative) Cross-sections of round conductors	. 187
Annex H (informative) Guidelines for RCD compatibility	. 188
Annex I (informative) Examples of overvoltage category reduction	.192
Annex J (informative) Burn thresholds for touchable surfaces	. 199
Annex K (informative) Table of electrochemical potentials	
Annex L (informative) Measuring instrument for touch current measurements	
Annex M (informative) Test probes for determining access	
Annex AA (normative) Addition Insulated winding wires for use without interleaved	
insulation	. 207
Annex AB (informative) Minimum and maximum cross-section of copper conductors suitable for connection to terminals for external conductors	.210
Annex AC (normative) DC power and distribution equipment	.211
Annex AD (informative) Examples of protective measures according to 4.4.1 to 4.4.5	
for protection against electrical shock	. 226
Bibliography	. 228
Figure 4 – Example of a SMPS assembly and its associated protective equipotential bonding	40
Figure 5 – Example of a <i>SMPS</i> assembly and its associated <i>protective equipotential</i>	41
Figure 6 – <i>Fire enclosure</i> bottom openings below an unenclosed or partially enclosed fire-hazardous component	72
Figure 7 – <i>Fire enclosure</i> baffle construction	73
Figure 8 – Supported and unsupported <i>enclosure</i> parts	
Figure 9 – Impact test using a steel ball	
Figure 11 – Protective equipotential bonding impedance test for separate unit with power fed from the <i>SMPS</i> with protection for the power cable	
Figure 12 – Protective equipotential bonding impedance test for sub-assembly with	
accessible parts and with power fed from the SMPS	
Figure 13 – Circuit for high-current arcing test	
Figure 14 – Test fixture for hot-wire ignition test	
Figure 100 – Electric strength test instrument	
Figure 101 – Mandrel	. 118

Figure 102 – Initial position of mandrel	118
Figure 103 – Final position of mandrel	118
Figure 104 – Position of metal foil on insulating material	119
Figure 105 – Determination of arithmetic average temperature	126
Figure 106 – Detachable mains supply cords and connections	155
Figure A.1 – Protection by <i>DVC As</i> with <i>protective separation</i>	164
Figure A.2 – Protection by means of <i>protective impedance</i>	165
Figure A.3 – Protection by using limited voltages	166
Figure A.20 – Typical waveform for a.c. working voltage	166
Figure A.21 – Typical waveform for d.c. working voltage	167
Figure A.22 – Typical waveform for pulsating working voltage	167
Figure F.1 – Diagram for dimensioning of clearances	182
Figure F.2 – Diagram for dimensioning of creepage distances	184
Figure F.3 – Permissible field strength for dimensioning of solid <i>insulation</i> according to Equation (1)	186
Figure H.1 – Flow chart leading to selection of the RCD type upstream of a SMPS	188
Figure H.2 – Fault current waveforms in connections with power electronic converter devices	190
Figure I.1 – Basic insulation evaluation for circuits connected to the origin of the installation mains supply	192
Figure I.2 – Basic insulation evaluation for circuits connected to the mains supply	193
Figure I.3 – Basic insulation evaluation for single and three phase equipment not permanently connected to the mains supply	193
Figure I.4 – Basic insulation evaluation for circuits connected to the origin of the installation mains supply where internal SPDs are used	193
Figure I.5 – Basic insulation evaluation for circuits connected to the mains supply where internal SPDs are used)4-794 194
Figure I.6 – Example of <i>protective separation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPD</i> s are used	194
Figure I.7 – Example of <i>protective separation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPD</i> s are used	194
Figure I.8 –Example of <i>protective separation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPD</i> s are used	195
Figure I.9 – Basic insulation evaluation for circuits not connected directly to the mains supply	195
Figure I.10 – <i>Basic insulation</i> evaluation for circuits not connected directly to the supply mains	195
Figure I.11 – Functional <i>insulation</i> evaluation within circuits affected by external transients	196
Figure I.12 – <i>Basic insulation</i> evaluation for circuits both connected and not connected directly to the <i>mains supply</i>	196
Figure I.13 – <i>Insulation</i> evaluation for accessible circuit of <i>DVC A</i>	197
Figure I.14 – PEC with mains and non-mains supply without galvanic separation	197
Figure I.15 – Transformer (basic) isolated <i>PEC</i> inverter with <i>SPD</i> and transformer to reduce impulse voltage for functional and <i>basic insulation</i> .	198
Figure J.1 – Burn threshold spread when the skin is in contact with a hot smooth surface made of bare (uncoated) metal	199

Figure J.2 – Rise in the burn threshold spread from Figure J.1 for metals which are coated by shellac varnish of a thickness of 50 μm, 100 μm and 150 μm	200
Figure J.3 – Rise in the burn threshold spread from Figure J.1 for metals coated with the specific materials	200
Figure J.4 – Burn threshold spread when the skin is in contact with a hot smooth surface made of ceramics, glass and stone materials	201
Figure J.5 – Burn threshold spread when the skin is in contact with a hot smooth surface made of plastics	201
Figure K.1 – Electrochemical potentials (V)	202
Figure M.1 – Sphere 50 mm probe (IPXXA)	204
Figure M.2 – Jointed test finger (IPXXB)	
Figure M.3 – Test rod 2,5 mm (IP3X)	206
Figure AC.100 – Resistance and short circuit calculations	214
Table 1 – Environmental tests	131
Table 5 – Voltage limits	36
Table 6 – Separation requirements for circuit under consideration	37
Table 7 – PE conductor cross-section	42
Table 8 – Definitions of pollution degrees	49
Table 9 – Impulse withstand voltage and temporary overvoltage versus system voltage	51
Table 10 – Clearance distances for functional, basic or supplementary insulation	58
Table 11 – Creepage distances (in millimetres)	60
Table 12 – Generic materials for the direct support of uninsulated <i>live parts</i>	62
Table 13 – Permitted openings in <i>fire enclosure</i> bottoms	73
Table 14 – Maximum measured total temperatures for internal materials and components	75
Table 15 – Maximum measured temperatures for accessible parts of the SMPS	
Table 16 – Limits for sources without an overcurrent protective device	78
Table 17 – Limits for power sources with an overcurrent protective device	79
Table 18 – Environmental service conditions	82
Table 19 – Wire bending space from terminals to <i>enclosure</i>	86
Table 20 – Thickness of sheet metal for <i>enclosures</i> : carbon steel or stainless steel	
Table 21 – Thickness of sheet metal for enclosures: aluminium, copper or brass	90
Table 22 – Test overview	94
Table 23 – Pull values for handles and manual control securement	99
Table 24 – Impulse voltage test	101
Table 25 – Impulse test voltage	102
Table 26 – AC or d.c. test voltage for circuits connected directly to mains supply	103
Table 27 – A.c. or d.c. test voltage for circuits connected to <i>non-mains supply</i> without temporary overvoltages	104
Table 28 – Partial discharge test	
Table 29 – Test duration for <i>protective equipotential bonding</i> test	
Table 31 – Dry heat test (steady state)	
Table 32 – Damp heat test (steady state)	
Table 33 – Vibration test	

Table 34 – Salt mist test	. 134
Table 35 – Dust and sand test	. 135
Table 36 – Information requirements	. 136
Table 100 – Limits for access of current	47
Table 101 – Tests for insulation in non-separable layers	64
Table 102 – Temperature limits for transformer windings	. 125
Table 103 – Component requirements	. 148
Table 104 – Peak surge current	. 151
Table 105 – Strain relief test force	. 156
Table 106 – Capacitor ratings according to IEC 60384-14	. 161
Table A.4 – Examples for protection against electrical shock	. 169
Table C.1 – Symbols used	. 171
Table C.100 – Symbols	. 172
Table D.1 – Width of grooves by pollution degree	. 173
Table E.1 – Correction factor for clearances at altitudes between 2 000 m and 20 000 m	. 180
Table E.2 – Test voltages for verifying clearances at different altitudes	. 180
Table F.1 – Minimum values of clearances in air at atmospheric pressure for inhomogeneous field conditions (Table 1 of IEC 60664-4:2005)	. 183
Table F.2 – Multiplication factors for clearances in air at atmospheric pressure for approximately homogeneous field conditions	. 183
Table F.3 – Minimum values of creepage distances for different frequency ranges (Table 2 of IEC 60664-4:2005)	. 185
Table G.1 – Standard cross-sections of round conductors	. 187
Table AA.1 – Mandrel diameter	.208
Table AA.2 – Oven temperature	.208
Table AB.1 – Cross-section of copper conductors suitable for connection to terminals for external conductors (extract from IEC 61439-1:2011)	.210
Table AC.101 – AC and DC field wiring spacings	.218
Table AC.102 – Minimum acceptable spacings for uninsulated bus bars	.219
Table AC.103 – Temperature limits	. 220
Table AC.104 – Switch test sequences	.222

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCH MODE POWER SUPPLIES -

Part 7: Safety requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Extended version is intended only to provide the user with a comprehensive content consisting of a product standard and its reference document. An Extended version is not an official IEC Standard. Only the current versions of the related standards are to be considered the official documents.

This Extended version of IEC 61204-7:2016 includes the provisions of the general rules dealt with in IEC 62477-1:2012. Clauses and subclauses of IEC 62477-1:2012 that are applicable in IEC 61204-7:2016 have been introduced in the content in red text.

International Standard IEC 61204-7 has been prepared by subcommittee 22E: Stabilized power supplies, of IEC technical committee 22: Power electronic systems and equipment.

This second edition cancels and replaces the first edition published in 2006. This edition constitutes a complete technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) use of IEC 62477-1 as reference document, instead of IEC 60950-1;
- b) modification of the title by deleting the wording "DC output-" and adding "switch mode".

IEC 61204-7 has the status of a product standard.

The text of this document is based on the following documents:

FDIS	Report on voting	
22E/175/FDIS	22E/177/RVD	

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61204 series, published under the general title *Low-voltage power* supplies, d.c. output, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

This International Standard is to be read in conjunction with IEC 62477-1:2012.

NOTE A consolidated version is under consideration.

Subclauses that are numbered starting from 100 are additional to those in IEC 62477-1:2012.

Additional tables and figures in this document are numbered starting from 100.

New annexes in this document are lettered AA, AB, AC, etc.

The wordings **SMPS** and "power supply" are considered to be identical throughout this document.

References of the reference document to clauses or tables, which have been modified in this document, shall be read as reference to the relevant clauses or tables of this document.

Refer to 3.100 for further information on how to read this document.

In this document, the following print types are used:

- Requirements proper and normative annexes: in roman type.
- Notes and other informative matter: in smaller roman type.
- Normative conditions within tables: in smaller roman type.
- Terms that are defined in clause 3 or IEC 62477-1:2012: **Bold Italic**.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61204-7:2016

https://standards.iteh.ai/catalog/standards/iec/c83d2fa2-88bd-4420-8661-a65facbc1331/iec-61204-7-2016

INTRODUCTION

IEC 62477-1:2012, used by this document as a reference, relates to products that include power electronic converters, with a rated system voltage not exceeding 1 000 V AC or 1 500 V DC. It specifies requirements to reduce risks of fire, electric shock, thermal, energy and mechanical hazards, except functional safety as defined in IEC 61508 (all parts). The objectives of this standard are to establish a common terminology and basis for the safety requirements of products that contain power electronic converters across several IEC technical committees.

IEC 62477-1:2012 was developed with the intention

- to be used as a reference document for product committees inside IEC technical committee 22: Power electronic systems and equipment in the development of product standards for power electronic converter systems and equipment,
- to replace IEC 62103 as a product family standard providing minimum requirements for safety aspects of power electronic converter systems and equipment in apparatus for which no product standard exists, and
 - NOTE The scope of IEC 62103 contains reliability aspects, which are not covered by this document.
- to be used as a reference document for product committees outside TC 22 in the development of product standards of power electronic converter systems and equipment intended for renewable energy sources. TC 82, TC 88, TC 105 and TC 114, in particular, have been identified as relevant technical committees at the time of publication.

As such, IEC technical sub-committee 22E: Stabilized switched-mode power supplies carefully considered the relevance of each paragraph of IEC 62477-1:2012 for the SMPS and referenced, added, replaced or modified requirements as relevant. This is because product-specific topics not covered by the reference document are the responsibility of the technical committee using the reference document.

The reference document, being a group safety standard, will not take precedence over this product-specific standard according to IEC Guide 104. IEC Guide 104 provides information about the responsibility of product committees to use group safety standards for the development of their own product standards.