

INTERNATIONAL
STANDARD

ISO
10303-105

First edition
1996-12-15

**Industrial automation systems and
integration — Product data representation
and exchange —**

iTeh STANDARD PREVIEW

Part 105:
(standards.iteh.ai)

Integrated application resource: Kinematics

[ISO 10303-105:1996](https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-28de3600a4fe/iso-10303-105-1996)

[https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-](https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-28de3600a4fe/iso-10303-105-1996)

[28de3600a4fe/iso-10303-105-1996](https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-28de3600a4fe/iso-10303-105-1996)

*Systemes d'automatisation industrielle et integration — Représentation et
échange de données de produits —*

Partie 105: Ressource d'application intégrée: Cinématique



Reference number
ISO 10303-105:1996(E)

Contents	Page
1 Scope	1
2 Normative references	1
3 Definitions	2
3.1 Terms defined in ISO 10303-1	2
3.2 Terms defined in ISO 10303-42	2
3.3 Terms defined in ISO 8855	3
3.4 Other definitions	3
3.4.1 base	3
3.4.2 frame	3
3.4.3 ground	3
3.4.4 joint	3
3.4.5 kinematics	3
3.4.6 kinematic chain	3
3.4.7 link	3
3.4.8 link frame	3
3.4.9 loop	3
3.4.10 mechanism	3
3.4.11 motion	3
3.4.12 pair	3
3.4.13 pair actuation	4
3.4.14 placement	4
3.4.15 transform	4
3.4.16 SU-parameters	4
3.4.17 world coordinate system	4
4 Symbols and abbreviations	4
4.1 Mathematical symbols	4
4.2 Graphic convention for matrix representation	4
4.3 Abbreviations	4
5 Kinematic structure	6

© ISO 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
 Case Postale 56 • CH-1211 Genève 20 • Switzerland
 Printed in Switzerland

5.1	Introduction	7
5.2	Fundamental concepts and assumptions	8
5.2.1	Kinematic model structure	8
5.2.2	Positioning and placement	9
5.2.3	Positive sense of rotations	10
5.2.4	Shape representations	10
5.2.5	Consistent use of units	11
5.3	kinematic_structure_schema type definitions	11
5.3.1	rigid_placement	11
5.3.2	rotational_range_measure	11
5.3.3	translational_range_measure	12
5.3.4	unlimited_range	12
5.3.5	spatial_rotation	12
5.3.6	ypr_enumeration	12
5.3.7	ypr_rotation	13
5.3.8	kinematic_frame_background	14
5.4	kinematic_structure_schema entity definitions	14
5.4.1	rotation_about_direction	14
5.4.2	kinematic_property_definition	14
5.4.3	kinematic_property_representation_relation	15
5.4.4	kinematic_ground_representation	15
5.4.5	mechanism	16
5.4.6	mechanism_base_placement	17
5.4.7	initial_state	18
5.4.8	kinematic_structure	19
5.4.9	kinematic_joint	19
5.4.10	kinematic_link	20
5.4.11	kinematic_link_representation_relation	21
5.4.12	kinematic_link_representation	21
5.4.13	kinematic_link_representation_association	22
5.4.14	kinematic_frame_background_representation	23
5.4.15	kinematic_frame_based_transformation	24
5.4.16	kinematic_frame_background_representation_association	24
5.4.17	su_parameters	25
5.4.18	kinematic_pair	27
5.4.19	pair_actuator	29
5.4.20	pair_value	31
5.4.21	simple_pair_range	31
5.4.22	revolute_pair	31
5.4.23	revolute_pair_value	32
5.4.24	revolute_pair_range	32
5.4.25	prismatic_pair	33
5.4.26	prismatic_pair_value	33
5.4.27	prismatic_pair_range	34
5.4.28	screw_pair	35
5.4.29	screw_pair_value	36

5.4.30	screw_pair_range	37
5.4.31	cylindrical_pair	37
5.4.32	cylindrical_pair_value	38
5.4.33	cylindrical_pair_range	39
5.4.34	spherical_pair	40
5.4.35	spherical_pair_value	40
5.4.36	spherical_pair_range	41
5.4.37	universal_pair	43
5.4.38	universal_pair_value	43
5.4.39	universal_pair_range	44
5.4.40	planar_pair	46
5.4.41	planar_pair_value	46
5.4.42	planar_pair_range	46
5.4.43	unconstrained_pair	48
5.4.44	unconstrained_pair_value	49
5.4.45	fully_constrained_pair	49
5.4.46	point_on_surface_pair	50
5.4.47	point_on_surface_pair_value	52
5.4.48	point_on_surface_pair_range	53
5.4.49	surface_pair	55
5.4.50	surface_pair_range	59
5.4.51	sliding_surface_pair	60
5.4.52	sliding_surface_pair_value	60
5.4.53	rolling_surface_pair	61
5.4.54	rolling_surface_pair_value	61
5.4.55	point_on_planar_curve_pair	62
5.4.56	point_on_planar_curve_pair_value	65
5.4.57	point_on_planar_curve_pair_range	66
5.4.58	planar_curve_pair	68
5.4.59	planar_curve_pair_range	72
5.4.60	sliding_curve_pair	72
5.4.61	sliding_curve_pair_value	73
5.4.62	rolling_curve_pair	73
5.4.63	rolling_curve_pair_value	74
5.4.64	gear_pair	74
5.4.65	gear_pair_value	77
5.4.66	gear_pair_range	78
5.4.67	rack_and_pinion_pair	78
5.4.68	rack_and_pinion_pair_value	79
5.4.69	rack_and_pinion_pair_range	80
5.4.70	kinematic_substructure	81
5.4.71	kinematic_network_structure	82
5.4.72	kinematic_tree_structure	82
5.4.73	kinematic_loop	82
5.4.74	joint_logical_relationship	84
5.4.75	oriented_joint	85

5.4.76	oriented_joint_in_tree	86
5.4.77	advent_oriented_joint	86
5.5	kinematic_structure_schema function definitions	86
5.5.1	ypr_index	86
5.5.2	representation_of_link	87
5.5.3	suitably_based_mechanism	87
5.5.4	unique_link_usage	89
5.5.5	coordinated_pair_link_representation	90
5.5.6	frame_associated_to_background	90
5.5.7	plane_angle_for_pair_in_radian	92
5.5.8	convert_plane_angle_for_pair_from_radian	94
5.5.9	convert_spatial_to_ypr_rotation	96
5.5.10	assign_directed_link	100
5.5.11	connected_in_simple_loop	101
6	Kinematic motion representation	102
6.1	Introduction	102
6.2	Fundamental concepts and assumptions	102
6.3	kinematic_motion_representation_schema_type_definition: motion_parameter- measure	103
6.4	kinematic_motion_representation_schema_entity_definitions	103
6.4.1	translation	103
6.4.2	transform	103
6.4.3	path_node	104
6.4.4	kinematic_path	104
6.4.5	path_element_connection	104
6.4.6	composite_path	105
6.4.7	path_element	106
6.4.8	point_to_point_path	107
6.4.9	circular_path	107
6.4.10	linear_path	107
6.4.11	curve_based_path	108
6.5	kinematic_motion_representation_schema function definitions	108
6.5.1	connected_in_simple_path	108
6.5.2	compare_unit_components	110
6.5.3	increasing_measure_value	110
6.5.4	non_coincident_coordinates	111
7	Kinematic analysis control and result	112
7.1	Introduction	112
7.2	Fundamental concepts and assumptions	113
7.3	kinematic_analysis_control_and_result_schema type definitions	113
7.3.1	interpolation_type	113
7.3.2	kinematic_analysis_definition	114
7.3.3	kinematic_result	114
7.4	kinematic_analysis_control_and_result_schema entity definitions	114

7.4.1	configuration_interpolation	114
7.4.2	kinematic_control	115
7.4.3	founded_kinematic_path	115
7.4.4	motion_link_relationship	116
7.4.5	configuration_definition	117
7.4.6	interpolated_configuration_sequence	117
7.4.7	prescribed_path	117
7.4.8	kinematic_analysis_result	118
7.4.9	kinematic_analysis_consistency	119
7.4.10	resulting_path	119

Annexes

A	Short names of entities	120
B	Information object registration	123
B.1	Document identification	123
B.2	Schema identification	123
B.2.1	kinematic_structure_schema identification	123
B.2.2	kinematic_motion_representation_schema identification	123
B.2.3	kinematic_analysis_control_and_result_schema identification	123
C	<i>EXPRESS</i> listing	124
D	<i>EXPRESS-G</i> figures	125
E	Rotation matrix corresponding to <i>ypr</i> rotation	135
E.1	Matrix representation of <i>ypr</i> rotation	135
E.2	<i>EXPRESS</i> function compute_rotation_matrix_from_ypr_rotation	136
F	Replacement of DH-Parameters by SU-Parameters	138
G	Bibliography	140
	Index	141

Figures

1	The relationships between the three schemas of ISO 10303-105: Kinematics	xv
2	Definition of the <i>su</i> _parameters	26
3	Placement relationships of the pair frames relative to the mating links	30
4	Example of a joint representing a revolute pair	32
5	Example of a joint representing a prismatic pair	34
6	Example of a joint representing a screw pair	36
7	Example of a joint representing a cylindrical pair	38
8	Example of a joint representing a spherical pair	41
9	Example of a joint representing a universal pair	44
10	Example of a joint representing a planar pair	47

11	Example of a point on surface pair	51
12	Example of a surface pair.	56
13	Example of a point on planar curve pair	63
14	Example of a planar curve pair.	69
15	Examples of gear pairs in different situations.	75
16	Example of a rack and pinion pair in the reference situation	79
17	Example of a kinematic network structure	83
18	Example of a kinematic tree structure	83
D.1	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 1 of 7	126
D.2	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 2 of 7	127
D.3	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 3 of 7	128
D.4	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 4 of 7	129
D.5	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 5 of 7	130
D.6	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 6 of 7	131
D.7	Graphical notation of the major aspects of the kinematic_structure_schema – diagram 7 of 7	132
D.8	Graphical notation of the major aspects of the kinematic_motion_representation - schema	133
D.9	Graphical notation of the major aspects of the kinematic_analysis_control_and_result - schema	134
Tables		
1	Mathematical symbology	5
A.1	Short names of entities	120

Foreword

The International Organization for Standardization (ISO) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

International Standard ISO 10303-105 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC4, *Industrial data*.

ISO 10303 consists of the following parts under the general title *Industrial automation systems and integration – Product data representation and exchange*:

- Part 1, Overview and fundamental principles;
- Part 11, Description methods: The EXPRESS language reference manual;
- Part 12, Description method: The EXPRESS language reference manual;
<https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-38de3600-1fe/iso-10303-105-1996>
- Part 21, Implementation methods: Clear text encoding of the exchange structure;
- Part 22, Implementation method: Standard data access interface specification;
- Part 23, Implementation method: C++ language binding to the standard data access interface;
- Part 24, Implementation method: C language binding to the standard data access interface;
- Part 26, Implementation method: Interface definition language binding to the standard data access interface;
- Part 31, Conformance testing methodology and framework: General concepts;
- Part 32, Conformance testing methodology and framework: Requirements on testing laboratories and clients;
- Part 33, Conformance testing methodology and framework: Structure and use of abstract test suites;
- Part 34, Conformance testing methodology and framework: Abstract test methods;

- Part 35, Conformance testing methodology and framework: Abstract test methods for SDAI implementations;
- Part 41, Integrated generic resources: Fundamentals of product description and support;
- Part 42, Integrated generic resources: Geometric and topological representation;
- Part 43, Integrated generic resources: Representation structures;
- Part 44, Integrated generic resources: Product structure configuration;
- Part 45, Integrated generic resource: Materials;
- Part 46, Integrated generic resource: Visual presentation;
- Part 47, Integrated generic resource: Shape variation tolerances;
- Part 49, Integrated generic resource: Process structure and properties;
- Part 101, Integrated application resource: Draughting;
- Part 104, Integrated application resource: Finite element analysis;
- Part 105, Integrated application resource: Kinematics;
- Part 106, Integrated application resource: Building construction core model;
- Part 201, Application protocol: Explicit draughting;
- Part 202, Application protocol: Associative draughting;
- Part 203, Application protocol: Configuration controlled design;
- Part 204, Application protocol: Mechanical design using boundary representation;
- Part 205, Application protocol: Mechanical design using surface representation;
- Part 207, Application protocol: Sheet metal die planning and design;
- Part 208, Application protocol: Life cycle management - Change process;
- Part 209, Application protocol: Composite and metallic structural analysis and related design;
- Part 210, Application protocol: Design of layered electronic products;

- Part 211, Application protocol: Electronics test diagnostics and remanufacture;
- Part 212, Application protocol: Electrotechnical design and installation;
- Part 213, Application protocol: Numerical control process plans for machined parts;
- Part 214, Application protocol: Core data for automotive mechanical design;
- Part 215, Application protocol: Ship arrangement;
- Part 216, Application protocol: Ship moulded forms;
- Part 217, Application protocol: Ship piping;
- Part 218, Application protocol: Ship structures;
- Part 220, Application protocol: Process planning, manufacture, and assembly of layered electronic products;
- Part 221, Application protocol: Functional data and their schematic representation for process plant;
- Part 222, Application protocol: Exchange of product data for composite structures;
- Part 223, Application protocol: Exchange of design and manufacturing product information for cast parts;
- Part 224, Application protocol: Mechanical product definition for process plans using mechanical feature;
- Part 225, Application protocol: Building elements using explicit shape representation;
- Part 226, Application protocol: Ship mechanical systems;
- Part 227, Application protocol: Plant spatial configuration;
- Part 228, Application protocol: Building services: Heating, ventilation, and air conditioning;
- Part 229, Application protocol: Exchange of design and manufacturing product information for forged parts;
- Part 230, Application protocol: Building structural frame: Steelwork;
- Part 231, Application protocol: Process engineering data: Process design and process specification of major equipment;

- Part 232, Application protocol: Technical data package;
- Part 301, Abstract test suite: Explicit draughting;
- Part 302, Abstract test suite: Associative draughting;
- Part 303, Abstract test suite: Configuration controlled design;
- Part 304, Abstract test suite: Mechanical design using boundary representation;
- Part 305, Abstract test suite: Mechanical design using surface representation;
- Part 307, Abstract test suite: Sheet metal die planning and design;
- Part 308, Abstract test suite: Life cycle management - Change process;
- Part 309, Abstract test suite: Composite and metallic structural analysis and related design;
- Part 310, Abstract test suite: Design of layered electronic products;
- Part 311, Abstract test suite: Electronics test diagnostics and remanufacture;
- Part 312, Abstract test suite: Electrotechnical design and installation;
- Part 313, Abstract test suite: Numerical control process plans for machined parts;
- Part 314, Abstract test suite: Core data for automotive mechanical design;
- Part 315, Abstract test suite: Ship arrangement;
- Part 316, Abstract test suite: Ship moulded forms;
- Part 317, Abstract test suite: Ship piping;
- Part 318, Abstract test suite: Ship structures;
- Part 320, Abstract test suite: Process planning, manufacture, and assembly of layered electronic products;
- Part 321, Abstract test suite: Functional data and their schematic representation for process plant;
- Part 322, Abstract test suite: Exchange of product data for composite structures;
- Part 323, Abstract test suite: Exchange of design and manufacturing product information for cast parts;

- Part 324, Abstract test suite: Mechanical product definition for process plans using mechanical features;
- Part 325, Abstract test suite: Building elements using explicit shape representation;
- Part 326, Abstract test suite: Ship mechanical systems;
- Part 327, Abstract test suite: Plant spatial configuration;
- Part 328, Abstract test suite: Building services: Heating, ventilation, and air conditioning;
- Part 329, Abstract test suite: Exchange of design and manufacturing product information for forged parts;
- Part 330, Abstract test suite: Building structural frame: Steelwork;
- Part 331, Abstract test suite: Process engineering data: Process design and process specification of major equipment;
- Part 332, Abstract test suite: Technical data package;
- Part 501, Application interpreted construct: Edge-based wireframe;
<https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-28de3600a4f/iso-10303-105-1996>
- Part 502, Application interpreted construct: Shell-based wireframe;
- Part 503, Application interpreted construct: Geometrically bounded 2D wireframe;
- Part 504, Application interpreted construct: Draughting annotation;
- Part 505, Application interpreted construct: Drawing structure and administration;
- Part 506, Application interpreted construct: Draughting elements;
- Part 507, Application interpreted construct: Geometrically bounded surface;
- Part 508, Application interpreted construct: Non-manifold surface;
- Part 509, Application interpreted construct: Manifold surface;
- Part 510, Application interpreted construct: Geometrically bounded wireframe;
- Part 511, Application interpreted construct: Topologically bounded surface;
- Part 512, Application interpreted construct: Faceted boundary representation;
- Part 513, Application interpreted construct: Elementary boundary representation;

- Part 514, Application interpreted construct: Advanced boundary representation;
- Part 515, Application interpreted construct: Constructive solid geometry;
- Part 517, Application interpreted construct: Mechanical design geometric presentation;
- Part 518, Application interpreted construct: Mechanical design shaded representation.

The structure of this International Standard is described in ISO 10303-1. The numbering of the parts of this International Standard reflects its structure:

- Parts 11 to 13 specify the description methods,
- Parts 21 to 26 specify the implementation methods,
- Parts 31 to 35 specify the conformance testing methodology and framework,
- Parts 41 to 49 specify the integrated generic resources,
- Parts 101 to 106 specify the integrated application resources,
- Parts 201 to 232 specify the application protocols,
- Parts 301 to 332 specify the abstract test suites, and
- Parts 501 to 518 specify the application interpreted constructs.

Should further parts be published, they will follow the same numbering pattern.

Annexes A and B are an integral part of this part of ISO 10303. Annexes C, D, E, F, and G are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1. This part of ISO 10303 is a member of the integrated resources series. Major subdivisions of this International Standard are:

- kinematic structure;
- kinematic motion representation;
- kinematic analysis control and results.

This part of ISO 10303 specifies an information model for the kinematic aspects of a mechanical product as required for the communication between CAD systems and kinematic analysis systems, and among dissimilar kinematic analysis systems. Kinematic information in the context of this part of ISO 10303 may be used in:

- early design stages, where detailed component shape is yet undetermined. The purpose of the kinematic description in these stages is to develop the conceptual model of the mechanical product to understand its motion characteristics;
- detail design stage where detailed shapes of components are determined. The purpose of the kinematic description in that stage is to verify the performance of the kinematic characteristics of a mechanical product using the final shape of its components, e.g., by means of collision checking.

The kinematic structure in this part of ISO 10303 is composed of rigid components related by kinematic pairs along a surface, on a curve, or at a point.

The kinematic structure schema defines the kinematic structure of rigid objects in terms of links, pairs, and joints. A link is the rigid part of a kinematic object. A pair represents the geometric aspects of the kinematic constraints of motion of these objects, and a joint represents the topological aspects of these constraints. The kinematic structures are represented by graphs in which the vertices of the graph correspond to the links, and the edges of the graph correspond to the joints.

The kinematic motion representation schema specifies the motion of a mechanical product by using a parametric path definition.

The kinematic analysis control and result schema specifies configurations of kinematic structures and the interpolation between configurations. This schema describes prescribed paths for a kinematic analysis and paths resulting from such a kinematic analysis.

Figure 1 illustrates these three schemas and the types and entities that are defined in one schema and referenced by another.




Figure 1 – The relationships between the three schemas of
ISO 10303-105: Kinematics
 (standards.iteh.ai)

ISO 10303-105:1996

<https://standards.iteh.ai/catalog/standards/sist/9fff8d85-512b-4185-8324-28de3600a4fe/iso-10303-105-1996>