

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Surface mounted piezoelectric devices for frequency control and selection –
Standard outlines and terminal lead connections –
Part 4: Hybrid enclosure outlines

Dispositifs piézoélectriques à montage en surface pour la commande et le choix
de la fréquence – Encombrements normalisés et connexions des sorties –
Partie 4: Encombrements des enveloppes hybrides



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61837-4

Edition 2.0 2015-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Surface mounted piezoelectric devices for frequency control and selection –
Standard outlines and terminal lead connections –
Part 4: Hybrid enclosure outlines

Dispositifs piézoélectriques à montage en surface pour la commande et le choix
de la fréquence – Encombrements normalisés et connexions des sorties –
Partie 4: Encombrements des enveloppes hybrides

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.140

ISBN 978-2-8322-2428-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Configuration of enclosures	5
4 Dimensions of surface mounted piezoelectric devices with hybrid enclosure outlines	5
5 Table of detailed dimensions.....	5
6 Designation of surface mounted piezoelectric devices with hybrid enclosure outlines	6
Table 1 – Revised Configuration	6
Table 2 – Designation of surface mounted piezoelectric devices with hybrid enclosure outline	6
Table 3 – Lead connections	7

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 61837-4:2015](https://standards.iteh.ai/catalog/standards/sist/bf1a496c-a206-4d82-8b2b-3abdb359a73d/iec-61837-4-2015)

<https://standards.iteh.ai/catalog/standards/sist/bf1a496c-a206-4d82-8b2b-3abdb359a73d/iec-61837-4-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SURFACE MOUNTED PIEZOELECTRIC DEVICES
FOR FREQUENCY CONTROL AND SELECTION –
STANDARD OUTLINES AND TERMINAL LEAD CONNECTIONS –****Part 4: Hybrid enclosure outlines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61837-4 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This second edition cancels and replaces the first edition published in 2004. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Outline drawing is defined as one set of drawings consisting of four views, which are the view from above, the front view, the view from the right, and the view from below, instead of one set consisting of three views as provided in the previous edition.
- The configurations of the enclosures were revised as shown in Table 1.

The text of this standard is based on the following documents:

FDIS	Report on voting
49/1117/FDIS	49/1129/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard shall be read in conjunction with IEC 61240:2012.

A list of all parts in the IEC 61837 series, published under the general title *Surface mounted piezoelectric devices for frequency control and selection – Standard outlines and terminal lead connections*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61837-4:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/bf1a496c-a206-4d82-8b2b-3abdb359a73d/iec-61837-4-2015>

SURFACE MOUNTED PIEZOELECTRIC DEVICES FOR FREQUENCY CONTROL AND SELECTION – STANDARD OUTLINES AND TERMINAL LEAD CONNECTIONS –

Part 4: Hybrid enclosure outlines

1 Scope

This part of IEC 61837 specifies the outline drawings and terminal lead connections for surface piezoelectric devices with hybrid enclosure outlines and is based on IEC 61240:2012 which standardized layout rules of outline drawings of surface-mounted device.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61240:2012, *Piezoelectric devices – Preparation of outline drawings of surface-mounted devices (SMD) for frequency control and selection – General rules*

3 Configuration of enclosures

IEC 61837-4:2015

<https://standards.iteh.ai/catalog/standards/sist/bf1a496c-a206-4d82-8b2b->

If there are versions with different height of the same enclosures, each enclosure is expressed by a dash (/) plus two digit number after the basic type name. The version number is indicated in the dimension table in the sheet.

4 Dimensions of surface mounted piezoelectric devices with hybrid enclosure outlines

The dimensions in this standard apply to surface mounted piezoelectric devices.

Only those dimensions which meet the requirements of IEC 61240 are given.

Drawings of the same size should be described in the same scale. The scale should be chosen based on the Table A.1 of IEC 61240:2012. In this part of IEC 61837, it is recommended that enclosures with nominal length value larger than 20 mm use scale 2:1.

5 Table of detailed dimensions

The dimensions shall be given only where the letter x is shown in the table of the given sheet.

If there are plural identical enclosures with a different height (G), the typical value of G shall be shown in the table. Or different values of G shall be expressed with a subscript number such as G_1 , G_2 , etc. The identity references are given in the table in the sheet.

6 Designation of surface mounted piezoelectric devices with hybrid enclosure outlines

All corresponding enclosures are listed in Table 2 below.

Table 1 – Revised Configuration

Type	Sheet No.	Description (Size unit is mm)
CO26/01	Sheet 2	Maximum G_1 was changed from to 5.5 to 5.7. l_2, b_2 were changed from 2,6, 2,1 to 2,8, 2,3 respectively.
CO27/01~04	Sheet 3	Maximum B was changed from 9,5 to 9,6.
CO27/01,02	Sheet 3	Maximum G_1 and G_2 were changed from 5,5, 4,7 to 5,7, 4,9 respectively.
CO27/04	Sheet 3	CO27 with G_4 of 3,0 was newly added.
CO28/01~03	Sheet 4	l_2, b_2 were changed from 4,0, 3,0 to 4,2, 3,2 respectively.
CO29/01-02	Sheet 5	l_2, b_2 were changed from 2,5, 1,3 to 2,7, 1,5 respectively.

Table 2 below provides the designation of surface mounted piezoelectric devices with hybrid enclosure outline.


Table 2 – Designation of surface mounted piezoelectric devices with hybrid enclosure outline

No.	Type	Sheet No.	Description	National reference	
				Country	Reference
1	CO 25/01~02	Sheet 1	Hybrid SMD enclosure with four bent connection pins		
2	CO 26/01~02	Sheet 2	Hybrid SMD enclosure with four connection pads		
3	CO 27/01~04	Sheet 3	Hybrid SMD enclosure with six connection pads		
4	CO 28/01~03	Sheet 4	Hybrid SMD enclosure with seven connection pads		
5	CO 29/01~02	Sheet 5	Hybrid SMD enclosure with eight connection pads		
6	CO 30/01~09	Sheet 6	Hybrid SMD enclosure with six connection pads		


Table 3 below lists the various lead connections.

Table 3 – Lead connections




Crystal oscillator outline	Position (lead number)	Function
CO 25	1	NC(IC)
	2	Ground
	3	Output
	4	Vcc
CO 26	1	NC(IC)
	2	Ground
	3	Output
	4	Vcc
CO 27	1	Vc
	2	NC(IC)
	3	Ground
	4	Output
	5	NC(IC)
	6	Vcc
CO 28	1	NC(IC)
	2	Vref
	3	Vcc
	4	Output
	5	NC(IC)
	6	NC(IC)
	7	Ground
CO 29	1	Vc
	2	Optional
	3	Disable
	4	Ground
	5	Output
	6	Output
	7	Optional
	8	Vcc
CO 30	1	Vc
	2	Vcc
	3	Optional
	4	Output
	5	Ground
	6	Optional



Ref.	Dimensions (mm)			Notes
	Min.	Nom.	Max.	
A	—	—	18,5	
B	—	—	12,0	
D	—	4,2		
E	4,6	4,9	5,2	
F	20,9	—	21,5	
G ₁	—	—	4,7	/01
G ₂	—	—	5,5	/02
K ₁	1,07	—	1,47	
L _B	3,5	—	3,9	
e	—	7,5	—	
e ₁	—	18,0	—	
l ₂	—	—	4,3	
b ₂	—	—	2,1	
y ₁	—	—	0,25	
y ₂	—	—	0,15	




iTeh STANDARD PREVIEW
(standards.iteh.ai)




IEC


Hybrid SMD enclosure with four bent connection pins –
Type CO 25/01~02

Scale
3:1








Ref.	Dimensions (mm)			Notes
	Min.	Nom.	Max.	
A	—	—	14,4	
B	—	—	9,5	
G ₁	—	—	5,7	/01
G ₂	—	—	6,1	/02
K ₁	1,7	—	1,9	
L _B	1,7	—	1,9	
e	—	5,08	—	
e ₁	—	8,4	—	
l ₂	—	—	2,8	
b ₂	—	—	2,3	
y	—	—	0,1	




iTeh STANDARD PREVIEW
(standards.iteh.ai)




IEC


Hybrid SMD enclosure with four connection pads –
Type CO 26/01-02

Scale
3:1







Ref.	Dimensions (mm)			Notes
	Min.	Nom.	Max.	
A	—	—	14,4	
B	—	—	9,6	
G ₁	—	—	5,7	/01
G ₂	—	—	4,9	/02
G ₃	—	—	6,1	/03
G ₄	—	—	3,0	/04
K ₁	0,9	—	1,1	
L _B	1,45	—	1,65	
e	—	2,54	—	
e ₁	—	8,7	—	
l ₂	—	—	2,7	
b ₂	—	—	1,5	
y	—	—	0,1	



IEC 61837-4:2015
<https://standards.iteh.ai/catalog/standards/sist/bf1a496c-a206-4d82-8b2b-3abdb359a73d/iec-61837-4-2015>



IEC

Hybrid SMD enclosure with six connection pads –
 Type CO 27/01~04

Scale
 3:1

