



SLOVENSKI STANDARD

SIST EN 61158-4-1:2008

01-junij-2008

Nadomešča:

SIST EN 61158-4:2004

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 4-1. del: Specifikacija protokola na nivoju podatkovnih povezav - Elementi tipa 1 (IEC 61158-4-1:2007)

Industrial communication networks - Fieldbus specifications -- Part 4-1: Data-link layer protocol specification - Type 1 elements

Industrielle Kommunikationsnetze - Feldbusse - Teil 4-1: Protokollspezifikation des Data Link Layer (Sicherheitsschicht) - Typ 1-Elemente

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 4-1: Spécification des protocoles des couches de liaison de données - Eléments de type 1

Ta slovenski standard je istoveten z: EN 61158-4-1:2008

ICS:

| | | |
|-----------|--|--|
| 25.040.40 | Merjenje in krmiljenje industrijskih postopkov | Industrial process measurement and control |
| 35.100.20 | Podatkovni povezovalni sloj | Data link layer |
| 35.110 | Omreževanje | Networking |

SIST EN 61158-4-1:2008

en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-4-1:2008

<https://standards.iteh.ai/catalog/standards/sist/7d864596-49d1-40ca-9c39-e2559de41ab0/sist-en-61158-4-1-2008>

English version

**Industrial communication networks -
Fieldbus specifications -
Part 4-1: Data-link layer protocol specification -
Type 1 elements
(IEC 61158-4-1:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 4-1: Spécification des protocoles
des couches de liaison de données -
Éléments de type 1
(CEI 61158-4-1:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 4-1: Protokollspezifikation des
Data Link Layer (Sicherheitsschicht) -
Typ 1-Elemente
(IEC 61158-4-1:2007)

**ITeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 61158-4-1:2008

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/474/FDIS, future edition 1 of IEC 61158-4-1, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-4-1 on 2008-02-01.

This and the other parts of the EN 61158-4 series supersede EN 61158-4:2004.

With respect to EN 61158-4:2004 the following changes were made:

- deletion of Type 6 fieldbus, and the placeholder for a Type 5 fieldbus data-link layer, for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 4-1, 4-2, ..., 4-19.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC and CENELEC draw attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

Type 1 time synchronization and possibly other types:

JP Hei4-35096 [YC] Communication control method

IEC and CENELEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from:

[YC]: Jun-ichi Tsuboi, Mr.
Yamatake Corporation
Shibuyaku Shibuya, 2-12-19
Tohtate International Building
150-8316 Tokyo
Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC and CENELEC shall not be held responsible for identifying any or all such patent rights.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-4-1:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| | |
|----------------|---|
| IEC 61158-5-1 | NOTE Harmonized as EN 61158-5-1:2008 (not modified). |
| IEC 61158-6-1 | NOTE Harmonized as EN 61158-6-1:2008 (not modified). |
| IEC 61784-1 | NOTE Harmonized as EN 61784-1:2008 (not modified). |
| ISO 9314-2 | NOTE Harmonized as EN 29314-2:1993 (not modified). |
| ISO/IEC 9646-1 | NOTE Harmonized as EN ISO/IEC 9646-1:1996 (not modified). |
| ISO/IEC 9646-2 | NOTE Harmonized as EN ISO/IEC 9646-2:1996 (not modified). |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-4-1:2008](https://standards.iteh.ai/catalog/standards/sist/7d864596-49d1-40ca-9c39-e2559de41ab0/sist-en-61158-4-1-2008)

<https://standards.iteh.ai/catalog/standards/sist/7d864596-49d1-40ca-9c39-e2559de41ab0/sist-en-61158-4-1-2008>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-----------------|--|-------------------|--------------------|
| IEC 61158-2 | 2007 | Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition | EN 61158-2 | 2008 |
| IEC 61158-3-1 | - ¹⁾ | Industrial communication networks - Fieldbus specifications - Part 3-1: Data-link layer service definition - Type 1 elements | EN 61158-3-1 | 2008 ²⁾ |
| ISO/IEC 7498-1 | - ¹⁾ | Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model | EN ISO/IEC 7498-1 | 1995 ²⁾ |
| ISO/IEC 7498-3 | - ¹⁾ | Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing | - | - |
| ISO/IEC 10038 | 1993 | Information technology - Telecommunications - and information exchange between systems - Local area networks - Media Access Control (MAC) bridges | - | - |
| ISO/IEC 10731 | - ¹⁾ | Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services | - | - |

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 4-1: Data-link layer protocol specification – Type 1 elements**

SIST EN 61158-4-1:2008
<https://standards.iteh.ai/catalog/standards/sist/7d864596-49d1-40ca-9c39-e2559de41ab0/sist-en-61158-4-1-2008>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XP**

CONTENTS

| | |
|---|-----|
| FOREWORD..... | 9 |
| 0 Introduction | 11 |
| 0.1 General | 11 |
| 0.2 Nomenclature for references within this standard | 11 |
| 1 Scope..... | 12 |
| 1.1 General | 12 |
| 1.2 Specifications | 12 |
| 1.3 Procedures..... | 12 |
| 1.4 Applicability..... | 13 |
| 1.5 Conformance..... | 13 |
| 2 Normative references | 13 |
| 3 Terms, definitions, symbols and abbreviations..... | 13 |
| 3.1 Reference model terms and definitions..... | 13 |
| 3.2 Service convention terms and definitions..... | 15 |
| 3.3 Terms and definitions | 16 |
| 3.4 Symbols and abbreviations..... | 25 |
| 4 Overview of the DL-protocol | 29 |
| 4.1 Three-level model of the DLL..... | 29 |
| 4.2 Service provided by the DLL..... | 31 |
| 4.3 Structure and definition of DL addresses..... | 38 |
| 4.4 Service assumed from the PhL..... | 51 |
| 4.5 Functions of the DLL..... | 54 |
| 4.6 Functional classes..... | 56 |
| 4.7 Local parameters, variables, counters, timers and queues..... | 58 |
| 5 General structure and encoding of PhIDUs and DLPDUs, and related elements of procedure..... | 72 |
| 5.1 PhIDU structure and encoding..... | 72 |
| 5.2 Common DLPDU structure, encoding and elements of procedure | 72 |
| 6 DLPDU-specific structure, encoding and elements of procedure..... | 83 |
| 6.1 Establish connection (EC) DLPDU..... | 85 |
| 6.2 Disconnect connection (DC) DLPDU..... | 87 |
| 6.3 Reset connection (RC) DLPDU..... | 89 |
| 6.4 Compel acknowledgement (CA) DLPDU | 91 |
| 6.5 Compel data (CD) DLPDU | 98 |
| 6.6 Exchange data (ED) DLPDU..... | 105 |
| 6.7 Data (DT) DLPDU..... | 114 |
| 6.8 Status response (SR) DLPDU..... | 121 |
| 6.9 Compel time (CT) DLPDU | 124 |
| 6.10 Time distribution (TD) DLPDU | 126 |
| 6.11 Round-trip-delay query (RQ) DLPDU | 128 |
| 6.12 Round-trip-delay reply (RR) DLPDU | 130 |
| 6.13 Probe node DL-address (PN) DLPDU | 132 |
| 6.14 Probe response (PR) DLPDU | 134 |
| 6.15 Pass token (PT) DLPDU | 136 |
| 6.16 Execute sequence (ES) DLPDU | 145 |
| 6.17 Return token (RT) DLPDU | 151 |

| | | |
|-------|---|-----|
| 6.18 | Request interval (RI) DLPDU..... | 153 |
| 6.19 | Claim LAS (CL) DLPDU..... | 154 |
| 6.20 | Transfer LAS (TL) DLPDU..... | 156 |
| 6.21 | Wakeup (WK) DLPDU..... | 159 |
| 6.22 | Idle (IDLE) DLPDU..... | 161 |
| 6.23 | Spare DLPDUs..... | 162 |
| 6.24 | Reserved (not to be used) DLPDUs..... | 163 |
| 7 | DLPDU-parameter structure and encoding..... | 164 |
| 7.1 | Structure and encoding of EC-PARAMETERS..... | 164 |
| 7.2 | Structure and encoding of DC-PARAMETERS..... | 169 |
| 7.3 | Structure and encoding of RC-PARAMETERS..... | 170 |
| 7.4 | Structure and encoding of SD-Parameters..... | 172 |
| 7.5 | Structure and encoding of SR-parameters..... | 179 |
| 7.6 | Structure and encoding of TD-parameters..... | 180 |
| 7.7 | Structure and encoding of RQ-parameters..... | 183 |
| 7.8 | Structure and encoding of RR-parameters..... | 183 |
| 7.9 | Structure and encoding of PN-parameters..... | 184 |
| 7.10 | Structure and encoding of DD-parameters..... | 186 |
| 8 | DL-service elements of procedure..... | 186 |
| 8.1 | Operation of the DL(SAP)-address, buffer and queue management services..... | 187 |
| 8.2 | Operation of the connection-mode services..... | 191 |
| 8.3 | Operation of the connectionless-mode services..... | 232 |
| 8.4 | Operation of the scheduling guidance services..... | 243 |
| 9 | DL-support subprotocol..... | 253 |
| 9.1 | Scope..... | 253 |
| 9.2 | Overview of LAS operation..... | 253 |
| 9.3 | DL-support subprotocol definition..... | 254 |
| 9.4 | Elements of Procedures for receiving SPDUs..... | 287 |
| 10 | Other DLE elements of procedure..... | 288 |
| 10.1 | DLE initialization..... | 289 |
| 10.2 | LAS behavior and operation..... | 293 |
| 10.3 | DL-support operation..... | 299 |
| 10.4 | DL-bridge elements of procedure and bridge sub-protocol..... | 305 |
| 10.5 | DL-management-information..... | 335 |
| 10.6 | Implementation profiles..... | 339 |
| 11 | PICS proforma..... | 345 |
| 11.1 | Introduction..... | 345 |
| 11.2 | Scope..... | 345 |
| 11.3 | Normative references..... | 345 |
| 11.4 | Definitions..... | 345 |
| 11.5 | Abbreviations..... | 345 |
| 11.6 | Conformance..... | 346 |
| 11.7 | Instructions..... | 346 |
| 11.8 | Identification..... | 346 |
| 11.9 | Implementation profile..... | 347 |
| 11.10 | Major low-level capabilities..... | 351 |
| 11.11 | Major high-level capabilities..... | 365 |
| | Annex A (informative) – Exemplary FCS implementation..... | 376 |

Annex B (informative) – Type 1: Formal protocol finite state machines..... 378

 B.1 Basic reception and transmission FSMs 378

 B.2 FSMs for DLCs..... 389

 B.3 FSMs for scheduling..... 395

 B.4 FSMs for bridges..... 395

Annex C (informative) – Type 1: DLPDU and DL-addressing short-form summaries 397

 C.1 Fields used in short-form summaries 397

 C.2 DLPDU short-form summary grouped by function 399

 C.3 DLPDU short-form summary in alphabetic order of DLPDU names 401

 C.4 DLPDU short-form summary in alphabetic order of DLPDU acronyms..... 402

 C.5 DLPDU FC code-point assignment matrix – overview and detail 403

 C.6 SD-parameters (status and data-description parameters) of CA, CD, ED and DT DLPDUs..... 406

 C.7 EC parameters of EC DLPDUs 409

 C.8 Parameters of DC and RC DLPDUs..... 411

 C.9 Parameters of TD, RQ and RR DLPDUs 413

 C.10 Parameters of PN, PT, ES and RI DLPDUs 415

 C.11 Addressing summary extracted from figures and tables of 4.3 417

Bibliography..... 421

INDEX 422

iTeh STANDARD PREVIEW

Figure 1 – Relationships of DLSAPs, DLSAP-addresses, DLCEPs, DLCEP-addresses, DLSEP-addresses and group DL-addresses 19

Figure 2 – Basic structure of a DL-address 38

Figure 3 – Basic structure of a sublink selector 39

Figure 4 – DL-address alternative structures 39

Figure 5 – Basic structure of MAC-addresses 51

Figure 6 – Representation of a DL-address as a MAC-address 51

Figure 7 – Linear relationships of sending and receiving DLCEP sequence-number variables..... 63

Figure 8 – DL-address alternative structures..... 75

Figure 9 – SHORT DL-address field – alternative implicit structures 75

Figure 10 – NODE DL-address field – implicit structure 76

Figure 11 – State transition diagram for a DLCEP..... 191

Figure 12 – Projection of the sending and receiving DLCEP sequence-number variables of Figure 7 onto the cyclic sequence-number parameters of CA, CD, DT, ED and RC DLPDUs, with consequent determination of required actions 208

Figure 13 – State transitions of a DLE 289

Figure 14 – Bridged network topology..... 306

Figure 15 – Spanning tree representation 306

Figure 16 – DLSDU transit delay, DLPDU lifetime and bridge forwarding delay 311

Figure 17 – Forwarding and delivering a received DLPDU 315

Figure 18 – Forwarding a locally-originated DLPDU 315

Figure 19 – Republishing a DLSDU received from another link 316

Figure 20 – Bridge architecture..... 318

Figure 21 – Replacement for [IL] Fig 3-2 Bridge ports 327

Figure 22 – Replacement for [IL] Fig 3-3 Bridge architecture 327

| | |
|---|-----|
| Figure A.1 – Example of FCS generation | 376 |
| Figure A.2 – Example of FCS syndrome checking on reception..... | 376 |
| Figure B.1 – Gross structure of FC code points..... | 403 |
| Figure B.2 [Figure 2] – Basic structure of a DL-address | 417 |
| Figure B.3 [Figure 3] – Basic structure of a sublink selector..... | 417 |
| Figure B.4 [Figure 4] – DL-address alternative structures | 417 |
| Figure B.5 [Figure 5] – Basic structure of MAC-addresses | 417 |
| Figure B.6 [Figure 6] – Representation of a DL-address as a MAC-address | 417 |
| | |
| Table 1 – Link node selector addressing | 42 |
| Table 2 – Link-local node selector addressing..... | 44 |
| Table 3 – Link-local node designators..... | 46 |
| Table 4 – Node-local selector addressing | 48 |
| Table 5 – Predefined flat non-local DL-addresses | 49 |
| Table 6 – Predefined flat link-local DL-addresses | 50 |
| Table 7 – Predefined node-local DL-addresses | 50 |
| Table 8 – Correlation of DLPDUs with functional classes | 56 |
| Table 9 – FCS length, polynomial and expected residual..... | 77 |
| Table 10 – Summary structure of DLPDUs..... | 84 |
| Table 11 – DLPDU restrictions based on dominant token..... | 85 |
| Table 12 – Structure of EC DLPDUs | 85 |
| Table 13 – Structure of DC DLPDUs | 88 |
| Table 14 – Structure of RC DLPDUs | 90 |
| Table 15 – Structure of CA DLPDUs | 92 |
| Table 16 – Structure of CD DLPDUs | 98 |
| Table 17 – Structure of ED DLPDUs | 106 |
| Table 18 – Structure of DT DLPDUs | 114 |
| Table 19 – Structure of SR DLPDUs | 122 |
| Table 20 – Structure of CT DLPDUs | 124 |
| Table 21 – Structure of TD DLPDUs | 126 |
| Table 22 – Structure of RQ DLPDUs..... | 128 |
| Table 23 – Structure of RR DLPDUs | 130 |
| Table 24 – Structure of PN DLPDUs | 132 |
| Table 25 – Structure of PR DLPDUs | 135 |
| Table 26 – Structure of PT DLPDUs..... | 136 |
| Table 27 – Structure of ES DLPDUs | 145 |
| Table 28 – Structure of RT DLPDUs | 151 |
| Table 29 – Structure of RI DLPDUs..... | 153 |
| Table 30 – Structure of CL DLPDUs..... | 154 |
| Table 31 – Structure of TL DLPDUs | 156 |
| Table 32 – Structure of WK DLPDUs..... | 159 |
| Table 33 – Structure of IDLE DLPDUs..... | 161 |
| Table 34 – Assumed structure of undefined (spare) DLPDUs | 162 |

| | |
|--|-----|
| Table 35 – Assumed structure of RESERVED (NOT TO BE USED) DLPDUs | 164 |
| Table 36 – Structure of an EC DLPDU's parameters | 165 |
| Table 37 – EC-parameters: 1st octet..... | 165 |
| Table 38 – EC-parameters: 2nd octet..... | 165 |
| Table 39 – EC-parameters: 3rd and 4th octets | 166 |
| Table 40 – EC-parameters: 5th and 6th octets | 166 |
| Table 41 – EC-parameters: 7th octet | 167 |
| Table 42 – EC-parameters: 8th octet | 167 |
| Table 43 – EC-parameters: 9th and 10th octets | 168 |
| Table 44 – EC-parameters: 11th octet..... | 168 |
| Table 45 – EC-parameters: 12th octet..... | 169 |
| Table 46 – EC-parameters: 13th and 14th octets | 169 |
| Table 47 – DC-parameters and RC-parameters: 1st octet | 169 |
| Table 48 – DC-parameters and RC-parameters: 2nd octet..... | 170 |
| Table 49 – Disconnect reasons | 171 |
| Table 50 – Reset reasons | 172 |
| Table 51 – RC-parameters: 3rd octet | 172 |
| Table 52 – RC-parameters: 4th octet | 172 |
| Table 53 – Structure of connectionless-mode CA, CD, DT and ED DLPDUs..... | 173 |
| Table 54 – Short format SD-parameters for connectionless transaction initiators | 174 |
| Table 55 – Short format SD-parameters for connectionless responders | 174 |
| Table 56 – Reply status for unitdata-acknowledgment and exchange-unitdata-reply DT DLPDUs..... | 175 |
| Table 57 – Structure of connection-oriented CA, CD, DT and ED DLPDUs..... | 177 |
| Table 58 – Short format SD-parameters for DLCEP state..... | 178 |
| Table 59 – Long format SD-parameters for DLCEP state: 1st octet..... | 178 |
| Table 60 – Long format SD-parameters for DLCEP state: 2nd octet..... | 178 |
| Table 61 – Long format SD-parameters for DLCEP state: 3rd octet..... | 179 |
| Table 62 – Reply status for SR DLPDUs | 180 |
| Table 63 – Short format SR-parameters..... | 180 |
| Table 64 – Structure of TD-parameters | 181 |
| Table 65 – Structure and encoding of the DL-time-quality measures | 181 |
| Table 66 – Approximate numeric significance of the bits of seven-octet DL-time | 182 |
| Table 67 – Approximate numeric significance of the bits of three-octet short time | 183 |
| Table 68 – Structure of RQ-parameters | 183 |
| Table 69 – Structure of RR-parameters..... | 184 |
| Table 70 – Structure and encoding of the RR-time-quality measures | 184 |
| Table 71 – Structure of PN-parameters..... | 185 |
| Table 72 – PN-parameters: 1st octet..... | 185 |
| Table 73 – PN-parameters: 2nd octet..... | 185 |
| Table 74 – PN-parameters: 3rd and 4th octets | 186 |
| Table 75 – PN-parameters: 5th octet | 186 |
| Table 76 – PN-parameters: 6th octet | 186 |

| | |
|---|-----|
| Table 77 – Structure of DD-parameters..... | 186 |
| Table 78 – Components of returned DL-time..... | 244 |
| Table 79 – Time synchronization computation..... | 246 |
| Table 80 – SPDU 1st octet: SPDU class, and protocol version or subclass | 254 |
| Table 81 – Probe-response SPDU | 255 |
| Table 82 – DL-protocol versions supported..... | 255 |
| Table 83 – PR-SPDU: 3rd and 4th octets | 256 |
| Table 84 – Node-activation SPDU..... | 257 |
| Table 85 – Node-activation SPDU: 4th octet | 257 |
| Table 86 – LAS-data-base-status SPDU | 258 |
| Table 87 – LAS-data-base-status SPDU: 2nd octet..... | 258 |
| Table 88 – Live-list- change SPDU | 259 |
| Table 89 – DLE-status structure..... | 259 |
| Table 90 – Live-list-detail SPDU | 260 |
| Table 91 – DL-conformance-reply SPDU..... | 261 |
| Table 92 – DL-protocol versions supported..... | 261 |
| Table 93 – DL-conformance encoding (portion 1)..... | 262 |
| Table 94 – DL-conformance encoding (portion 2)..... | 262 |
| Table 95 – DL-conformance encoding (portion 3)..... | 262 |
| Table 96 – DL-conformance encoding (portion 4)..... | 263 |
| Table 97 – Link-basic-parameters-reply SPDU..... | 263 |
| Table 98 – Link-master-parameters-reply SPDU..... | 264 |
| Table 99 – Token-hold-time-request SPDU..... | 265 |
| Table 100 – Token-hold-time-array SPDU..... | 266 |
| Table 101 – Sequence element header encoding..... | 268 |
| Table 102 – SHORT DL-address and duration sequence element | 268 |
| Table 103 – LONG DL-address and duration sequence element | 269 |
| Table 104 – Wakeup request sequence element | 269 |
| Table 105 – Schedule-request SPDU | 270 |
| Table 106 – Sequence type, schedule type and priority encoding | 270 |
| Table 107 – Scheduling-completed SPDU..... | 272 |
| Table 108 – Status and reason codes | 272 |
| Table 109 – Cancel-schedule SPDU | 273 |
| Table 110 – Schedule-cancelled SPDU..... | 273 |
| Table 111 – Link-schedule | 274 |
| Table 112 – Schedule-summary SPDU | 275 |
| Table 113 – Subschedule-SPDU reference | 276 |
| Table 114 – Subschedule SPDU | 276 |
| Table 115 – Sequence Sub-SPDU | 277 |
| Table 116 – Element-description..... | 278 |
| Table 117 – Schedule-summary-request SPDU..... | 279 |
| Table 118 – Subschedule-request SPDU | 279 |
| Table 119 – Parameter-list element-header encoding | 280 |

| | |
|---|-----|
| Table 120 – Begin/end-of-list element..... | 280 |
| Table 121 – Continuation-of-list element..... | 280 |
| Table 122 – SHORT DL-address list element | 281 |
| Table 123 – LONG DL-address element | 281 |
| Table 124 – DLSAP-address-characteristics element..... | 282 |
| Table 125 – DLCEP-characteristics element | 282 |
| Table 126 – Address-query SPDU | 283 |
| Table 127 – Address-report SPDU | 284 |
| Table 128 – Address-list-query SPDU | 285 |
| Table 129 – DL-address selection criteria | 285 |
| Table 130 – Address-list-reply SPDU | 287 |
| Table 131 – Topology change notification BPDU format..... | 334 |
| Table 132 – Configuration BPDU format | 334 |
| Table 133 – Maximum permitted phase-tracking error in a DLE's sense of DL-time at the minimum requireable Time Distribution period..... | 343 |
| Table B.1 – Generic assignment of FC code points..... | 404 |
| Table B.2 – Individual assignment of FC code points | 405 |
| Table B.3 – Reply status for SR DLPDUs..... | 408 |
| Table B.4 – Reply status for unitdata-acknowledgment and exchange-unitdata-reply DT DLPDUs..... | 409 |
| Table B.5 – Approximate numeric significance of the bits of seven-octet DL-time..... | 414 |
| Table B.6 – Approximate numeric significance of the bits of N(NT), A...A, and three-octet C(NT)..... | 414 |
| Table B.7 [Table 1] – Link node selector addressing..... | 418 |
| Table B.8 [Table 2] – Link-local node selector addressing..... | 418 |
| Table B.9 [Table 5] – Predefined flat non-local DL-addresses | 419 |
| Table B.10 [Table 6] – Predefined flat link-local DL-addresses..... | 419 |
| Table B.11 [Table 3] – Link-local node designators | 420 |
| Table B.12 [Table 4] – Node-local selector addressing..... | 420 |
| Table B.13 [Table 7]– Predefined node-local DL-addresses | 420 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 4-1: Data-link layer protocol specification – Type 1 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC draws attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

Type 1 time synchronization and possibly other Types:

JP Hei4-35096 [YC] Communication control method

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from

[YC]: Jun-ichi Tsuboi, Mr.
Yamatake Corporation
Shibuyaku Shibuya, 2-12-19
Tohtate International Building
150-8316 Tokyo
Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.