INTERNATIONAL STANDARD

ISO
11568-6

First edition
1998-07-15

Banking — Key management (retail) —

Part 6:
Key management schemes

Banque — Gestion de clés (services aux particuliers) —

Partie 6: Schémas de gestion de clés

Contents

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 11568-6 was prepared by Technical Committee ISO/TC 68, *Banking, securities and other financial services*, Subcommittee SC 6, *Retail financial services*.

ISO 11568 consists of the following parts, under the title *Banking — Key management (retail)*:

— *Part 1: Introduction to key management*

— *Part 2: Key management techniques for symmetric ciphers*

— *Part 3: Key life cycle for symmetric ciphers*

— *Part 4: Key management techniques using public key cryptography*

— *Part 5: Key life cycle for public key cryptosystems*

— *Part 6: Key management schemes*

Annexes A and B of this part of ISO 11568 are for information only.

Introduction

ISO 11568 is one of a series of standards describing procedures for the secure management of the cryptographic keys used to protect messages in a retail banking environment, for instance, messages between an acquirer and a card acceptor, or an acquirer and a card issuer. Management of keys used in an Integrated Circuit Card (ICC) environment is not covered by ISO 11568 but will be addressed in another ISO standard.

Whereas key management in a wholesale banking environment is characterized by the exchange of keys in a relatively high-security environment, this standard addresses the key management requirements that are applicable in the more accessible domain of retail banking services. Typical of such services are point-of-sale/point-of-service (POS) debit and credit authorizations and automated teller machine (ATM) transactions.

ISO 11568 is a multi-part standard.

This part of ISO 11568 provides general information and criteria concerning key management schemes for use in a retail banking environment. Annex A provides a description of certain key management schemes that are considered by ISO members as suitable for implementation in the retail banking environment.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

ISO 11568-6:1998
https://standards.iteh.ai/catalog/standards/sist/2c1ab7bb-e211-4d37-8a78-
26b6f222fdf0/iso-11568-6-1998

1 Scope

This part of ISO 11568 contains descriptions of key management schemes that have been submitted by national standards bodies of member countries as suitable for implementation in retail banking environments.

Each description is intended only to provide an overview of the key management scheme, pointing out its main characteristics, the particular techniques employed and other useful information.

More detailed information about these schemes is to be found in the documents named as reference material within each description.

2 Normative references

iTeh STANDARD PREVIEW

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 11568. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 11568 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 8908:1993, *Banking and related financial services — Vocabulary and data elements*.

ISO/IEC 9796:1991, *Information technology — Security techniques — Digital signature scheme giving message recovery*.

ISO/IEC 9798-3:1993, *Information technology — Security techniques — Entity authentication mechanisms — Part 3: Entity authentication using a public key algorithm*.

ISO/IEC 10118 (all parts), *Information technology — Security techniques — Hash functions*.

ISO 11166 (all parts), *Banking — Key management by means of asymmetric algorithms*.

ISO 11568-1:1994, *Banking — Key management (retail) — Part 1: Introduction to key management*.

ISO/IEC 11770:—[1], *Information technology — Security techniques — Key management — Part 3: Mechanisms using asymmetric techniques*.

ISO 13491-1:—[1], *Banking — Secure cryptographic devices (retail) — Part 1: Concepts, requirements and evaluation methods*.

ISO 13491-2:—[1], *Banking — Secure cryptographic devices (retail) — Part 2: Security compliance checklists for devices used in magnetic stripe card systems*.

---

1) To be published.

3 Definitions

For the purposes of this part of ISO 11568, the definitions given in ISO 8908 apply.

4 Generic overview of retail banking key management schemes

A key management scheme is a set of rules that define how cryptographic keys in retail banking systems are to be created, distributed, used and replaced.

The objective of a key management scheme is to ensure that cryptographic keys are managed in such a way that the data that is ultimately to be protected will be safeguarded from potential compromise resulting from non-secure creation, transfer, use or replacement of cryptographic keys.

In order to accomplish this objective, key management schemes shall employ key management techniques described in ISO 11568-2 and ISO 11568-4.

Secure cryptographic devices, as described in ISO 13491, shall be used to provide the intended level of security.

The requirements and implementation of the phases of the life cycle of cryptographic keys are addressed in ISO 11568-3 and ISO 11568-5.

Key management schemes may employ symmetric, asymmetric or hybrid techniques.

A key management scheme shall conform to the key management principles set out in ISO 11568-1.

5 List of key management schemes

The following key management schemes are described in annex A of this part of ISO 11568.

— A.1 Inter-bank key management scheme (France)

— A.2 Transaction key management scheme (UK)

— A.3 Derived unique key per transaction scheme (USA)

— A.4 Telematic Base Security Standard (Switzerland)

— A.5 Terminal to Acquirer Key Management — Transaction Keys (Australia)

— A.6 Node to Node Key Management — Session Keys (Australia)

— A.7 Terminal to Acquirer Key Management — Session Keys (Australia)

— A.8 Terminal Cryptographic Unit Initialization using Asymmetric Cipher (Australia)

Annex A
(informative)

Description of key management schemes

A.1 Inter-bank key management scheme

RETAIL BANKING — KEY MANAGEMENT SCHEMES
(to be used in conjunction with ISO 11568-6)
NAME OF KEY MANAGEMENT SCHEME: *Inter-Bank Key Management Scheme*
SUBMITTED BY: *AFNOR* (France)
ASSOCIATED ALGORITHM(S): *DEA*
DESCRIPTION OF SCHEME: Master Key.   Connection Keys: Cryptoperiod is several years.   Key encipherment keys: This is an optional layer in the key hierarchy for use in high-volume systems. Cryptoperiod is 3 times the cryptoperiod of data keys — less one day. This is 3 months at the most.   Data keys (= Session keys): Automatically generated and distributed every "n" days — 31 days at the most. These keys are: — PIN Encryption key   — MAC key   NOTE   This implementation is a variation of Master Key/Session Key.
KNOWN IMPLEMENTATIONS: Inter-bank network in France.
TECHNICAL REFERENCES: Groupement Cartes Bancaires STUR RCB.

A.2 Transaction key management scheme

RETAIL BANKING — KEY MANAGEMENT SCHEMES
(to be used in conjunction with ISO 11568-6)
NAME OF KEY MANAGEMENT SCHEME: *APACS 40 TRANSACTION KEY*
SUBMITTED BY: *APACS, U.K.*
ASSOCIATED ALGORITHM(S): *DEA* (as defined in ANSI X3.92)
DESCRIPTION OF SCHEME: The scheme carries out the functions of: a)   Message authentication — producing 32-bit MAC's in accordance with ANSI X9.19. b)   PIN encryption — using a PIN/PAN block format in accordance with ANSI X9.8. **Key Management** Separate keys are used for the two functions. The keys are updated for each transaction using card data, a key register and a one-way function. The key register is updated at the terminal and the host using MAC residues. Messages within a transaction are linked by including the MAC residue from the previous message in the MAC calculation. End-to-end and "break forward" protection for PIN's can be acheived by omitting some of the card data from the transmitted messages. NOTE   This implementation is a variation on Non-Reversibly Transformed unique key per Transaction.
KNOWN IMPLEMENTATIONS: U.K.
TECHNICAL REFERENCES: APACS Standard 40: *Acquirer Interface Requirements for Electronic Data Capture Terminals: Data Capture Terminals: Part 3, Section 3 — Security.*

A.3 Derived unique key per transaction scheme

RETAIL BANKING — KEY MANAGEMENT SCHEMES
(to be used in conjunction with ISO 11568-6)
NAME OF KEY MANAGEMENT SCHEME: *Derived Unique Key per Transaction*
SUBMITTED BY: *U.S.A.*
ASSOCIATED ALGORITHM(S): *DEA*
DESCRIPTION OF SCHEME: A unique key is generated for each transaction.   A Security Management Information Data element (SMID) resides in each terminal and in each acquirer security module.   A SMID contains: — key set identifier (KSID) that identifies/designates base key;   — tamper resistant security module (TRSM) ID that enables acquirer to compute initially;   — loaded key;   — transaction counter, incremented with each transaction using cryptography.   Terminal derives (i.e. creates) a new transaction key from previous transaction key.   Based on data in its SMID, acquirer can compute transaction key for any transaction from any terminal to which it is linked.
KNOWN IMPLEMENTATIONS: U.S.A.
TECHNICAL REFERENCES: ANSI X9.24.