



IEC 62591

Edition 2.0 2016-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial networks – Wireless communication network and communication profiles – WirelessHART™
iTECH STANDARD PREVIEW
(standards.iteh.ai)

Réseaux industriels – Réseau de communications sans fil et profils de communication – WirelessHART™
IEC 62591:2016
<https://standards.iec.ch/catalog/standards/sist/40de45f5-f70d-4e65-bf28-174b96a1829d/iec-62591-2016>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial networks – Wireless communication network and communication profiles – WirelessHART™ (standards.iteh.ai)

Réseaux industriels – Réseau de communications sans fil et profils de communication – WirelessHART™
<http://catalog.iteh.ai/catalog/standards/sist/40de45f5-f70d-4e65-bf28-174b96a1829d/iec-62591-2016>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-3174-6

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	24
INTRODUCTION.....	26
1 Scope.....	28
2 Normative references.....	28
3 Terms, definitions, symbols, abbreviations and conventions	29
3.1 Reference model terms and definitions	29
3.1.1 Terms and definitions from ISO/IEC 7498-1 terms and ISO/IEC 7498-3 terms	29
3.1.2 Terms and definitions from ISO/IEC 9545	30
3.1.3 Terms and definitions from ISO/IEC 8824	30
3.1.4 Terms and definitions from ISO/IEC 8825-1	31
3.2 Specific terms and definitions	31
3.3 Abbreviations	40
3.4 Conventions	42
3.4.1 Conventions used for DL-services	42
3.4.2 Conventions used for DL-protocol (state machine)	43
3.4.3 Conventions for Application Layer service	44
3.4.4 Conventions for the AL-protocol	47
4 Physical layer specification and service definition.....	51
4.1 General.....	51
4.2 Physical layer service definition.....	51
4.2.1 General overview.....	51
4.2.2 Physical layer services.....	52
4.3 Physical layer protocol specification	56
5 Data-link layer service definition – Type 20 elements.....	56
5.1 General.....	56
5.2 Data-link layer services	56
5.2.1 Facilities of the data-link layer services	56
5.2.2 QoS for message service	57
5.2.3 Sequence of primitives	58
5.2.4 DL-TRANSMIT service	60
5.2.5 DL-RECEIVE service	62
5.2.6 DL-DISCONNECT service	63
5.2.7 DL-PATH-FAILURE service	63
5.2.8 DL-ADVERTISE service	63
5.2.9 DL-NEIGHBOR service	64
5.2.10 DLM-SET.....	64
5.2.11 DLM-GET	65
5.2.12 DLM-ACTION.....	66
5.2.13 DLM-EVENT	67
5.3 Network layer services	67
5.3.1 Facilities of the network layer services.....	67
5.3.2 QoS for message service	67
5.3.3 Sequence of primitives	68
5.3.4 NL-TRANSMIT Service	68
5.3.5 NLM-SET.....	70

5.3.6	NLM-GET	71
5.3.7	NLM-ACTION.....	71
5.4	Transport layer services	72
5.4.1	Facilities of the transport layer services	72
5.4.2	QoS for message service	73
5.4.3	Sequence of primitives	73
5.4.4	TL-DATA-TRANSFER Service.....	74
5.4.5	TL-DATA-EXCHANGE Service	76
5.4.6	TLM-SET	78
5.4.7	TLM-GET.....	78
6	Data-link layer protocol specification – Type 20 elements	79
6.1	General.....	79
6.2	Overview.....	79
6.2.1	Data-link layer operation	79
6.2.2	Network layer operation	82
6.2.3	Device procedures	84
6.3	Logical link control	84
6.3.1	General DLPDU structure.....	84
6.3.2	DLPDU-specific structure, encoding and elements of procedure	88
6.3.3	DLPDU Priority and Flow Control.....	92
6.3.4	Error detection and security.....	93
6.4	Medium Access Control	95
6.4.1	Function	95
6.4.2	Slot timing	95
6.4.3	Communication tables and buffers..... https://standards.iteh.ai/encoding-standards/sis/40dc45f-f70d-4e65-b28	98
6.4.4	Link scheduling	104
6.4.5	MAC operation	108
6.5	DL-management-information	118
6.5.1	General	118
6.5.2	DL attributes	118
6.5.3	DLM actions.....	119
6.6	Network layer.....	119
6.6.1	Two level model of NL.....	119
6.6.2	NPDU structure.....	122
6.6.3	Security function	125
6.6.4	Network layer tables	130
6.6.5	NLE machine	132
6.6.6	NLE elements of procedure	135
6.6.7	NL-management information	138
6.7	Transport layer.....	139
6.7.1	General	139
6.7.2	TPDU structure	139
6.7.3	Transport pipe table	140
6.7.4	TLE elements of procedure	141
6.7.5	TLE state machines	144
6.7.6	TL-management information.....	147
7	Application layer service definition – Type 20 elements	148
7.1	Common concepts.....	148
7.2	General.....	148

7.3	Data type ASE	148
7.3.1	Overview	148
7.3.2	Formal definition of data type objects	150
7.3.3	FAL defined data types	152
7.3.4	Data type ASE service specification	155
7.3.5	Summary of data types.....	155
7.4	Communication model specification	156
7.4.1	Common parameters	156
7.4.2	ASEs	157
7.4.3	ARs	230
7.4.4	Summary of classes	233
7.4.5	Permitted services by AREP role	233
8	Application layer protocol specification – Type 20 elements	234
8.1	General.....	234
8.2	Abstract syntax	234
8.3	Transfer syntax	234
8.3.1	Common APDU fields.....	234
8.3.2	Common APDU structure	235
8.3.3	Device application service-specific APDU structures	238
8.3.4	Layer management service specific APDU structures.....	263
8.3.5	Gateway and network manager specific APDU structures.....	306
8.3.6	Network management configuration specific APDU structures	328
8.3.7	Data coding rules	346
8.4	Common procedures	350
8.4.1	Delayed response..... https://standards.iec.ch/standard/62591-2016	350
8.4.2	Response time	354
8.5	FAL service protocol machine (FSPM)	355
8.5.1	General	355
8.5.2	FSPM state tables.....	355
8.5.3	Functions used by FSPM.....	357
8.5.4	Parameters of FSPM/ARPM primitives.....	358
8.6	Application relationship protocol machines (ARPMs)	359
8.6.1	AREP mapping to transport layer.....	359
8.6.2	Application relationship protocol machines (ARPMs).....	360
8.6.3	AREP state machine primitive definitions.....	362
8.6.4	AREP state machine functions.....	363
8.7	TL mapping protocol machine (TMPM).....	363
8.7.1	TMPM states.....	363
8.7.2	TMPM state machines.....	363
8.7.3	Primitives exchanged between transport layer and TMPM	364
8.7.4	Functions used by TMPM	365
9	Communication Profile Family 9 (HART™)	365
9.1	General Overview	365
9.2	Profile 9/1	366
9.3	Profile 9/2	366
9.3.1	Conformance statement	366
9.3.2	Device types	367
9.3.3	Device worldwide applicability	369
9.3.4	Physical layer	370

9.3.5	Data-link layer	373
9.3.6	Application layer	374
Annex A (normative) Security	385	
A.1	General.....	385
A.2	Joining.....	386
A.2.1	The join sequence.....	386
A.2.2	The network layer join process	392
A.2.3	The data-link layer join process	393
A.3	Network key change operation.....	396
A.4	Security management.....	397
A.5	Maintenance Port	397
Annex B (normative) Wireless procedures	399	
B.1	Initializing a wireless network	399
B.2	Neighbor Discovery	399
B.3	Path failure	400
B.4	Device leaving the network.....	401
Annex C (normative) Network management	403	
C.1	Overview.....	403
C.2	Network manager functions	404
Annex D (normative) Gateway	406	
D.1	Overview.....	406
D.2	Access point	406
D.3	Functions.....	408
D.3.1	General requirements..... IEC 62591:2016	408
D.3.2	Adding new network devices	409
D.3.3	Device configuration change status notifications	409
D.3.4	Gateway change notification function.....	409
D.3.5	Cached response messages.....	409
D.3.6	Service access point	410
D.3.7	Communication between gateway and network manager.....	410
Annex E (normative) Command response codes	411	
E.1	Overview.....	411
E.1.1	General	411
E.1.2	Response code classifications.....	411
E.1.3	Reserved values	411
E.1.4	Unimplemented command	412
E.1.5	Busy	412
E.2	Response code definitions.....	412
E.2.1	General	412
E.2.2	Value '0'	412
E.2.3	Value '1' – single-definition error	412
E.2.4	Value '2' – single-definition error	412
E.2.5	Value '3' – single-definition error	412
E.2.6	Value '4' – single-definition error	412
E.2.7	Value '5' – single-definition error	412
E.2.8	Value '6' – single-definition error	413
E.2.9	Value '7' – single-definition error	413
E.2.10	Value '8' – multi-definition warning	413

E.2.11	Value '9' – multi-definition error	413
E.2.12	Value '10' – multi-definition error	414
E.2.13	Value '11' – multi-definition error	414
E.2.14	Value '12' – multi-definition error	414
E.2.15	Value '13' – multi-definition error	414
E.2.16	Value '14' – multi-definition warning	415
E.2.17	Value '15' – multi-definition error	415
E.2.18	Value '16' – single-definition error	415
E.2.19	Value '17' – single-definition error	415
E.2.20	Value '18' – single-definition error	415
E.2.21	Value '19' – single-definition error	415
E.2.22	Value '20' – single-definition error	415
E.2.23	Values '21' to '23' – single-definition error	416
E.2.24	Values '24' to '27' – single-definition warning	416
E.2.25	Value '28' – multi-definition error	416
E.2.26	Value '29' – multi-definition error	416
E.2.27	Value '30' – multi-definition warning	416
E.2.28	Value '31' – multi-definition warning	416
E.2.29	Value '32' – single-definition error	416
E.2.30	Value '33' – single-definition error	416
E.2.31	Value '34' – single-definition error	416
E.2.32	Value '35' – single-definition error	417
E.2.33	Value '36' – single-definition error	417
E.2.34	Values '37' to '59' – single-definition error	417
E.2.35	Value '60' – single-definition error	417
E.2.36	Value '61' – single-definition error	417
E.2.37	Value '62' – single-definition error	417
E.2.38	Value '63' – single-definition error	417
E.2.39	Value '64' – single-definition error	417
E.2.40	Value '65' – multi-definition error	417
E.2.41	Value '66' – multi-definition error	418
E.2.42	Value '67' – multi-definition error	418
E.2.43	Value '68' – multi-definition error	419
E.2.44	Value '69' – multi-definition error	419
E.2.45	Value '70' – multi-definition error	419
E.2.46	Value '71' – multi-definition error	419
E.2.47	Values '72' to '95' – multi-definition error	419
E.2.48	Values '96' to '111' – single-definition warning	419
E.2.49	Values '112' to '127' – multi-definition warning	419
Annex F (normative) Common tables	420	
F.1 Overview	420	
F.1.1 General	420	
F.1.2 Enumeration	420	
F.1.3 Bit Field	420	
F.2 Table definitions	421	
F.2.1 Publish mode control codes	421	
F.2.2 Write device variable codes	421	
F.2.3 Device variable family codes	422	
F.2.4 Device variable classification codes	422	

F.2.5	Analog channel saturated codes	423
F.2.6	Analog channel fixed codes	424
F.2.7	Standardized status 0 codes	424
F.2.8	Standardized status 1 codes	424
F.2.9	Standardized status 2 codes	425
F.2.10	Standardized status 3 codes	425
F.2.11	Publish trigger mode codes	426
F.2.12	Event notification control codes	426
F.2.13	Event status codes	426
F.2.14	Timetable request codes	426
F.2.15	Timetable application domain codes	427
F.2.16	Synchronous action control codes	427
F.2.17	Real-time clock flags codes	427
F.2.18	Wireless timer codes	427
F.2.19	Device power source codes	428
F.2.20	Link_type codes	428
F.2.21	Link option flags codes	428
F.2.22	Superframe mode flags codes	429
F.2.23	Session_type codes	429
F.2.24	Timetable deletion reason codes	429
F.2.25	Disconnect cause codes	429
F.2.26	Wireless operation codes	430
F.2.27	Join process status codes	430
F.2.28	Security type codes	430
F.2.29	Device list codes	431
F.2.30	Network access mode codes	431
F.2.31	Device profile codes	432
F.2.32	Device power status codes	432
F.2.33	Neighbor flags codes	432
F.2.34	Notification mask codes	433
F.2.35	Join mode codes	433
F.2.36	Device scheduling flags codes	433
F.2.37	Network optimization flags codes	433
F.2.38	Wireless capabilities codes	434
F.2.39	CCA mode codes	434
F.2.40	Wireless device connection status	434
F.2.41	Wireless device health status	434
F.2.42	Change key flag codes	435
F.2.43	Join key mode code	435
Annex G (informative)	Application of publish data mode and event commands	436
G.1	Publish data mode operation	436
G.1.1	Overview	436
G.1.2	Configuring a device for publish data mode operation	436
G.1.3	Response for publish data mode operation	437
G.1.4	Publish data mode update periods	437
G.2	Event notification operation	438
G.2.1	Overview	438
G.2.2	Configuring a device event notification operation	438
G.2.3	Handling of Event Notification in a Device	438

Annex H (informative) Network redundancy	440
Annex I (informative) Network manager implementation.....	441
I.1 Overview.....	441
I.2 Network manager model.....	441
I.2.1 General	441
I.2.2 Initializing the network manager	443
I.2.3 Types of network devices	443
I.2.4 Network routing.....	444
I.2.5 Network schedule	445
I.2.6 Security manager.....	449
I.2.7 Detailed model of the network manager	449
I.3 Routing	451
I.3.1 General	451
I.3.2 Routing requirements	451
I.3.3 Routing strategy.....	451
I.4 Scheduling.....	452
I.4.1 General	452
I.4.2 Scheduling requirements	452
I.4.3 Scheduling strategy	453
I.4.4 Networking scheduling example	454
I.5 Network manager interface.....	459
I.5.1 General	459
I.5.2 Initializing a wireless network	460
I.5.3 Allocating communication resources.....	461
I.5.4 Adjusting network schedule.....	462
I.5.5 Health reports	463
Annex J (informative) Gateway implementation.....	464
J.1 Overview.....	464
J.2 Gateway model	464
J.2.1 General	464
J.2.2 Host interface	465
J.2.3 Logical network device	465
J.2.4 Physical network device	466
J.2.5 Communication interface.....	466
J.2.6 Cached response messages.....	467
J.3 Gateway management.....	468
J.3.1 Addressing.....	468
J.3.2 Retry mechanisms	468
J.3.3 Power-on-reset	468
J.3.4 Network access point reset	469
J.3.5 Gateway reset.....	469
J.3.6 Re-build publish data periodic data.....	469
J.3.7 Gateway self test	470
J.3.8 Adding new network device	470
J.3.9 Device configuration change status notifications	470
J.4 Gateway superframe	470
J.5 Gateway change notification services	470
J.6 HART™ commands interface.....	472
J.6.1 General	472

J.6.2	Host to gateway command request and response	472
J.6.3	Pass-through of HART™ command request and response	473
J.6.4	Caching publish data command response messages.....	473
J.6.5	Gateway status error flag bits	473
J.6.6	Gateway additional status flags	473
J.6.7	Gateway capacities	474
J.6.8	Gateway commands	474
Annex K (informative)	Handheld device	475
K.1	Overview.....	475
K.2	Maintenance port connection	475
K.3	Network device connection	475
K.3.1	General	475
K.3.2	Install session keys	476
K.3.3	View network diagnostics and health reports.....	476
K.4	Network connection as a maintenance device	476
Annex L (informative)	Application of WirelessHART Commands	477
L.1	Provisioning	477
L.1.1	General	477
L.1.2	Basic Provisioning.....	477
L.1.3	Joining.....	477
L.1.4	Enabling Faster Network Detection and Joining	478
L.1.5	Adjusting Transmit Power.....	478
L.2	Managing Superframes and Links	478
L.3	WirelessHART Handheld Support <small>IEC 62591:2016</small>	479
L.4	Specifying and Managing Routes <small>IEC 62591:2016/IEC 62591-174b96a1829d/iec-62591-2016</small>	480
L.5	Security	481
L.5.1	General	481
L.5.2	TDMA Data-Link Key Management	481
L.5.3	Session Key Management	481
L.5.4	Access Control.....	482
L.5.5	Simple Key Management.....	483
L.6	Device Lists	483
L.7	Network Management Commands.....	484
L.7.1	General	484
L.7.2	Bandwidth Management	484
L.7.3	Network Maintenance.....	485
L.7.4	Coexistence	486
L.7.5	Device Management.....	486
L.8	Network Health Reporting and Status	487
L.9	Gateway Commands	488
L.9.1	General	488
L.9.2	Device Identification.....	488
L.9.3	Network Information and Statistics.....	488
L.9.4	Network Management	489
L.9.5	Cache Management	489
Annex M (informative)	Regional modification for compliance with ETSI standards	491
M.1	General.....	491
M.2	Compliance with EN 300 440-2	491
M.3	Compliance with EN 300 328	491

M.3.1	General	491
M.3.2	Adaptive	492
M.3.3	Non-Adaptive	492
Bibliography	496	
Figure 1 – Superframe class example.....	49	
Figure 2 – Inheritance example	50	
Figure 3 – Basic aggregation example.....	50	
Figure 4 – Composition aggregation example	51	
Figure 5 – Physical layer service sequences	53	
Figure 6 – Message service error-free sequences.....	59	
Figure 7 – Message service sequences with errors	60	
Figure 8 – Receive only message service	60	
Figure 9 – NLL Data transfer service sequences.....	68	
Figure 10 – Data transfer service error-free sequences.....	74	
Figure 11 – Data transfer service sequences with errors	74	
Figure 12 – A TDMA slot and superframe	80	
Figure 13 – Channel hopping	81	
Figure 14 – Wireless network	83	iTech STANDARD PREVIEW
Figure 15 – DLPDU Structure	84	(standards.iteh.ai)
Figure 16 – Address specifier.....	85	
Figure 17 – Construction of 8-octet EUI-64 Address.....	86	
Figure 18 – DLPDU specifier.....	86	https://standards.iteh.ai/catalog/standards/sist/40de45f5-f70d-4e65-bf28-174b96a1829d/iec-62591-2016
Figure 19 – Slot timing details	96	
Figure 20 – DLE tables and relationship	98	
Figure 21 – Relationships used for link scheduling.....	105	
Figure 22 – MAC components	108	
Figure 23 – TDMA state machine	109	
Figure 24 – XMIT state machine.....	113	
Figure 25 – RECV state machine	115	
Figure 26 – ACK transmission state machine	117	
Figure 27 – Graph routing	121	
Figure 28 – Source routing.....	122	
Figure 29 – NPDU Structure.....	123	
Figure 30 – NPDU control octet.....	123	
Figure 31 – Security control octet.....	124	
Figure 32 – NLE tables and relationship	130	
Figure 33 – NLE state machine	133	
Figure 34 – Routing decision of the NPDU.....	137	
Figure 35 – TPDU Structure	139	
Figure 36 – TPDU control octet	140	
Figure 37 – Transition diagram of the client data transfer state machine	144	
Figure 38 – Transition diagram of the client data exchange state machine	145	

Figure 39 – Transition diagram of the server state machine	146
Figure 40 – Data type class hierarchy	149
Figure 41 – Request APDU format from master to slave	235
Figure 42 – Normal response APDU format from slave to master	236
Figure 43 – Command error response APDU format from slave to master	236
Figure 44 – Aggregated command APDU.....	237
Figure 45 – Windowed trigger mode	250
Figure 46 – Windowed trigger mode with maximum update time expired	250
Figure 47 – Level trigger mode.....	251
Figure 48 – Coding without identification	346
Figure 49 – Coding of Integer type data.....	346
Figure 50 – Coding of Unsigned type data	347
Figure 51 – Coding of single precision floating point type data.....	347
Figure 52 – Coding of double precision floating point type data.....	348
Figure 53 – Coding of Date type data	348
Figure 54 – Normal DR operation	352
Figure 55 – Command responses during DR processing	353
Figure 56 – Slaves with multiple DR buffers.....	354
Figure 57 – State transition diagram of FSPM.....	355
Figure 58 – State transition diagram of the client ARPM	361
Figure 59 – State transition diagram of the server ARPM	362
Figure 60 – State transition diagram of TMPM <small>IEC 62591:2016 https://standards.iec.ch/catalog/standards/sist/40de45b-f70d-4e65-bf28-17490aa829d/iec-62591-2016</small>	363
Figure 61 – Wireless network components <small>IEC 62591:2016 https://standards.iec.ch/catalog/standards/sist/40de45b-f70d-4e65-bf28-17490aa829d/iec-62591-2016</small>	367
Figure A.1 – Join sequence.....	388
Figure A.2 – Network layer join procedure	392
Figure A.3 – Data-link layer join procedure	394
Figure A.4 – Network Key change operation	397
Figure B.1 – Neighbor Discovery	400
Figure B.2 – Path failure	401
Figure B.3 – Device leaving the network.....	402
Figure C.1 – Network manager in wireless network.....	403
Figure D.1 – Single network access point with clock	407
Figure D.2 – Multiple network access points with clocks	407
Figure D.3 – Network access point not providing clock.....	408
Figure G.1 – Enabling or disabling publishing sequence	437
Figure H.1 – Network routing.....	440
Figure I.1 – General model for network manager	442
Figure I.2 – Device type data model	443
Figure I.3 – Network routing	444
Figure I.4 – Network schedule.....	446
Figure I.5 – Example of a three-slot superframe	447
Figure I.6 – Multiple superframes in a network.....	447
Figure I.7 – Security manager	449

Figure I.8 – Detailed model of the network manager	450
Figure I.9 – Four network device wireless network.....	455
Figure I.10 – APDU sequences	459
Figure I.11 – Initializing a wireless network	461
Figure I.12 – Allocating and using network resources	462
Figure I.13 – Adjusting network schedule	463
Figure I.14 – Health reports	463
Figure J.1 – General model for gateway	465
Figure J.2 – Logical network device.....	466
Figure J.3 – Physical network device.....	466
Figure J.4 – Managing notification services	471
Figure M.1 – Consecutive Transmit Sequence	494
Figure M.2 – ACK-Transmit Sequence.....	495
 Table 1 – Conventions used for state machines	47
Table 2 – Class relationship notation.....	49
Table 3 – Multiplicity notation.....	51
Table 4 – PH-ENABLE primitives and parameters	53
Table 5 – PH-CCA primitives and parameters	54
Table 6 – PH-DATA primitives and parameters.....	54
Table 7 – PHM-SET primitive and parameters.....	55
Table 8 – PHM-GET primitive and parameters	56
Table 9 – DL-Transmit primitives and parameters	61
Table 10 – DL-RECEIVE primitive and parameters.....	62
Table 11 – DL-DISCONNECT primitive and parameters.....	63
Table 12 – DL-PATH-FAILURE primitive and parameters.....	63
Table 13 – DL-ADVERTISE primitive and parameters	64
Table 14 – DL-NEIGHBOR primitive and parameters	64
Table 15 – DLM-SET primitive and parameters.....	65
Table 16 – DLM-GET primitive and parameters	65
Table 17 – DLM-ACTION primitive and parameters.....	66
Table 18 – NL-TRANSMIT primitives and parameters	69
Table 19 – NLM-SET primitive and parameters.....	70
Table 20 – NLM-GET primitive and parameters	71
Table 21 – NLM-ACTION primitive and parameters.....	71
Table 22 – TL-DATA-TRANSFER primitives and parameters	75
Table 23 – TL-DATA-EXCHANGE primitives and parameters.....	76
Table 24 – TLM-Set primitive and parameters.....	78
Table 25 – TLM-Get primitive and parameters	79
Table 26 – Network_ID Allocation.....	85
Table 27 – Contents of the ACK DLPDU payload.....	88
Table 28 – ACK response-code	89
Table 29 – Contents of the Advertise DLPDU payload	90

Table 30 – Beginning of the superframe	90
Table 31 – The next field after the last superframe size	90
Table 32 – Repeated for each link	91
Table 33 – Channel and frequency assignments	91
Table 34 – Slot timing definitions and values	96
Table 35 – Minimum DLE Table and buffer space requirement	98
Table 36 – Superframe attributes	99
Table 37 – Link attributes	100
Table 38 – Neighbor attributes and variables	101
Table 39 – Graph attributes	103
Table 40 – Packet record	103
Table 41 – Example Backoff_cnr selection sets	106
Table 42 – TDMA state machine	110
Table 43 – XMIT state transitions	113
Table 44 – RECV state machine	116
Table 45 – ACK transmission state machine	118
Table 46 – DL attributes	119
Table 47 – DL actions	119
Table 48 – Counter value	125
Table 49 – Session attributes	126
Table 50 – NPDU nonce	128
Table 51 – Minimum NLE Table space requirement	131
Table 52 – Route attributes	131
Table 53 – Source route attributes	132
Table 54 – TimeTable attributes	132
Table 55 – NLE states	133
Table 56 – NPDU construction	135
Table 57 – Routing actions	137
Table 58 – NL attributes	138
Table 59 – NL actions	139
Table 60 – Transport pipe attributes	141
Table 61 – Transport control encoding for TL-DATA-TRANSFER request	141
Table 62 – Transport control encoding for TL-DATA-EXCHANGE request	142
Table 63 – Transport control encoding for TL-DATA-EXCHANGE response	143
Table 64 – Client data transfer state table	145
Table 65 – Client data exchange state table	146
Table 66 – Server state table	147
Table 67 – Data type summary	156
Table 68 – Response code values	157
Table 69 – Read service parameters	160
Table 70 – Write service parameters	162
Table 71 – Information report service parameters	163
Table 72 – Action service parameters	165