

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 2: Circuit-breakers**

**Appareillage à basse tension –
Partie 2: Disjoncteurs**

IEC 60947-2:2016

<https://standards.iteh.ai/catalog/standards/iec/02c635ab-639e-4cda-9787-afd1fb3fa0e2/iec-60947-2-2016>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 60947-2

Edition 5.1 2019-07
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Low-voltage switchgear and controlgear –
Part 2: Circuit-breakers

Appareillage à basse tension –
Partie 2: Disjoncteurs

IEC 60947-2:2016

<https://standards.iteh.ai/catalog/standards/iec/02c635ab-639e-4cda-9787-afd1fb3fa0e2/iec-60947-2-2016>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.130.20

ISBN 978-2-8322-7150-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE

**Low-voltage switchgear and controlgear –
Part 2: Circuit-breakers**

**Appareillage à basse tension –
Partie 2: Disjoncteurs**

IEC 60947-2:2016

<https://standards.iteh.ai/catalog/standards/iec/02c635ab-639e-4cda-9787-afd1fb3fa0e2/iec-60947-2-2016>

CONTENTS

FOREWORD	15
1 General	17
1.1 Scope and object	17
1.2 Normative references	18
2 Terms and definitions	19
3 Classification	23
4 Characteristics of circuit-breakers	24
4.1 Summary of characteristics	24
4.2 Type of circuit-breaker	24
4.3 Rated and limiting values of the main circuit	25
4.3.1 General	25
4.3.2 Rated voltages	25
4.3.3 Currents	25
4.3.4 Rated frequency	26
4.3.5 Rated duty	26
4.3.6 Short-circuit characteristics	26
4.4 Selectivity categories	28
4.5 Control circuits	28
4.5.1 Electrical control circuits	28
4.5.2 Air-supply control circuits (pneumatic or electro-pneumatic)	29
4.6 Auxiliary circuits	29
4.7 Releases	29
4.7.1 Types	29
4.7.2 Characteristics	29
4.7.3 Current setting of over-current releases	30
4.7.4 Tripping time setting of over-current releases	30
4.8 Integral fuses (integrally fused circuit-breakers)	30
5 Product information	31
5.1 Nature of the information	31
5.2 Marking	31
5.3 Instructions for installation, operation and maintenance	34
6 Normal service, mounting and transport conditions	34
7 Constructional and performance requirements	34
7.1 Constructional requirements	34
7.1.1 General	34
7.1.2 Withdrawable circuit-breakers	35
7.1.3 Additional requirements for circuit-breakers suitable for isolation	35
7.1.4 Clearances and creepage distances	35
7.1.5 Requirements for the safety of the operator	35
7.1.6 List of construction breaks	35
7.1.7 Additional requirements for circuit-breakers provided with a neutral pole	36
7.1.8 Digital inputs and outputs for use with programmable logic controllers (PLCs)	36
7.2 Performance requirements	36
7.2.1 Operating conditions	36

7.2.2	Temperature-rise	39
7.2.3	Dielectric properties	40
7.2.4	Ability to make and break under no load, normal load and overload conditions	41
7.2.5	Ability to make and break under short-circuit conditions	42
7.2.6	Vacant	42
7.2.7	Additional requirements for circuit-breakers suitable for isolation	42
7.2.8	Specific requirements for integrally fused circuit-breakers	42
7.2.9	Co-ordination between a circuit-breaker and another short-circuit protective device	42
7.3	Electromagnetic compatibility (EMC)	42
8	Tests	42
8.1	Kind of tests	42
8.1.1	General	42
8.1.2	Type tests	43
8.1.3	Routine tests	43
8.2	Compliance with constructional requirements	43
8.3	Type tests	43
8.3.1	Test sequences	44
8.3.2	General test conditions	51
8.3.3	Test sequence I: General performance characteristics	60
8.3.4	Test sequence II: Rated service short-circuit breaking capacity	69
8.3.5	Test sequence III: Rated ultimate short-circuit breaking capacity	71
8.3.6	Test sequence IV: Rated short-time withstand current	72
8.3.7	Test sequence V: Performance of integrally fused circuit-breakers	73
8.3.8	Test sequence VI: combined test sequence	75
8.3.9	Critical d.c. load current test	77
8.4	Routine tests	78
8.4.1	General	78
8.4.2	Mechanical operation tests	78
8.4.3	Verification of the calibration of overcurrent releases	79
8.4.4	Verification of the operation of undervoltage and shunt releases	79
8.4.5	Additional tests for CBRs	79
8.4.6	Dielectric tests	80
8.4.7	Test for the verification of clearances less than those corresponding to case A of Table 13 of IEC 60947-1:2007	81
8.5	Special tests – Damp heat, salt mist, vibration and shock	81
Annex A (normative)	Co-ordination between a circuit-breaker and another short-circuit protective device associated in the same circuit	83
A.1	General	83
A.2	Scope and object	83
A.3	General requirements for the co-ordination of a circuit-breaker with another SCPD	84
A.3.1	General considerations	84
A.3.2	Take-over current	84
A.3.3	Behaviour of C ₁ in association with another SCPD	84
A.4	Type and characteristics of the associated SCPD	84
A.5	Verification of selectivity	85
A.5.1	General	85
A.5.2	Consideration of selectivity by desk study	85

A.5.3	Selectivity determined by test	86
A.6	Verification of back-up protection	87
A.6.1	Determination of the take-over current	87
A.6.2	Verification of back-up protection	87
A.6.3	Tests for verification of back-up protection	87
A.6.4	Results to be obtained	88
Annex B (normative)	Circuit-breakers incorporating residual current protection	95
B.1	General	126
B.1.1	Preamble	126
B.1.2	Scope and object	126
B.2	Terms and definitions	127
B.2.1	Terms and definitions relating to currents flowing from live parts to earth	127
B.2.2	Terms and definitions relating to the energization of a CBR	127
B.2.3	Terms and definitions relating to the operation and the functions of a CBR	128
B.2.4	Terms and definitions relating to values and ranges of energizing quantities	129
B.3	Classification	130
B.3.1	Classification according to the method of operation of the residual current function	130
B.3.2	Classification according to the possibility of adjusting the residual operating current	130
B.3.3	Classification according to time delay of the residual current function	130
B.3.4	Classification according to behaviour in presence of a d.c. component	130
B.4	Characteristics of CBRs concerning their residual current function	130
B.4.1	Rated values	130
B.4.2	Preferred and limiting values	131
B.4.3	Value of the rated residual short-circuit making and breaking capacity ($I\Delta_m$)	132
B.4.4	Operating characteristics in the case of an earth fault current in the presence or absence of a d.c. component	133
B.5	Marking	133
B.6	Normal service, mounting and transport conditions	134
B.7	Design and operating requirements	135
B.7.1	Design requirements	135
B.7.2	Operating requirements	135
B.7.3	Electromagnetic compatibility	139
B.8	Tests	139
B.8.1	Test sequences	139
B.8.2	Verification of the operating characteristics	142
B.8.3	Verification of dielectric properties	144
B.8.4	Verification of the operation of the test device at the limits of rated voltage	144
B.8.5	Verification of the limiting value of the non-operating current under over-current conditions	145
B.8.6	Verification of the resistance against unwanted tripping due to surge currents resulting from impulse voltages	146
B.8.7	Additional verifications for CBRs of types A and B	147
B.8.8	Additional verifications for CBRs of type B	148

B.8.9	Verification of the behaviour of CBRs functionally dependent on line voltage classified under B.3.1.2.1	153
B.8.10	Verification of the behaviour of CBRs functionally dependent on line voltage classified under B.3.1.2.2	153
B.8.11	Verification of the residual short-circuit making and breaking capacity	154
B.8.12	Verification of the effects of environmental conditions	155
B.8.13	Verification of electromagnetic compatibility	156
B.8.14	Test for variations or interruptions of voltage and for voltage dips	158
Annex C (normative)	Individual pole short-circuit test sequence	171
C.1	General	171
C.2	Test of individual pole short-circuit breaking capacity	171
C.3	Verification of dielectric withstand	171
C.4	Verification of overload releases	171
Annex D (normative)	Vacant Additional requirements for circuit-breakers intended for connection of aluminium conductors	172
D.1	General	172
D.2	Terms and definitions	172
D.3	Classification	173
D.4	Characteristics	173
D.5	Product information	173
D.5.1	Nature of information	173
D.5.2	Marking	173
D.5.3	Instructions for installation, operation and maintenance	173
D.6	Normal service, mounting and transport conditions	173
D.7	Constructional and performance requirements	174
D.8	Tests	174
D.8.1	General	174
D.8.2	Current cycling test	175
D.8.3	Mechanical properties of terminals	177
D.8.4	Test for insertability of unprepared round aluminium conductors having the maximum cross-section	178
Annex E (informative)	Items subject to agreement between manufacturer and user	184
Annex F (normative)	Additional tests for circuit-breakers with electronic over-current protection	185
F.1	General	185
F.2	List of tests	185
F.2.1	General	185
F.2.2	Electromagnetic compatibility (EMC) tests	185
F.2.3	Suitability for multiple frequencies	186
F.2.4	Dry heat test	186
F.2.5	Damp heat test	186
F.2.6	Temperature variation cycles at a specified rate of change	186
F.3	General test conditions	186
F.3.1	General	186
F.3.2	Electromagnetic compatibility tests	186
F.4	Immunity tests	187
F.4.1	Harmonic currents	187
F.4.2	Electrostatic discharges	188
F.4.3	Radiated RF electromagnetic fields	188

F.4.4	Electrical fast transient/burst (EFT/B)	188
F.4.5	Surges	189
F.4.6	Conducted disturbances induced by RF fields (common mode)	189
F.4.7	Current dips	189
F.5	Emission tests	190
F.5.1	Harmonics	190
F.5.2	Voltage fluctuations	190
F.5.3	Conducted RF disturbances (150 kHz to 30 MHz)	190
F.5.4	Radiated RF disturbances (30 MHz to 1 GHz)	190
F.6	Suitability for multiple frequencies	191
F.6.1	General	191
F.6.2	Test conditions	191
F.6.3	Test procedure	191
F.6.4	Test results	191
F.7	Dry heat test	192
F.7.1	Test procedure	192
F.7.2	Test results	192
F.7.3	Verification of overload releases	192
F.8	Damp heat test	192
F.8.1	Test procedure	192
F.8.2	Verification of overload releases	192
F.9	Temperature variation cycles at a specified rate of change	192
F.9.1	Test conditions	192
F.9.2	Test procedure	193
F.9.3	Test results	193
F.9.4	Verification of overload releases	193
Annex G (normative)	Power loss	207
G.1	General	207
G.2	Test methods	207
G.2.1	General case	207
G.2.2	AC circuit-breakers of rated current not exceeding 400 A	207
G.2.3	DC circuit-breakers	208
G.3	Test procedure	208
Annex H (normative)	Test sequence for circuit-breakers for IT systems	210
H.1	General	210
H.2	Individual pole short-circuit	210
H.3	Verification of dielectric withstand	211
H.4	Verification of overload releases	211
H.5	Marking	211
Annex J (normative)	Electromagnetic compatibility (EMC) – Requirements and test methods for circuit-breakers	212
J.1	General	212
J.2	Immunity	213
J.2.1	General	213
J.2.2	Electrostatic discharges	217
J.2.3	Radiated RF electromagnetic fields	218
J.2.4	Electrical fast transients/bursts (EFT/B)	218
J.2.5	Surges	218
J.2.6	Conducted disturbances induced by RF fields (common mode)	219

J.3	Emission.....	219
J.3.1	General.....	219
J.3.2	Conducted RF disturbances (150 kHz to 30 MHz).....	220
J.3.3	Radiated RF disturbances (30 MHz to 1 000 MHz).....	220
Annex K (informative) Glossary of symbols and graphical representation of characteristics		225
Annex L (normative) Circuit-breakers not fulfilling the requirements for overcurrent protection		235
L.1	General.....	235
L.2	Terms and definitions.....	235
L.3	Classification	235
L.4	Rated values.....	235
L.4.1	Rated current (I_n)	235
L.4.2	Rated conditional short-circuit current (I_{cc}).....	236
L.5	Product information.....	236
L.6	Constructional and performance requirements	236
L.7	Tests	237
L.7.1	General.....	237
L.7.2	Rated conditional short-circuit tests	238
Annex M (normative) Modular residual current devices (without integral current breaking device)		240
M.1	General.....	284
M.1.1	Preamble.....	284
M.1.2	Scope and object	284
M.2	Terms and definitions.....	284
M.2.1	Terms and definitions relating to the energization of an MRCD	284
M.2.2	Terms and definitions relating to the operation and the functions of an MRCD.....	285
M.3	Classification	285
M.3.1	Classification according to the configuration of the primary conductors	285
M.3.2	Classification according to the method of operation	285
M.3.3	Classification according to the possibility of adjusting the residual operating current	286
M.3.4	Classification according to time delay of the residual current function	286
M.3.5	Classification according to behaviour in presence of a d.c. component	286
M.4	Characteristics of MRCDs	286
M.4.1	General characteristics	286
M.4.2	Characteristics of MRCDs concerning their residual current function.....	287
M.4.3	Behaviour under short-circuit conditions	287
M.4.4	Preferred and limiting values.....	288
M.5	Product information.....	288
M.6	Normal service, mounting and transport conditions	290
M.7	Design and operating requirements.....	290
M.7.1	Design requirements	290
M.7.2	Operating requirements	290
M.8	Tests	293
M.8.1	General.....	293
M.8.2	Compliance with constructional requirements.....	294
M.8.3	Verification of the operating characteristics.....	294
M.8.4	Verification of dielectric properties	296

M.8.5	Verification of the operation of the test device at the limits of the rated voltage	297
M.8.6	Verification of the limiting value of non-operating current under overcurrent conditions, in the case of a single phase load	297
M.8.7	Verification of the resistance against unwanted tripping due to surge currents resulting from impulse voltages	297
M.8.8	Verification of the behaviour in the case of an earth fault current comprising a d.c. component	298
M.8.9	Verification of the behaviour of MRCDs with separate sensing means in the case of a failure of the sensing means connection	301
M.8.10	Verification of temperature-rise of terminal type MRCDs	302
M.8.11	Verification of mechanical and electrical endurance	302
M.8.12	Verification of the behaviour of MRCDs classified under M.3.2.2.1 in the case of failure of the voltage source	303
M.8.13	Verification of the behaviour of MRCDs classified under M.3.2.2.2 in the case of failure of the voltage source	303
M.8.14	Verification of the behaviour of MRCDs under short-circuit conditions	304
M.8.15	Verification of the effects of environmental conditions	306
M.8.16	Verification of electromagnetic compatibility	306
Annex N (normative) Electromagnetic compatibility (EMC) – Additional requirements and test methods for devices not covered by Annex B, Annex F and Annex M		330
N.1	General	330
N.1.1	General	330
N.1.2	General test conditions	330
N.2	Immunity	330
N.2.1	General	330
N.2.2	Electrostatic discharges	331
N.2.3	Radiated RF electromagnetic fields	331
N.2.4	Electrical fast transients/bursts (EFT/B)	331
N.2.5	Surges	332
N.2.6	Conducted disturbances induced by RF fields (common mode)	332
N.2.7	Voltage dips and interruptions	332
N.3	Emission	332
N.3.1	General	332
N.3.2	Conducted RF disturbances (150 kHz to 30 MHz)	333
N.3.3	Radiated RF disturbances (30 MHz to 1 000 MHz)	333
Annex O (normative) Instantaneous trip circuit-breakers (ICB)		334
O.1	General	334
O.2	Terms and definitions	334
O.3	Rated values	334
O.3.1	General	334
O.3.2	Rated current (I_n)	334
O.3.3	Rated short-circuit making capacity	334
O.3.4	Rated short-circuit breaking capacities	334
O.4	Product information	335
O.5	Constructional and performance requirements	335
O.6	Tests	335
O.6.1	Test sequence of the ICB alone	335
O.6.2	ICB associated with a specified protected device (i.e. motor-starter or overload relay)	336
Annex P (normative) DC circuit-breakers for use in photovoltaic (PV) applications		337

P.1	Field of application.....	337
P.2	Terms and definitions.....	337
P.3	Classification	337
P.4	Characteristics of PV circuit-breakers	337
P.5	Product information.....	338
P.6	Normal service, mounting and transport conditions	338
P.7	Constructional and performance requirements	338
P.7.1	Constructional requirements	338
P.7.2	Performance requirements.....	338
P.7.3	Electromagnetic compatibility (EMC).....	339
P.8	Tests	339
P.8.1	Kind of tests.....	339
P.8.2	Compliance with constructional requirements.....	339
P.8.3	Type tests.....	339
P.8.4	Routine tests	341
P.8.5	Special tests	341
Annex Q	Vacant.....	342
Annex R (normative)	Circuit-breakers incorporating residual current protection with automatic re-closing functions.....	343
R.1	General.....	343
R.1.1	Preamble	343
R.1.2	Field of application.....	343
R.2	Terms and definitions.....	344
R.3	Classification	345
R.3.1	According to the method of construction	345
R.3.2	According to the method of automatic reclosing	345
R.4	Characteristics.....	345
R.4.1	Rated automatic reclosing operating residual current ($I_{\Delta ar}$)	345
R.4.2	Maximum number of consecutive reclosing operations.....	345
R.5	Marking and instructions	346
R.6	Normal service, mounting and transport conditions	346
R.7	Design and operating requirements.....	347
R.7.1	Design requirements	347
R.7.2	Operating requirements	347
R.8	Tests	348
R.8.1	General conditions.....	348
R.8.2	Verification of the non-reclosing after tripping under over-current conditions.....	349
R.8.3	Verification of the non-reclosing after intentional opening	349
R.8.4	Verification of the automatic reclosing function after tripping on earth fault.....	349
R.8.5	Verification of mechanical endurance.....	351
R.8.6	Verification of the isolation function	351
R.8.7	Verification of residual short-circuit making and breaking capacity.....	352
R.8.8	Verification of the automatic reclosing function after the test sequences of Clause B.8.....	352
R.8.9	Test items for external type automatic reclosing devices.....	352
Bibliography	354

Figure 1 – Test arrangement (connecting cables not shown) for short-circuit tests.....	82
Figure A.1 – Over-current co-ordination between a circuit-breaker and a fuse or back-up protection by a fuse: operating characteristics	89
Figure A.2 – Total selectivity between two circuit-breakers	90
Figure A.3 – Back-up protection by a circuit-breaker – Operating characteristics	91
Figure A.4 – Example of test circuit for conditional short-circuit breaking capacity tests showing cable connections for a 3-pole circuit-breaker (C ₁).....	93
Figure A.5 – Example of test circuit for the verification of selectivity	94
Figure B.1 – Test circuit for the verification of the operating characteristic (see B.8.2).....	159
Figure B.2 – Test circuit for the verification of the limiting value of the non-operating current under over-current conditions (see B.8.5)	160
Figure B.3 – Test circuit for the verification of the behaviour of CBRs classified under B.3.1.2.2 (see B.8.10).....	161
Figure B.4 – Current ring wave 0,5 µs/100 kHz	162
Figure B.5 – Example of a test circuit for the verification of resistance to unwanted tripping	162
Figure B.6 – Surge current wave 8/20 µs	163
Figure B.7 – Test circuit for the verification of resistance to unwanted tripping in the case of flashover without follow-on current	163
Figure B.8 – Test circuit for the verification of the correct operation of CBRs, in the case of residual pulsating direct currents	164
Figure B.9 – Test circuit for residual pulsating direct current superimposed by a smooth direct current	165
Figure B.10 – Test circuit for residual alternating currents superimposed by a smooth direct current	166
Figure B.11 – Test circuit for residual pulsating direct currents which can result from rectifying circuits supplied from two phases	167
Figure B.12 – Test circuit for residual pulsating direct currents which can result from rectifying circuits supplied from three phases.....	168
Figure B.13 – Test circuit for residual smooth direct current.....	169
Figure B.14 – Test circuit for composite residual currents, and residual sinusoidal alternating current up to 1 000 Hz	170
Figure D.1 – General test arrangement.....	178
Figure D.2 – Mounting of terminals for the current cycling test	179
Figure F.1 – Representation of test current produced by back-to-back thyristors in accordance with F.4.1	194
Figure F.2 – Test circuit for immunity and emission tests in accordance with F.4.1.3, F.4.2, F.4.3, F.4.6, F.4.7.1, F.5.4 and F.6.3 – Two phase poles in series	195
Figure F.3 – Test circuit for immunity and emission tests in accordance with F.4.1.3, F.4.2, F.4.3, F.4.6, F.4.7.1, F.5.4 and F.6.3 – Three phase poles in series.....	195
Figure F.4 – Test circuit for immunity and emission tests in accordance with F.4.1.3, F.4.2, F.4.3, F.4.6, F.4.7.1, F.5.4 and F.6.3 – Three-phase connection	196
Figure F.5 – Test current for the verification of the influence of the current dips and interruptions in accordance with F.4.7.1	196
Figure F.6 – Circuit for electrical fast transients/bursts (EFT/B) immunity test in accordance with F.4.4 – Two phase poles in series.....	197
Figure F.7 – Circuit for electrical fast transients/bursts (EFT/B) immunity test in accordance with F.4.4 – Three phase poles in series	197