



SLOVENSKI STANDARD

SIST EN 60068-2-64:2008

01-november-2008

BUKca Yý U

SIST EN 60068-2-64:2001

C_c`'g_j'dfYg_i g]!'&* ("XY.'DfYg_i g]!'DfYg_i g':\.'J]VfUWYŸbU_`4 bY
ý]fc_cdUgcj bYŽ]b`j cX]c`f197 * \$\$*, !&* (.&\$\$, Ł

Environmental testing -- Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance

Umgebungseinflüsse - Teil 2-64: Prüfverfahren - Prüfung Fh: Schwingen, Breitbandrauschen (digital geregelt) und Leitfaden

Essais d'environnement -- Partie 2-64: Essais - Essai Fh: Vibrations aléatoires à large bande et guide

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9fb3fcc0bd/sist-en-60068-2-64-2008>

Ta slovenski standard je istoveten z: EN 60068-2-64:2008

ICS:

19.040	Preskušanje v zvezi z okoljem	Environmental testing
--------	-------------------------------	-----------------------

SIST EN 60068-2-64:2008

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60068-2-64:2008](https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9ff3fcc0bd/sist-en-60068-2-64-2008)

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9ff3fcc0bd/sist-en-60068-2-64-2008>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60068-2-6

February 2008

ICS 19.040

Supersedes EN 60068-2-6:1995

English version

**Environmental testing -
Part 2-6: Tests -
Test Fc: Vibration (sinusoidal)
(IEC 60068-2-6:2007)**

Essais d'environnement -
Partie 2-6: Essais -
Essai Fc: Vibrations (sinusoïdales)
(CEI 60068-2-6:2007)

Umgebungseinflüsse -
Teil 2-6: Prüfverfahren -
Prüfung Fc: Schwingen (sinusförmig)
(IEC 60068-2-6:2007)

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 104/439/FDIS, future edition 7 of IEC 60068-2-6, prepared by IEC TC 104, Environmental conditions, classification and methods of test, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60068-2-6 on 2008-02-01.

This European Standard supersedes EN 60068-2-6:1995.

The major changes with regard to EN 60068-2-6:1995 concern:

- the agreed wording from IEC technical committee 104 meeting held in Stockholm:2000 on the testing of soft packages;
- reference to the latest version of EN 60068-2-47: Mounting;
- simplification of the layout of the standard by replacing some tables with text;
- addition of the test report requirements (see Clause 13).

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

Annex ZA has been added by CENELEC.

SIST EN 60068-2-64:2008

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9ff5e0d47e/en-60068-2-64:2008>

Endorsement notice

The text of the International Standard IEC 60068-2-6:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60068-2-64 NOTE Harmonized as EN 60068-2-64:1994 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	- ¹⁾	Environmental testing - Part 1: General and guidance	EN 60068-1	1994 ²⁾
IEC 60068-2-47	- ¹⁾	Environmental testing - Part 2-47: Tests - Mounting of specimens for vibration, impact and similar dynamic tests	EN 60068-2-47	2005 ²⁾
IEC 60721-3	Series	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities	EN 60721-3	Series
ISO 2041	- ¹⁾	Vibration and shock - Vocabulary	-	-
ISO/IEC 17025	2005	General requirements for the competence of testing and calibration laboratories	EN ISO/IEC 17025	2005

SIST EN 60068-2-64:2008

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9ff3fcc0bd/sist-en-60068-2-64-2008>

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60068-2-64:2008

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9ff3fcc0bd/sist-en-60068-2-64-2008>



IEC 60068-2-64

Edition 2.0 2008-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Environmental testing –
Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance

Essais d'environnement –
Partie 2-64: Essais – Essai Fh: Vibrations aléatoires à large bande et guide

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

W

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Requirements for test apparatus.....	12
4.1 General.....	12
4.2 Basic motion	12
4.3 Cross-axis motion	13
4.4 Mounting	13
4.5 Measuring systems.....	13
4.6 Vibration tolerances	14
4.7 Control strategy.....	17
4.8 Vibration response investigation.....	17
5 Severities	18
5.1 Test frequency range	18
5.2 RMS value of acceleration.....	18
5.3 Shape of acceleration spectral density curve.....	18
5.4 Test duration	19
6 Preconditioning	19
7 Initial measurements and functional performance test.....	19
8 Testing	19
8.1 General.....	19
8.2 Initial vibration response investigation.....	20
8.3 Low-level excitation for equalization prior to testing.....	20
8.4 Random testing	21
8.5 Final vibration response investigation.....	21
9 Recovery.....	21
10 Final measurements and functional performance	21
11 Information to be given in the relevant specification	22
12 Information to be given in the test report	22
Annex A (informative) Standardized test spectra.....	24
Annex B (informative) Guidance.....	30
Bibliography.....	34
Figure 1 – Tolerance bands for acceleration spectral density; initial and final slope (see B.2.3).....	14
Figure 2 – Time history of stochastically excitation; probability density function with Gaussian (normal) distribution (Example with crest factor = 3, see also 3.14 and 4.6.2)	15
Figure 3 – Statistical accuracy of acceleration spectral density versus degrees of freedom for different confidence levels (see also 4.6.3)	16

Table A.1 – Categories for spectrum: transportation	24
Table A.2 – Break points for spectrum: transportation	25
Table A.3 – Categories for spectrum: stationary installation	25
Table A.4 – Break points for spectrum: stationary installation	26
Table A.5 – Categories for spectrum: equipment in wheeled vehicles	27
Table A.6 – Break points for spectrum: equipment in wheeled vehicles	28
Table A.7 – Categories for spectrum: equipment in airplanes and helicopters	29
Table A.8 – Break points for spectrum: equipment in airplanes and helicopters	29

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

SIST EN 60068-2-64:2008

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9ff3fcc0bd/sist-en-60068-2-64-2008>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –

**Part 2-64: Tests – Test Fh: Vibration,
broadband random and guidance**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-2-64 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This second edition cancels and replaces the first edition, published in 1993, and constitutes a technical revision.

The major changes with regard to the previous edition concern the removal of Method 1 and Method 2, replaced by a single method, and replacement of Annex A with suggested test spectra and removal of Annex C.

Also included in this revision is the testing of soft packed specimens.

The text of this standard is based on the following documents:

FDIS	Report on voting
104/456/FDIS	104/459/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a basic safety publication in accordance with IEC Guide 104.

A list of all the parts in the IEC 60068 series, under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60068-2-64:2008

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9fb3fcc0bd/sist-en-60068-2-64-2008>

INTRODUCTION

This part of IEC 60068 deals with broadband random vibration testing intended for general application to components, equipment and other products, hereinafter referred to as "specimens", that may be subjected to vibrations of a stochastic nature. The methods and techniques in this standard are based on digital control of random vibration. It permits the introduction of variations to suit individual cases if these are prescribed by the relevant specification.

Compared with most other tests, test Fh is not based on deterministic but on statistical techniques. Broad-band random vibration testing is therefore described in terms of probability and statistical averages.

It is emphasized that random testing always demands a certain degree of engineering judgement, and both supplier and purchaser should be fully aware of this fact. The writer of the relevant specification is expected to select the testing procedure and the values of severity appropriate to the specimen and its use.

The test method is based primarily on the use of an electrodynamic or a servo-hydraulic vibration generator with an associated computer based control system used as a vibration testing system.

Annexes A and B are informative annexes giving examples of test spectra for different environmental conditions, a list of details to be considered for inclusion in specifications and guidance.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60068-2-64:2008

<https://standards.iteh.ai/catalog/standards/sist/0fd868df-81e9-4d34-bd25-2e9fb3fcc0bd/sist-en-60068-2-64-2008>

ENVIRONMENTAL TESTING –

Part 2-64: Tests-Test Fh: Vibration, broadband random and guidance

1 Scope

This part of IEC 60068 demonstrates the adequacy of specimens to resist dynamic loads without unacceptable degradation of its functional and/or structural integrity when subjected to the specified random vibration test requirements.

Broadband random vibration may be used to identify accumulated stress effects and the resulting mechanical weakness and degradation in the specified performance. This information, in conjunction with the relevant specification, may be used to assess the acceptability of specimens.

This standard is applicable to specimens which may be subjected to vibration of a stochastic nature resulting from transportation or operational environments, for example in aircraft, space vehicles and land vehicles. It is primarily intended for unpackaged specimens, and for items in their transportation container when the latter may be considered as part of the specimen itself. However, if the item is packaged, then the item itself is referred to as a product and the item and its packaging together are referred to as a test specimen. This standard may be used in conjunction with IEC 60068-2-47:2005, for testing packaged products.

If the specimens are subjected to vibration of a combination of random and deterministic nature resulting from transportation or real life environments, for example in aircraft, space vehicles and for items in their transportation container, testing with pure random may not be sufficient. See IEC 60068-3-8:2003 for estimating the dynamic vibration environment of the specimen and based on that, selecting the appropriate test method.

Although primarily intended for electrotechnical specimens, this standard is not restricted to them and may be used in other fields where desired (see Annex A).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300: *International Electrotechnical Vocabulary – Electrical and electronic measurements and measuring instruments – Part 311: General terms relating to measurements – Part 312: General terms relating to electrical measurements – Part 313: Types of electrical measuring instruments – Part 314: Specific terms according to the type of instrument*

IEC 60068-1: *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6: *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-47:2005, *Environmental testing – Part 2-47: Tests – Mounting of specimens for vibration, impact and similar dynamic tests*