IEC TR 62453-42

Edition 1.0 2016-04

TECHNICAL REPORT

colour inside

Field device tool (FDT) interface specification – Part 42: Object model integration profile – Common Language Infrastructure

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/fffe2aed-deb7-4f72-8e07-e0c92f698d8d/iec-tr-62453-42-2016



IEC TR 62453-42:2016-04(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/...
e0c92f698d8d/iec-tr-62453-42-2016

IEC TR 62453-42

Edition 1.0 2016-04

TECHNICAL REPORT

colour inside

Field device tool (FDT) interface specification – Part 42: Object model integration profile – Common Language Infrastructure

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/fffe2aed-deb7-4f72-8e07-e0c92f698d8d/iec-tr-62453-42-2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8322-3226-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 19
INTRODUCTION 21
1 Scope 23
2 Normative references 23
3 Terms, definitions, abbreviations and conventions 23
3.1 Terms and definitions 23
3.2 Abbreviations 30
3.3 Conventions 30
4 Implementation concept 31
4.1 Technological orientation 31
4.2 Implementation of abstract FDT object model 31
4.3 FDT Frame Application (FA) 32
4.4 DTM Business Logic 33
4.4.1 General 33
4.4.2 Implementation of DTM, DTM Device Type, and Device Ident Info 34
4.4.3 Implementation of DTM device parameter access 35
4.4.4 Process Data Info 35
4.4.5 Diagnostic Data Info 36
4.4.6 Network Management Info 36
4.4.7 Function Info 37
4.4.8 Report Info 37
4.4.9 Document Reference Info 37
4.5 Implementation of DTM Functions 37
4.5.1 DTM User Interface 37
4.5.2 Function access control 38
4.5.3 Handling of standard UI elements in modeless DTM UI interfaces 38
4.5.4 Command functions 39
4.6 User management 39
4.6.1 General 39
4.6.2 Multi-user access 39
4.6.3 User levels 39
4.7 Implementation of FDT and system topology 42
4.7.1 General 42
4.7.2 Topology management 43
4.7.3 Data exchange between Frame Applications 45
4.8 Implementation of Modularity 45
4.9 Implementation of FDT communication 45
4.9.1 Handling of communication requests 45
4.9.2 Handling of communication errors 46
4.9.3 Handling of loss of connection 46
4.9.4 Point–to-point communication 46
4.9.5 Nested communication 47
4.9.6 Dynamic changes in network 47
4.10 Identification 48
4.10.1 DTM instance identification 48
4.10.2 Hardware identification 48
4.11 Implementation of DTM data persistence and synchronization 49

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/fffe2aed-deb7-4f72-8e07-e0c92f698d8d/iec-tr-62453-42-2016

4.11.1 Persistence overview 49
4.11.2 Relations of DTMDataSet 50
4.11.3 DTMDataSet structure 51
4.11.4 Types of persistent DTM data 52
4.11.5 Data synchronization 52
4.12 Implementation of access to device data and IO information 53
4.12.1 Exposing device data and IO information 53
4.12.2 Data access control 54
4.12.3 Routed IO information 56
4.12.4 Comparison of DTM and device data 56
4.12.5 Support for multirole devices 57
4.13 Clone of DTM instances 58
4.13.1 General 58
4.13.2 Replicating a part of topology with Parent DTM and a subset of its Child DTMs 58
4.13.3 Cloning of a DTM without its children 58
4.13.4 Delayed cloning 58
4.14 Lifecycle concepts 59
4.15 Audit trail 59
4.15.1 General 59
4.15.2 Audit trail events 59
5 Technical concepts 60
5.1 General 60
5.2 Support of .NET Common Language Runtime versions 62
5.2.1 General 62
5.2.2 Rules for FDT .NET assemblies 62
5.2.3 DTM rules 62
5.2.4 Frame Application rules 62
5.2.5 FDT CLR extension concept 63
5.3 Support for 32-bit and 64-bit target platforms 63
5.4 Object activation and deactivation 64
5.4.1 General 64
5.4.2 Assembly loading and object creation 64
5.4.3 Assembly dependencies 65
5.4.4 Shared assemblies 65
5.4.5 Object deactivation and unloading 66
5.5 Datatypes 67
5.5.1 General 67
5.5.2 Serialization / deserialization 67
5.5.3 Support of XML 68
5.5.4 Optional elements 68
5.5.5 Verify 68
5.5.6 Clone 68
5.5.7 Equals 69
5.5.8 Lists 69
5.5.9 Nullable 70
5.5.10 Enumeration 70
5.5.11 Protocol-specific datatypes 70
5.5.12 Custom datatypes 72

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffe2aed-deb7-4f72-8e07-c0c921b98d8d/iec-tr-62453-42-2016

5.6 General object interaction ... 73
5.6.1 General ... 73
5.6.2 Decoupling of FDT Objects ... 73
5.6.3 Parameter interchange with .NET datatypes ... 74
5.6.4 Interaction patterns ... 74
5.6.5 Properties ... 74
5.6.6 Synchronous methods ... 74
5.6.7 Asynchronous methods ... 75
5.6.8 Events pattern ... 81
5.6.9 Exception handling ... 82
5.7 Threading ... 86
5.7.1 Introduction ... 86
5.7.2 Threading rules ... 87
5.8 Localization support ... 88
5.8.1 General ... 88
5.8.2 Access to localized resources and culture-dependent functions ... 89
5.8.3 Handling of cultures ... 89
5.8.4 Switching the User Interface language ... 90
5.9 DTM User Interface implementation ... 90
5.9.1 General ... 90
5.9.2 Resizing ... 90
5.9.3 Private dialogs ... 92
5.10 DTM User Interface hosting ... 92
5.10.1 General ... 92
5.10.2 Hosting DTM WPF controls ... 92
5.10.3 Hosting DTM WinForms controls ... 93
5.11 Static Function implementation ... 94
5.12 Persistence ... 96
5.12.1 Overview ... 96
5.12.2 Data format ... 97
5.12.3 Adding / reading / writing / deleting of data ... 97
5.12.4 Searching for data ... 99
5.13 Comparison of DTM and device data ... 100
5.13.1 Comparison of datasets using IDeviceData / IInstanceData ... 100
5.13.2 Comparison of datasets using IComparison ... 101
5.14 Tracing ... 101
5.15 Report generation ... 101
5.15.1 General ... 101
5.15.2 Report types ... 102
5.15.3 DTM report data format ... 102
5.15.4 Report data exchange ... 103
5.16 Security ... 103
5.16.1 General ... 103
5.16.2 Strong naming of assemblies ... 103
5.16.3 Identification of origin ... 104
5.16.4 Code access security ... 104
5.16.5 Validation of FDT compliance certification ... 104
6 FDT Objects and interfaces ... 106
6.1 General ... 106

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffle2aed-deb7-4f72-8e07-e0e92f098d8d/iec-tr-62453-42-2016

6.2 Frame Application 107
6.3 DTM Business Logic 109
6.3.1 DTM BL interfaces 109
6.3.2 State machines related to DTM BL 114
6.3.3 State machine of instance data 120
6.4 DTM User Interface 123
6.5 Communication Channel 124
6.6 Availability of interface methods 125
7 FDT datatypes 126
7.1 General 126
7.2 Datatypes – Base 127
7.3 General datatypes 127
7.4 Datatypes – DtmInfo / TypeInfo 128
7.5 Datatypes – DeviceIdentInfo 130
7.6 Datatypes for installation and deployment 135
7.6.1 Datatypes – SetupManifest 135
7.6.2 Datatypes – DtmManifest 136
7.6.3 Datatypes – DtmUiManifest 137
7.7 Datatypes – Communication 137
7.8 Datatypes – BusCategory 143
7.9 Datatypes – Device / Instance Data 143
7.9.1 General 143
7.9.2 Datatypes used in reading and writing DeviceData 150
7.10 Datatypes for export and import 152
7.10.1 Datatypes – TopologyImportExport 152
7.10.2 Datatypes – ImportExportDataset 153
7.11 Datatypes for process data description 154
7.11.1 Datatypes – ProcessDataInfo 154
7.11.2 Datatypes – Process Image 159
7.12 Datatypes – Address information 160
7.13 Datatypes – NetworkDataInfo 164
7.14 Datatypes – DTM functions 166
7.15 Datatypes – DTM messages 168
7.16 Datatypes for delegation of DTM UI dialog actions 170
7.17 Datatypes – CommunicationChannelInfo 170
7.18 Datatypes – HardwareIdentification and scanning 172
7.18.1 General 172
7.18.2 Datatypes – DeviceScanInfo 172
7.18.3 Example – HardwareIdentification and scanning for HART 173
7.19 Datatypes – DTM report types 174
7.20 Information related to device modules in a monolithic DTM 174
8 Workflows 176
8.1 General 176
8.2 Instantiation, loading and release 176
8.2.1 Finding a DTM BL object 176
8.2.2 Instantiation of a new DTM BL 178
8.2.3 Configuring access rights 180
8.2.4 Loading a DTM BL 181
8.2.5 Loading a DTM with Expert user level 182

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffe2aed-deb7-4f72-8e07-
IEC TR 62453-42:2016

8.2.6 Release of a DTM BL 183
8.3 Persistent storage of a DTM 184
8.3.1 Saving instance data of a DTM 184
8.3.2 Copy and versioning of a DTM instance 185
8.3.3 Dataset commit failed 186
8.3.4 Export a DTM dataset to file 186
8.4 Locking and DataTransactions in multi-user environments 187
8.4.1 General 187
8.4.2 Propagation of changes 188
8.4.3 Synchronizing DTMs in multi-user environments 190
8.5 Execution of DTM Functions 191
8.5.1 General 191
8.5.2 Finding a DTM User Interface object 191
8.5.3 Instantiation of an integrated DTM graphical user interface 192
8.5.4 Instantiation of a DTM UI triggered by the DTM BL 193
8.5.5 Instantiation of a modal DTM UI triggered by DTM BL 194
8.5.6 Release of a DTM User Interface 195
8.5.7 Release of a DTM UI triggered by the DTM BL 196
8.5.8 Release of a DTM User Interface triggered by itself 197
8.5.9 Release of a non-modal DTM User Interface triggered by a standard action 198
8.5.10 Progress indication for prolonged DTM actions 199
8.5.11 Starting an application 200
8.5.12 Terminating applications 201
8.5.13 Execution of command functions 201
8.5.14 Execution of a command function with user interface 201
8.5.15 Opening of documents 202
8.5.16 Interaction between DTM User Interface and DTM Business Logic 203
8.5.17 Interaction between DTM Business Logic and DTM User Interface 205
8.5.18 Interaction between DTM User Interface and DTM Business Logic with Cancel 206
8.5.19 Retrieving information about available Static Functions 207
8.5.20 Executing a Static Function 208
8.5.21 Executing a Static Function with multiple arguments 209
8.6 DTM communication 210
8.6.1 General 210
8.6.2 Establishing a communication connection 211
8.6.3 Cancel establishment of communication connection 212
8.6.4 Communicating with the device 212
8.6.5 Frame Application or Child DTM disconnect a device 213
8.6.6 Terminating a communication connection 214
8.6.7 DTM aborts communication connection 215
8.6.8 Communication Channel aborts communication connection 216
8.7 Nested communication 216
8.7.1 General 216
8.7.2 Communication request for a nested connection 217
8.7.3 Propagation of errors for a nested connection 218
8.8 Topology planning 219
8.8.1 General 219

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffe2aed-deb7-4f72-8e07-e0c921698d8d/iec-tr-62453-42-2016

8.8.2 Adding a DTM to the topology 219
8.8.3 Removing a DTM from topology 220
8.8.4 Frame Application creates topology 221
8.8.5 DTM generates sub-topology 222
8.8.6 Physical Layer and DataLinkLayer 224
8.9 Instantiation, configuration, move and release of Child DTMs 224
8.9.1 General 224
8.9.2 Instantiation and configuration of Child DTM BL 224
8.9.3 Interaction between Parent DTM and Child DTM 225
8.9.4 Interaction between Parent DTM and Child DTM using IDtmMessaging 227
8.9.5 Parent DTM moves a Child DTM 227
8.9.6 Parent DTM removes Child DTM 228
8.10 Topology scan 229
8.10.1 General 229
8.10.2 Scan of network topology 229
8.10.3 Cancel topology scan 230
8.10.4 Scan based DTM assignment 231
8.10.5 Manufacturer-specific device identification 232
8.11 Configuration of communication networks 234
8.11.1 Configuration of a fieldbus master 234
8.11.2 Integration of a passive device 235
8.12 Using IO information 235
8.12.1 Assignment of symbolic name to process data 235
8.12.2 Creation of Process Image 237
8.12.3 Validation of changes in process image while PLC is running 238
8.12.4 Changing of variable names using process image interface 239
8.13 Managing addresses 240
8.13.1 Set DTM address with user interface 240
8.13.2 Set DTM addresses without user interface 241
8.13.3 Display or modify addresses of all Child DTMs with user interface 242
8.14 Device-initiated data transfer 243
8.15 Reading and writing data 244
8.15.1 Read/write instance data 244
8.15.2 Read/write device data 246
8.16 Comparing data 248
8.16.1 Comparing device dataset and instance dataset 248
8.16.2 Comparing different instance datasets 248
8.17 Reassigning a different DtmDeviceType at a device node 249
8.17.1 General 249
8.17.2 DTM detects a change in connected device type 250
8.17.3 Search matching DtmDeviceTypes after incompatible device exchange 252
8.17.4 Reassign DtmDeviceType after incompatible device exchange 253
8.18 Copying part of FDT Topology 255
8.18.1 Cloning of a single DTM without Children 255
8.18.2 Cloning of a DTM with all its Children 256
8.19 Sequences for audit trail 256
8.19.1 General 256
8.19.2 Audit trail of parameter modifications in instance dataset 256
8.19.3 Audit trail of parameter modifications in device dataset 257

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffe2aed-de07-4f72-8e07-
e0e92b98a8ad/iec-tr-62453-42-2016

8.19.4 Audit trail of function calls 258
8.19.5 Audit trail of general notification 259
9 Installation 259
9.1 General 259
9.2 Common rules 259
9.2.1 Predefined installation paths 259
9.2.2 Manifest files 262
9.2.3 Paths in manifest files 263
9.2.4 Common command line arguments 263
9.2.5 Digital signatures of setup components 264
9.3 Installation of FDT core assemblies 264
9.4 Installation of communication protocols 264
9.4.1 General 264
9.4.2 Registration 264
9.4.3 Protocol manifest 264
9.5 Installation of DTMs 265
9.5.1 General 265
9.5.2 Registration 266
9.5.3 DTM manifest 267
9.5.4 DTM User Interface manifest 268
9.6 DTM setup 269
9.6.1 Structure 269
9.6.2 DTM setup manifest 270
9.6.3 DTM device identification manifest 271
9.6.4 Setup creation rules 273
9.7 DTM deployment 274
9.8 Paths and file information 276
9.8.1 Path information provided by a DTM 276
9.8.2 Paths and persistence 276
9.8.3 Multi-user systems 276
10 Life cycle concept 276
10.1 General 276
10.2 Technical concept 277
10.2.1 General 277
10.2.2 DtmManifest / DtmInfo 278
10.2.3 TypeInfo 278
10.2.4 Supported DataSet formats 279
10.2.5 DeviceIdentInfo 279
10.2.6 Dataset 280
10.2.7 DeviceScanInfo 280
10.3 DTM setup 280
10.4 Life Cycle Scenarios 281
10.4.1 Overview 281
10.4.2 Search for device type in DTM setups 282
10.4.3 Search for installed DTMs 283
10.4.4 Dataset migration for reassigned DTM 285
11 Frame Application architectures 286
11.1 General 286
11.2 Standalone application 286

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffe2aed-deb7-4f72-8e07-e0c92f698d8d/iec-tr-62453-42-2016

11.3 Remoted user Interface 286
11.4 Distributed multi-user application 287
11.5 OPC UA 287
Annex A (normative) FDT2 Use case model 289
A.1 Use case model overview 289
A.2 Actors 289
A.3 Use cases 290
A.3.1 Use case overview 290
A.3.2 Observation use cases 291
A.3.3 Operation use cases 292
A.3.4 Maintenance use cases 294
A.3.5 Planning use cases 299
A.3.6 Main Operation 301
A.3.7 OEM Service 302
A.3.8 Administration 302
Annex B (normative) FDT interface definition and datatypes 303
Annex C (normative) Mapping of services to interface methods 304
C.1 General 304
C.2 DTM services 304
C.3 Presentation object services 308
C.4 General channel services 308
C.5 Process channel services 308
C.6 Communication Channel Services 309
C.7 Frame Application Services 310
Annex D (normative) FDT version interoperability guide 313
D.1 Overview 313
D.2 General 313
D.3 Component interoperability 314
Annex E (normative) FDT1.2.x / IEC 62453-42 Backward-Compatibility 315
E.1 Overview 315
E.2 Parallel FDT topologies 315
E.3 Mixed FDT topologies 316
E.4 FDT1.2.x / IEC 62453-42 Adapters 318
E.5 FDT1.2.x XML / IEC TR 62453-42 Datatype Transformers 319
E.5.1 General 319
E.5.2 Installation and Registration of Protocol-specific Transformers 320
E.5.3 Interaction between FDT2 and FDT1.2 components using Transformers 321
E.6 Sequences related to backward compatibility 322
E.6.1 General 322
E.6.2 Dataset migration from FDT1.x DTM to FDT2.x DTM 322
Annex F (informative) Implementation Hints 324
F.1 IAsyncResult pattern 324
F.2 Threading Best Practices 325
Annex G (informative) Trade names 326
Annex H (informative) UML Notation 327
H.1 General 327
H.2 Class diagram 327
H.3 Statechart diagram 330

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ff2aed-deb7-4f72-8e07-e0c92f698d8d/iec-tr-62453-42-2016

H.4 Use case diagram 331
H.5 Sequence diagram 332
H.6 Object diagram 336
Annex I (informative) Physical Layer Examples 337
I.1 General 337
I.2 Interbus S 337
I.3 PROFIBUS 337
I.4 PROFINET 337
Annex J (informative) Predefined SemanticIds 339
J.1 General 339
J.2 Data 339
J.3 Images 339
J.4 Documents 339
Bibliography 341

Figure 1 – Relation of IEC 62453-42 to the IEC 62453 series 21
Figure 2 – IEC 62453-42 Object Model 32
Figure 3 – Frame Application 32
Figure 4 – DTM Business Logic 34
Figure 5 – DTM, DeviceType and DeviceIdent Info 35
Figure 6 – Process Data Info 36
Figure 7 – Logical topology and physical topology 43
Figure 8 – FDT and logical topology 43
Figure 9 – DTMs and physical topology 44
Figure 10 – Point–to-point communication 46
Figure 11 – Nested communication 47
Figure 12 – Identification of connected devices 49
Figure 13 – FDT storage and synchronization mechanism 50
Figure 14 – Relation between DTMDataSet, DTM instance, and device 50
Figure 15 – DTMDataSet structure 51
Figure 16 – Data Synchronization 53
Figure 17 – Routed IO information 56
Figure 18 – Multirole Device 57
Figure 19 – FDT .NET Assemblies 60
Figure 20 – FDT Object implementation 61
Figure 21 – FDT CLR extension concept 63
Figure 22 – Example: Assembly.LoadFrom() 64
Figure 23 – Example: Assembly dependencies 65
Figure 24 – Example: Datatype definition 67
Figure 25 – Example: Data cloning 69
Figure 26 – Example: Methods without data cloning 69
Figure 27 – Protocol-specific datatypes 70
Figure 28 – Protocol manifest and type info attributes 71
Figure 29 – Example: Protocol assembly attributes 72

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/fffe2aed-deb7-4f72-8e07-e0c921698d8d/iec-tr-62453-42-2016

Figure 30 – Example: Handling of protocol-specific assemblies in Frame Application 72
Figure 31 – Decoupled FDT Objects in IEC 62453-42 73
Figure 32 – IAsyncResult pattern: blocking call 76
Figure 33 – Example: Blocking use of asynchronous interface 76
Figure 34 – IAsyncResult pattern (simplified): blocking call 77
Figure 35 – IAsyncResult pattern: non-blocking call 77
Figure 36 – Example: Non-blocking use of asynchronous interface 78
Figure 37 – IAsyncResult pattern (simplified depiction): non-blocking call 78
Figure 38 – IAsyncResult pattern: canceling an operation 80
Figure 39 – IAsyncResult pattern: providing progress events 81
Figure 40 – Frame Application's host window providing scroll bars 91
Figure 41 – Control using internal scrollbars 91
Figure 42 – Example: Hosting a DTM WPF control in a WPF Frame Application 93
Figure 43 – Example: Hosting a DTM WPF control in a WinForms Frame Application 93
Figure 44 – Example: Hosting DTM WinForms controls in a WinForms Frame Application 94
Figure 45 – Example: Hosting a DTM WinForms control in a WPF Frame Application 94
Figure 46 – Relation of StaticFunctionDescription to Static Function 95
Figure 47 – DTMDataset structure 96
Figure 48 – Example: Initialization of DTMDataSubset with DTM data 98
Figure 49 – Example: Writing of DTM data in DTMDataSubset 98
Figure 50 – Example: Reading of DTM data from a DTMDataSubset 99
Figure 51 – Example: Creation of a BulkData.DTMDataSubset with descriptor 100
Figure 52 – Example: Searching for DTMDataSubsets with specific descriptor 100
Figure 53 – Skeleton of a DTM-specific report fragment 103
Figure 54 – Example: Authenticode check 104
Figure 55 – Example: Conformity record file 105
Figure 56 – Example: checking conformity record file 106
Figure 57 – Frame Application interfaces 107
Figure 58 – DTM Business Logic interfaces (Part 1) 110
Figure 59 – DTM Business Logic interfaces (Part 2) 111
Figure 60 – State machine of DTM BL 115
Figure 61 – Online state machine of DTM 117
Figure 62 – Modifications of data through a DTM 120
Figure 63 – ModifiedInDtm: State machine of instance data 121
Figure 64 – ModifiedInDevice: State machine related to device data 122
Figure 65 – DTM UI interfaces 123
Figure 66 – Communication Channel interfaces 124
Figure 67 – FdtDatatype and FdtList 127
Figure 68 – DtmInfo / TypeInfo – datatypes 129
Figure 69 – DeviceIdentInfo – datatypes 131
Figure 70 – DeviceIdentInfo – Example for HART 132
Figure 71 – Example: DeviceIdentInfo creation 134

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffb2aed-deb7-4f72-8e07-e0c92f698d8d/iec-tr-62453-42-2016

Figure 72 – Example: Using DeviceIdentInfo 135
Figure 73 – Example: DeviceIdentInfoTypeAttribute 135
Figure 74 – SetupManifest – datatypes 135
Figure 75 – DtmManifest – datatypes 136
Figure 76 – DtmUiManifest – datatypes 137
Figure 77 – Communication datatypes – Connect 138
Figure 78 – Communication datatypes – Transaction 138
Figure 79 – Communication datatypes – Disconnect 139
Figure 80 – Communication datatypes – Subscribe 139
Figure 81 – Communication datatypes – Scanning 140
Figure 82 – Communication datatypes – Address setting 140
Figure 83 – Example: Communication – Connect for HART 142
Figure 84 – Example: Communication – CommunicationType for HART 143
Figure 85 – BusCategory – datatypes 143
Figure 86 – Device / Instance data – datatypes 144
Figure 87 – Example: Providing information on data of a HART device 146
Figure 88 – Example: Providing information on module data of a PROFIBUS device 147
Figure 89 – Example: Providing information on data 148
Figure 90 – Example: Providing information on structured data 149
Figure 91 – EnumInfo – datatypes 150
Figure 92 – Read and Write Request – datatypes 150
Figure 93 – ResponseInfo – datatype 151
Figure 94 – TopologyImportExport – datatypes 152
Figure 95 – ImportExportDataset – datatypes 153
Figure 96 – ProcessDataInfo – datatypes 154
Figure 97 – IOSignalInfo – datatypes 155
Figure 98 – Example: ProcessDataInfo for HART (UML) 157
Figure 99 – Example: ProcessDataInfo creation for HART 158
Figure 100 – Example: Using ProcessData for HART 159
Figure 101 – Example: IOSignalInfoType attribute 159
Figure 102 – ProcessImage – datatypes 160
Figure 103 – AddressInfo – datatypes 161
Figure 104 – Example: AddressInfo creation 162
Figure 105 – Example: Using AddressInfo 163
Figure 106 – Example: DeviceAddressTypeAttribute 163
Figure 107 – NetworkDataInfo – datatypes 164
Figure 108 – Example: NetworkDataInfo creation example 165
Figure 109 – Example: NetworkDataInfo using example 166
Figure 110 – Example: NetworkDataTypeAttribute example 166
Figure 111 – DTM Function – datatypes 167
Figure 112 – DTM Messages – datatypes 169
Figure 113 – ActionItem – datatypes 170
Figure 114 – CommunicationChannelInfo – datatypes 170

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/fffe2aed-deb7-4f72-8e07-e0c92b9dadf2/iec-tr-62453-42-2016

Figure 115 – Example: Channel information 171
Figure 116 – DeviceScanInfo – datatypes 172
Figure 117 – Example: HARTDeviceScanInfo – datatype 173
Figure 118 – DTM Report – datatypes 174
Figure 119 – Information related to device modules 175
Figure 120 – Finding a DTM BL object 177
Figure 121 – Instantiation of a new DTM BL 179
Figure 122 – Configuration of user permissions 181
Figure 123 – Loading a DTM BL 182
Figure 124 – Loading a DTM with Expert user level 183
Figure 125 – Release of a DTM BL 184
Figure 126 – Saving data of a DTM 185
Figure 127 – Dataset commit failed 186
Figure 128 – Export a DTM dataset to file 187
Figure 129 – Propagation of changes 189
Figure 130 – Synchronizing DTMs in multi-user environments 190
Figure 131 – Finding a DTM User Interface 192
Figure 132 – Instantiation of a DTM User Interface 193
Figure 133 – Instantiation of a DTM UI triggered by DTM BL 194
Figure 134 – Instantiation of a modal DTM UI triggered by DTM BL 195
Figure 135 – Release of a DTM User Interface 196
Figure 136 – Release of a DTM UI triggered by the DTM BL 197
Figure 137 – Release of a DTM User Interface triggered by itself 198
Figure 138 – Release of a non-modal DTM UI triggered by a standard action 198
Figure 139 – Progress indication for prolonged DTM actions 199
Figure 140 – Starting an application 200
Figure 141 – Execute a command function 201
Figure 142 – Execute a command function with user interface 202
Figure 143 – Opening a document 203
Figure 144 – Interaction triggered by the DTM User Interface 204
Figure 145 – Interaction triggered by the DTM Business Logic 205
Figure 146 – Interaction triggered and canceled by the DTM User Interface 206
Figure 147 – Retrieving information about available Static Functions 207
Figure 148 – Example: Information about available Static Functions 208
Figure 149 – Executing a Static Function 209
Figure 150 – Executing a Static Function with multiple Arguments 210
Figure 151 – Establishing a communication connection 211
Figure 152 – DTM cancels ongoing Connect operation 212
Figure 153 – Communicating with the device 213
Figure 154 – Child DTM disconnects 214
Figure 155 – Child DTM terminates a connection 215
Figure 156 – Child DTM aborts a connection 215
Figure 157 – Communication Channel aborts a connection 216

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TR 62453-42:2016
https://standards.iteh.ai/catalog/standards/sist/ffe2aed-deb7-4f72-8e07-