

SLOVENSKI STANDARD SIST EN 62040-1:2009

01-februar-2009

BUXca Yý U. SIST EN 62040-1-1:2003 SIST EN 62040-1-2:2003

Sistemi z neprekinjanim napajanjem (UPS) - 1. del: Splošne in varnostne zahteve za UPS (IEC 62040-1:2008 (EQV) + popravek Aug. 2008)

Uninterruptible Power Systems (UPS) - Part 1: General and safety requirements for UPS (IEC 62040-1:2008 (EQV) + corrigendum Aug. 2008)

Unterbrechungsfreie Stromversorgungssysteme (USV) - Teil 1: Allgemeine Anforderungen und Sicherheitsanforderungen (IEC 62040-1-1:2008 (EQV) + Corrigendum Aug. 2008)

Alimentations sans interruption (ASI) - Part 1 : Exigences générales et règles de sécurité pour les ASI (CEI 62040-1-1:2008 (EQV) + corrigendum Aug.2008)

Ta slovenski standard je istoveten z: EN 62040-1:2008

ICS:

29.200 $\bigvee \{ \land \} \tilde{\mathbf{a}} \tilde{\mathbf{a}} \tilde{\mathbf{A}} \tilde{\mathbf{J}} | \land \mathbf{c}_{\mathbf{c}}[\mid \} \tilde{\mathbf{a}} \tilde{\mathbf{a}} \tilde{\mathbf{E}}$

Ùœàããããæ}[Á\\^\dã}[

} æ **adæ** b^

Rectifiers. Convertors. Stabilized power supply

SIST EN 62040-1:2009 en,fr

SIST EN 62040-1:2009

EUROPEAN STANDARD

EN 62040-1

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2008

ICS 29.200

Supersedes EN 62040-1-1:2003 and EN 62040-1-2:2003

English version

Uninterruptible power systems (UPS) - Part 1: General and safety requirements for UPS

(IEC 62040-1:2008 + corrigendum August 2008)

Alimentations sans interruption (ASI) -Partie 1: Exigences générales et règles de sécurité pour les ASI (CEI 62040-1:2008 + corrigendum août 2008) Unterbrechungsfreie Stromversorgungssysteme (USV) -Teil 1: Allgemeine Anforderungen und Sicherheitsanforderungen (IEC 62040-1:2008 + Corrigendum August 2008)

This European Standard was approved by CENELEC on 2008-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 22H/104/FDIS, future edition 1 of IEC 62040-1, prepared by SC 22H, Uninterruptible power systems (UPS), of IEC TC 22, Power electronic systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62040-1 on 2008-09-01.

This European Standard supersedes EN 62040-1-1:2003 + corrigendum August 2004 and EN 62040-1-2:2003 + corrigendum August 2004.

EN 62040-1:2008 merges all requirements of EN 62040-1-1:2003 and EN 62040-1-2:2003, with the addition of the following:

- update of normative references including EN 60950-1 as Reference Document (RD);
- harmonization and alignment with current world recognized best practices;
- enhancement of backfeed protection, definition of ground-fault, revision of temperature rise tables and of hydrogen concentration in battery compartments.

This standard is to be used in conjunction with EN 60950-1:2006 which is referred to in this standard as "RD".

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2009-06-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2011-09-01

In this standard, the following print types are used:

- requirements proper and normative annexes: in roman type;
- compliance statements and test specifications: in italic type;
- notes and other informative matter: in smaller roman type;
- normative conditions within tables: in smaller roman type;
- terms that are defined in Clause 3: bold.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62040-1:2008 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60439-1	NOTE Harmonized as E	N 60439-1:1999 (not modified).
IEC 60925	NOTE Harmonized as E	N 60925:1991 (not modified).
IEC 60990	NOTE Harmonized as E	N 60990:1999 (not modified).
IEC 61347	NOTE Harmonized in El	N 61347 series (nartially modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60364-4-42	_1)	Electrical installations of buildings - Part 4-42: Protection for safety - Protection against thermal effects	-	-
IEC 60417	Data- base	Graphical symbols for use on equipment	-	-
IEC 60529	_1)	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 ²⁾ 1993
IEC 60664	Series	Insulation coordination for equipment within low-voltage systems	EN 60664	Series
IEC/TR 60755	_1)	General requirements for residual current operated protective devices	-	-
IEC 60950-1 (mod)	2005	Information technology equipment - Safety - Part 1: General requirements	EN 60950-1	2006
IEC 61000-2-2	_1)	Electromagnetic compatibility (EMC) - Part 2-2: Environment - Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems	EN 61000-2-2	2002 ²⁾
IEC 61008-1 (mod)	_1)	Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCB's) - Part 1: General rules	EN 61008-1 + A11	2004 ²⁾ 2007
IEC 61009-1 (mod)	_1)	Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBO's) - Part 1: General rules	EN 61009-1 + corr. July + A11	2004 ²⁾ 2006 2008
IEC 62040-2	2005	Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements	EN 62040-2 + corr. November	2006 2006
IEC 62040-3 (mod)	1999	Uninterruptible power systems (UPS) - Part 3: Method of specifying the performance and test requirements	EN 62040-3	2001

-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

SIST EN 62040-1:2009



IEC 62040-1

Edition 1.0 2008-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS

Alimentations sans interruption (ASI) – Partie 1: Exigences générales et règles de sécurité pour les ASI

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 29.200 ISBN 2-8318-9791-2

CONTENTS

FO	REWO	DRD		6
1	Scop	e and s	pecific applications	8
	1.1	Scope.		8
	1.2	Specifi	c applications	8
2	Norm	ative re	eferences	9
3	Term	s and d	efinitions	10
	3.1	Genera	al definitions	10
	3.2		lectrical ratings	
	3.3		ypes	
	3.4	-	ction to the supply	
	3.5		s and circuit characteristics	
	3.6	Insulat	ion	12
	3.7	Equipn	nent mobility	12
	3.8	Insulat	ion classes of UPS	12
	3.9	Earth f	ault	12
	3.10	Enclos	ures	12
	3.11	Access	sibility	12
	3.12	Compo	onents	12
	3.13	Power	distribution	12
	3.14	Flamm	ability	12
	3.15	Miscell	laneous	12
	3.16	Cleara	nces and creepage distances	12
	3.17	Teleco	mmunication networks	13
4	Gene	eral cond	ditions for tests	13
	4.1	Introdu	ıction	13
	4.2	Type to	est	13
	4.3	Operat	ting parameters for tests	13
	4.4	UPS lo	pading during tests	14
	4.5	Compo	onents	14
	4.6	Power	interfaces	14
	4.7	Markin	gs and instructions	15
		4.7.1	General	15
		4.7.2	Power rating	15
		4.7.3	Safety instructions	15
		4.7.4	Main voltage adjustment	
		4.7.5	Power outlets	
		4.7.6	Fuses	17
		4.7.7	Wiring terminals	
		4.7.8	Battery terminals	
		4.7.9	Controls and indicators	
			Isolation of multiple power sources	
			IT power systems	
			Protection in building installation	
			High leakage current	
			Thermostats and other regulating devices	
		4.7.15	Language	18

		4.7.16	Durability of markings	18
		4.7.17	Removable parts	18
		4.7.18	Replaceable batteries	19
		4.7.19	Operator access with a tool	19
		4.7.20	Battery	19
		4.7.21	Installation instructions	20
5	Fund	lamenta	I design requirements	20
	5.1	Protect	tion against electric shock and energy hazards	20
		5.1.1	Protection for UPS intended to be used in operator access areas	
		5.1.2	Protection for UPS intended to be used in service access areas	21
		5.1.3	Protection for UPS intended to be used in restricted access areas	21
		5.1.4	Backfeed protection	21
		5.1.5	Emergency switching (disconnect) device	22
	5.2	Requir	ements for auxiliary circuits	
		5.2.1	Safety extra low voltage circuits – SELV	
		5.2.2	Telephone network voltage circuits – TNV	
		5.2.3	Limited current circuits	
		5.2.4	External signalling circuits	
		5.2.5	Limited power source	
	5.3		tive earthing and bonding	
		5.3.1	General	
		5.3.2	Protective earthing	23
		5.3.3	Protective bonding	
	5.4		d.c. power isolation	
		5.4.1	General	
		5.4.2	Disconnect devices	
	5.5	Overcu	rrent and earth fault protection	
		5.5.1	General	
		5.5.2	Basic requirements	
		5.5.3	Battery circuit protection	
	5.6		tion of personnel – Safety interlocks	
		5.6.1	Operator protection	
		5.6.2	Service person protection	
	5.7		nces, creepage distances and distances through insulation	
6			ections and supply	
	6.1	•	al	
	0.1	6.1.1	Introduction	
		6.1.2	Dimensions and ratings of busbars and insulated conductors	
	6.2	~	ction to power	
	0.2	6.2.1	General provisions for connection to power	
		6.2.2	Means of connection	
	6.3		terminals for external power conductors	
7		_	uirements	
′	•	•		
	7.1		ure	
	7.2		'y	
	7.3		nical strength	
	7.4		uction details	
		7.4.1	Introduction	
		7.4.2	Openings	30

		7.4.3	Gas concentration	30
		7.4.4	Equipment movement	30
	7.5	Resista	ince to fire	30
	7.6	Battery	location	30
		7.6.1	Battery location and installation	30
		7.6.2	Accessibility and maintainability	31
		7.6.3	Distance	
		7.6.4	Case insulation	
		7.6.5	Wiring	
		7.6.6	Electrolyte spillage	
		7.6.7	Ventilation	
		7.6.8	Charging voltages	
	7.7		rature rise	
8	Electi		uirements and simulated abnormal conditions	
	8.1		Il provisions for earth leakage	
	8.2		strength	
	8.3	Abnorn	nal operating and fault conditions	
		8.3.1	General	
		8.3.2	Simulation of faults	
		8.3.3	Conditions for tests	
9	Conn	ection to	o telecommunication networks	35
Ann	ex A (normat	ive) Tests for resistance to heat and fire	36
Ann	ex B (normat	ive) Motor tests under abnormal conditions	37
Ann	ex C	(normat	ive) Transformers	38
Ann	ex D	(normat	ive) Measuring instruments for touch current tests	39
Ann	ex E (normat	ive) Temperature rise of a winding	40
Ann	ex F (normati	ve) Measurements of clearances and creepage distances	41
Ann	ex G	(normat	ive) Alternative method for determining minimum clearances	42
			tive) Guidance on protection against ingress of water and foreign	
-				
	,		ve) Backfeed protection test	
Ann	ex J (informa	tive) Table of electrochemical potentials	48
Ann	ex K (normat	ive) Thermal controls	49
Ann	ex L (normati	ve) Reference loads	50
Ann	ex M	(normat	ive) Ventilation of battery compartments	54
			ive) Minimum and maximum cross-sections of copper conductors ection (see 6.3)	57
Ann	ex O	(informa	ative) Guidance for disconnection of batteries during shipment	58
Bibl	iograp	hy		60
			circuit for load-induced change of reference potential – single-phase	
				46
			circuit for load-induced change of reference potential – three-phase	40
_			cautionary label for products shipped with the battery disconnected	
Figu	ire O.	2 – Pre	cautionary label for products shipped with the battery connected	59

Table 1 – Temperature limits	32
Table 2 – Permitted temperature limits for magnetic windings at the end of stored energy mode of operation	33
Table H.1 – Degrees of protection against foreign objects indicated by the first characteristic numeral	43
Table H.2 – Degrees of protection against water indicated by the second characteristic numeral	44
Table N.1 – Conductor cross-sections (extract from IEC 60439-1)	57

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNINTERRUPTIBLE POWER SYSTEMS (UPS) -

Part 1: General and safety requirements for UPS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62040-1 has been prepared by subcommittee 22H: Uninterruptible power systems (UPS), of IEC technical committee 22: Power electronic systems and equipment.

This standard cancels and replaces the first edition of IEC 62040-1-1, published in 2004 and IEC 62040-1-2, published in 2004 and constitutes a technical revision. This standard merges all requirements of previous IEC 62040-1-1 and IEC 62040-1-2, with the addition of the following:

- update of normative references including IEC 60950-1 as Reference Document (RD);
- harmonization and alignment with current world recognized best practices;
- enhancement of backfeed protection, definition of ground-fault, revision of temperature rise tables and of hydrogen concentration in battery compartments.

-7-

The text of this standard is based on the following documents:

FDIS	Report on voting
22H/104/FDIS	22H/106/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

It is to be used with IEC 60950-1, Edition 2.0, which is referred to in this standard as "RD".

In this standard, the following print types are used:

- requirements proper and normative annexes: in roman type;
- compliance statements and test specifications: in italic type;
- notes and other informative matter: in smaller roman type;
- normative conditions within tables: in smaller roman type;
- terms that are defined in Clause 3: bold.

A list of all parts of the IEC 62040 series, under the general title: *Uninterruptible power systems (UPS)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

The contents of the corrigendum of September 2008 have been included in this copy.