

INTERNATIONAL STANDARD

Liquid crystal display devices –
Part 3: Liquid crystal display (LCD) cells – Sectional specification
STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61747-3:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/3b7e7222-5486-4561-99c1-f25378259aa0/iec-61747-3-2015>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC STANDARD PREVIEW
(standards.ch)

INTERNATIONAL STANDARD

Liquid crystal display devices –
Part 3: Liquid crystal display (LCD) cells – Sectional specification

STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/3b7e7222-5486-4561-99c1-f25378259aa0/iec-61747-3-2015>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-2570-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Quality assessment procedure.....	6
4.1 Primary stage of manufacture	6
4.2 Production process	6
4.3 Subcontracting.....	7
4.4 Structural similarity procedures.....	7
4.4.1 General	7
4.4.2 Structurally similar cells.....	7
4.4.3 Test-dependent criteria for structural similarity	7
4.5 Qualification approval procedure.....	8
4.6 Quality conformance test	8
4.6.1 General	8
4.6.2 Division into groups and subgroups	8
4.6.3 Groups and categories	9
4.6.4 Group A – Lot-by-lot tests.....	9
4.6.5 Group B – Lot-by-lot tests.....	9
4.6.6 Group C – Periodic tests.....	9
4.6.7 Group D – Periodic tests.....	9
4.6.8 Dimensions to be checked.....	9
4.6.9 Sampling requirements (fixed sampling sizes)	9
4.7 Capability approval procedure.....	9
4.8 Screening	9
4.9 Delayed deliveries	10
5 Test and measurement procedures.....	10
Table 1 – Test-dependent criteria for structural similarity	11
Table 2 – Qualification approval tests	12
Table 3 – Groups and categories of assessed quality	13
Table 4 – Group A – Lot-by-lot tests	13
Table 5 – Group B – Lot-by-lot tests	13
Table 6 – Group C – Periodic tests	13
Table 7 – Sampling requirements for group A tests.....	14
Table 8 – Sampling requirements for group B and C tests.....	15
Table 9 – Screening test item and conditions.....	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIQUID CRYSTAL DISPLAY DEVICES –

**Part 3: Liquid crystal display (LCD) cells –
Sectional specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61747-3 has been prepared by IEC technical committee 110: Electronic display devices.

This International Standard is a sectional specification for liquid crystal display cells. It is used in conjunction with IEC 61747-1-1:2014.

This third edition cancels and replaces the second edition, published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) All the references to IECQ and QC were removed in accordance with ISO/IEC Directives Part 2, 6.7.1 and 6.7.2;

b) Updated normative references.

The text of this standard is based on the following documents:

CDV	Report on voting
110/532/CDV	110/616/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61747 series, under the general title *Liquid crystal display devices*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEC 61747-3:2015

A bilingual version of this publication may be issued at a later date.

<http://standards.iteh.ai/catalog/standards/sist/3b7e7332-5486-4561-99c1-f25378259aa0/iec-61747-3-2015>

LIQUID CRYSTAL DISPLAY DEVICES –

Part 3: Liquid crystal display (LCD) cells – Sectional specification

1 Scope

This part of IEC 61747 applies to liquid crystal cells of the segment type monochrome. It gives details of the quality assessment procedures, inspection requirements, screening sequences, sampling requirements and test and measurement procedures required for the assessment of liquid crystal display cells.

Instead of the qualification approval procedure, the capability approval procedure can be applied for all products manufactured in a defined process.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61747-1-1:2014, *Liquid crystal display devices – Part 1-1: Generic – Generic specification*

[IEC 61747-3:2015](#)

IEC 61747-10-1, *Liquid crystal display devices – Part 10-1: Environmental, endurance and mechanical test methods – Mechanical*

[IEC 61747-3:2015](#)

IEC 61747-10-2, *Liquid crystal display devices – Part 10-2: Environmental, endurance and mechanical test methods – Environmental and endurance*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 production line

arrangement of process operations in production permitting sequential occurrence at various stages of production

EXAMPLE Examples of processes:

- a) electrode patterning process;
- b) alignment treatment process;
- c) assembly process;
- d) liquid crystal material filling process;
- e) finishing process;
- f) inspection process.

Note 1 to entry: Quality assessment procedures are not included in these phases.

3.2

production lot

devices of the same type, manufactured in the same production lines and passing through the same nominated process, normally within one month

3.3

major changes

any change in the manufacturing process or technology which could affect the quality or performance of a product supplied to an approved specification, or which could require a product to be transferred from one similarity group to another group

EXAMPLE

Examples of major changes:

- a) electrode patterning: completely different pattern;
- b) material of substrate: thickness of glass substrate;
- c) type of LC material: type of electro-optical effect, e.g. TN, STN, etc.;
- d) pin assignment change.

Note 1 to entry: See 4.4 below.

Note 2 to entry: Equipment change without changing the technology is not considered as a major change.

Note 3 to entry: It is the responsibility of the designated management representative (DMR) to decide whether the change is major or not.

Note 4 to entry: Any major change is only to be implemented with notification and demonstration by test evidence of quality.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

4 Quality assessment procedure

IEC 61747-3:2015

4.1 Primary stage of manufacture

<https://standards.iteh.ai/catalog/standards/sist/3b7e7222-5486-4561-99c1-f25378259aa0/iec-61747-3-2015>

The primary stage of manufacture of liquid crystal display cells is the first process of the patterning of electrodes.

4.2 Production process

The production process of liquid crystal display cells is classified as follows:

a) Electrode patterning process

This process is the set of manufacturing process operations from the primary stage to the last step for the patterning of the electrodes.

b) Alignment treatment process

This process is the set of manufacturing process operations to form the alignment layer on the glass substrate for controlling the liquid crystal molecular direction.

c) Assembly process

This process is the set of manufacturing process operations comprising the seal printing and the transfer plate assembling.

d) Liquid crystal material filling process

This process is the set of manufacturing process operations comprising the filling of liquid crystal material between the two parallel glass substrates, and the sealing.

e) Finishing process

This process is the final set of manufacturing process operations comprising the fitting of polarizer and reflector, as well as the marking.

f) Inspection process

This process is the final set of process operations before lot release, comprising visual inspection of dimensions and electrical and optical characteristics.

4.3 Subcontracting

The approved manufacturer shall ensure that the following conditions are satisfied:

- a) The subcontracted manufacturing process may be either a part of, or a whole of, the cell and/or module manufacturing process, unconditionally, including screening steps which are incorporated in them. Screening operations applied after the assembly process may also be independently subcontracted.
- b) It shall be ensured that the DMR that is certifying the components
 - has been provided with the full quality assessment and inspection documentation of any operation outside the specified geographical area. The documentation shall include the inspection records for each sample of the product which undergoes inspection;
 - regularly verifies that the quality assessment and inspection is applied in accordance with the agreed requirements.
- c) The DMR shall be provided with, and shall agree with the procedures for the transfer of the parts from the place of manufacture within the specified geographical area which is certifying the components.
- d) Any changes in inspection requirements and manufacturing procedures shall be reported back to the DMR that is certifying the modules.
- e) The approved manufacturer shall perform the acceptance tests prescribed by the detail specification for the components it is certifying. It can perform the acceptance tests in a facility outside the specified geographical area.
- f) Acceptance tests can be subcontracted to approved test laboratories within the specified geographical area.

4.4 Structural similarity procedures

4.4.1 General

Structural similarity procedures are intended to permit a reduction in the number of inspection lots for quality assessment that shall be tested.

Therefore, in case of reassessment by extension of approved types or change of the design, the testing data which was performed within the same grouping products may be used.

4.4.2 Structurally similar cells

Structurally similar cells are produced by one manufacturer, essentially to the same design, with the same material, manufacturing process and method.

The crucial criterion for the grouping of types of cells as structurally similar is that the differences between the various types have no influence on the results of the test for which the group has been formed.

4.4.3 Test-dependent criteria for structural similarity

The test-dependent criteria for structural similarity applicable to group B (lot-by-lot inspections), and group C (periodic tests), are given in Table 1.

Items a) to i) specify the interpretation of these criteria for structural similarity.

a) Materials

Glass substrate: the material for glass substrate shall be the same.

Material of alignment layer: the material for alignment layer shall be the same.

Sealing material: the sealing material shall be the same.

Liquid crystal material: the liquid crystal material shall be the same.

Materials of polarizer and reflector: the materials of polarizer and reflector shall be the same.

b) Cell size

Where the cells are within ± 50 % of the display area, they can be considered as structurally similar.

c) Electrode construction

The material and the basic design shall be the same.

d) Process (common)

The basic process and process materials shall be the same.

e) Production lines (common)

The cells shall be made on the same lines.

f) Methods and measures

Essential technical methods and measures used shall be the same, e.g. type of electro-optical effect (TN/STN, etc.), optical mode of operation (reflective, transfective, etc.).

g) Structure

The thickness of the glass substrate, gap of the cell, etc., shall be the same.

h) Marking

The same material shall be used for marking, and the essential process condition of marking shall be the same.

i) Rating

The rating values as specified on the detail specification shall be the same, except for the items dependent on the cell dimensions, such as current consumption, electrical capacitance, etc.

4.5 Qualification approval procedure

Qualification approval shall normally be granted when satisfactory results have been achieved on completion of the inspection requirements (including testing items, condition, final sampling size, etc.) to be used as specified in Table 2 of this specification.

However, in case of fixed sampling sizes, the sampling requirements in accordance with those stated in Table 7 and Table 8 may be used.

4.6 Quality conformance test

4.6.1 General

The quality conformance test is defined in IEC 61747-1-1:2014, 5.6.

4.6.2 Division into groups and subgroups

Division into groups and subgroups shall be in conformance with IEC 61747-1-1:2014, 5.6.2. In addition, the groups and subgroups shall satisfy the following conditions:

- Groups A and B: one test lot contains devices produced within a period of one month or four weeks as indicated by the used date code(s).
- Group C: samples from a production submitted for periodic testing shall have been manufactured within a period of three months as indicated by three consecutive month date codes or by 13 consecutive week date codes.

- Group D: samples from a production submitted for periodic testing shall have been manufactured within a period of 12 months as indicated by 12 consecutive month date codes or by 52 consecutive week date codes.

4.6.3 Groups and categories

The groups shall be in accordance with Table 3.

4.6.4 Group A – Lot-by-lot tests

These tests shall be prescribed in accordance with Table 4.

4.6.5 Group B – Lot-by-lot tests

These tests shall be prescribed in accordance with Table 5.

4.6.6 Group C – Periodic tests

These tests shall be prescribed in accordance with Table 6.

4.6.7 Group D – Periodic tests

These tests shall be performed for qualification approval, and thereafter annually where required only.

They shall be prescribed in the detail specification.

4.6.8 Dimensions to be checked

The dimensions to be checked as part of groups B and C shall be prescribed in the detail specification.

Also, where applicable, optical related dimensions and the group in which they are tested shall be given in the detail specifications.

4.6.9 Sampling requirements (fixed sampling sizes)

Table 7 gives sampling requirements for group A tests and Table 8 gives sampling requirements for group B and C tests, both for lot sizes between 501 and 3 200.

The other sampling sizes shall be specified in the blank detail specification (BDS) for different lot sizes.

4.7 Capability approval procedure

Under consideration.

4.8 Screening

When screening is specified in the detail specification or the order, it shall be applied to all devices in the production.

Screening is normally performed before group A, B and C tests. When screening is performed after meeting the requirements of group A and B on a lot-by-lot basis, and group C on a periodic basis, the soldering, sealing and group A tests shall be repeated.

Additional post-screening tests may be required as specified in the detail specification.