



SLOVENSKI STANDARD
SIST EN 300 440-2 V1.1.2:2005
01-februar-2005

9`Y_fca U[bYfbUnXfi y`^j cghfØ A7Ł]b`nUXYj Yj`nj Yn]`n`fUX]`g_]a`gdY_fca`fØFAŁ!
 BUdfUj Y_fUh_Y[UXcgY[UfGF8 gŁ!`FUX]`g_UcdfYa UnUi dcfUvc`j`ZY_j Yb bYa
 cVa c`f`cX`%Xc`(\$; <n!`&`"XY.`<Ufa cb]n]fUb]9B`j`g_`UXi`g``Ybca`" `&X]fY_hj Y
 F/ HH9

Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices;
 Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 2:
 Harmonized EN under article 3.2 of the R&TTE Directive

ITeH STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005>

Ta slovenski standard je istoveten z: EN 300 440-2 Version 1.1.2

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 300 440-2 V1.1.2:2005 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 440-2 V1.1.2:2005](https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005>

ETSI EN 300 440-2 V1.1.2 (2004-07)

Candidate Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short range devices;
Radio equipment to be used
in the 1 GHz to 40 GHz frequency range;
Part 2: Harmonized EN under article 3.2
of the R&TTE Directive**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 300 440-2 V1.1.2:2005](https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005>



Reference

REN/ERM-TG28-0414

Keywords

radio, regulation, SRD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 440-2 V1.1.2:2005

<https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259/ETSI-ERM-TG28-0414-v1-1-2-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2004.
All rights reserved.

DECT™, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	4
Foreword.....	4
Introduction	5
1 Scope	7
2 References	8
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Technical requirements specifications	8
4.1 Transmitter requirements	8
4.1.1 Equivalent isotropically radiated power	8
4.1.2 Permitted range of operating frequencies	9
4.1.3 Spurious emissions	9
4.1.4 Duty cycle.....	9
4.2 Receiver requirements.....	9
4.2.1 Adjacent channel selectivity-in-band.....	9
4.2.2 Adjacent band selectivity.....	9
4.2.3 Blocking or desensitization.....	9
4.2.4 Spurious radiations	9
4.3 Power limits for 2,45 GHz RFID systems.....	9
5 Testing for compliance with technical requirements.....	10
5.1 Essential radio test suites.....	10
5.1.1 Environmental conditions for testing.....	10
5.1.1.1 Normal and extreme test conditions.....	10
5.1.1.2 Test power source	10
5.1.2 Choice of samples for test suites.....	10
5.1.3 Transmitter test suites	10
5.1.3.1 Equivalent isotropically radiated power.....	10
5.1.3.2 Permitted range of operation frequencies.....	10
5.1.3.3 Spurious emissions.....	10
5.1.4 Receiver test suites.....	11
5.1.4.1 Spurious radiations.....	11
5.2 Other test specifications	11
6 Interpretation of measurement results	11
History	13

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [2] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The present document is part 2 of a multi-part deliverable covering Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range, as identified below:

Part 1: "Technical characteristics and test methods"; <https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-08f0da292596/sist-en-300-440-2-v1-1-2-2005>

Part 2: "**Harmonized EN under article 3.2 of the R&TTE Directive**".

National transposition dates

Date of latest announcement of this EN (doa):	31 October 2004
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2005
Date of withdrawal of any conflicting National Standard (dow):	30 April 2006

Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [1]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive [1]

The left hand edge of the figure shows the different clauses of article 3 of the Directive.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.3 various horizontal boxes are shown. Their dotted lines indicate that essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The bottom of the figure shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. The General Standard will always apply to it, and a radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement is adopted by the Commission and if the equipment in question lies within the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the Directive may be covered in just the General Standard or in a set of standards that includes the General Standard.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards under articles 3.2 and 3.3 to be added when new frequency bands are agreed or when the Commission takes decisions under article 3 without requiring alteration of standards that are already published;
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 440-2 V1.1.2:2005](https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/476636b2-7fce-4f38-9f33-6b16da29259b/sist-en-300-440-2-v1-1-2-2005>

1 Scope

The present document applies to Short Range Devices (SRDs) transmitters and receivers:

- transmitters operating in range from 1 GHz to 40 GHz with power levels ranging up to 4W;
- receivers operating in the range from 1 GHz to 40 GHz.

The present document contains the technical characteristics for radio equipment and is referencing CEPT/ERC Recommendation for SRDs CEPT/ERC Recommendation 70-03 [5].

The present document does not necessarily include all the characteristics which may be required by a user, nor does it necessarily represent the optimum performance achievable. It is a product family standard which may be completely or partially superseded by specific standards covering specific applications.

The present document applies to generic SRDs:

- either with a Radio Frequency (RF) output connection and specified antenna, or with an integral antenna;
- for alarms, identification systems, radio-determination, telecommand, telemetry etc. applications;
- for all types of modulation;
- with or without speech.

The present document covers fixed stations, mobile stations and portable stations. If a system includes transponders, these are measured together with the transmitter.

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the manufacturer. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

All types of modulation for radio devices are covered by the present document, provided the requirements of clause 4.1.2 are met.

The radio equipment, covered by the classification SRD is divided into several power classes based on maximum output power (see table 1). The power class designation is based on CEPT/ERC Recommendation 70-03 [5].

Table 1: Maximum radiated peak power (e.i.r.p.)

Power Class	Power level (conducted or radiated)
8	10 mW
9	25 mW
11	100 mW
12	500 mW (see note 1)
13	1 W
14	2 W
14a	4 W (see note 1)

NOTE 1: For RFID applications, see annex C of Part 1 of this standard.

The present document is intended to cover the provisions of article 3.2 of Directive 1999/5/EC (R&TTE Directive) [1], see annex E of EN 300 440-1 [3].

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.