



SLOVENSKI STANDARD SIST EN ISO 19901-1:2006

01-september-2006

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 1: Metocean design and operating considerations (ISO 19901-1:2005)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen für Offshore-Anlagen - Teil 1: Grundsätze für die Auslegung und den Betrieb auf dem offenen Meer (ISO 19901-1:2005)

Industries du pétrole et du gaz naturel - Exigences spécifiques relatives aux structures en mer - Partie 1: Dispositions océano-météorologiques pour la conception et l'exploitation (ISO 19901-1:2005)

iTeh STANDARD PREVIEW

(standard.it.eh.ai)

SIST EN ISO 19901-1:2006

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

Ta slovenski standard je istoveten z: EN ISO 19901-1:2005

ICS:

75.180.10	Oprema za raziskovanje in odkopavanje	Exploratory and extraction equipment
-----------	---------------------------------------	--------------------------------------

SIST EN ISO 19901-1:2006

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19901-1:2006

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 19901-1

November 2005

ICS 75.180.10

English Version

**Petroleum and natural gas industries - Specific requirements for
offshore structures - Part 1: Metocean design and operating
considerations (ISO 19901-1:2005)**

Industries du pétrole et du gaz naturel - Exigences
spécifiques relatives aux structures en mer - Partie 1:
Dispositions océano-météorologiques pour la conception et
l'exploitation (ISO 19901-1:2005)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen für
Offshore-Anlage - Teil 1: Grundsätze für die Auslegung und
den Betrieb auf dem offenen Meer (ISO 19901-1:2005)

This European Standard was approved by CEN on 28 October 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 19901-1:2005 (E)**Foreword**

This document (EN ISO 19901-1:2005) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2006, and conflicting national standards shall be withdrawn at the latest by May 2006.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 19901-1:2005 has been approved by CEN as EN ISO 19901-1:2005 without any modifications.

(standards.iteh.ai)

[SIST EN ISO 19901-1:2006](https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

INTERNATIONAL
STANDARD

ISO
19901-1

First edition
2005-11-15

**Petroleum and natural gas industries —
Specific requirements for offshore
structures —**

**Part 1:
Metocean design and operating
considerations**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Industries du pétrole et du gaz naturel — Exigences spécifiques
relatives aux structures en mer —*

*Partie 1: Dispositions océano-météorologiques pour la conception et
l'exploitation*
<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ac5d-d818b443ce4/sist-en-iso-19901-1-2006>



Reference number
ISO 19901-1:2005(E)

© ISO 2005

ISO 19901-1:2005(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19901-1:2006](https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	v
Introduction	vii
1 Scope	1
2 Normative references	2
3 Terms and definitions.....	2
4 Symbols and abbreviated terms	9
4.1 Main symbols	9
4.2 Abbreviated terms	11
5 Determining the relevant metocean parameters	11
5.1 General.....	11
5.2 Expert interpretation of the metocean database	12
5.3 Selecting appropriate parameters for determining design actions or action effects.....	12
5.4 The metocean database	13
5.5 Storm types in a region.....	13
5.6 Directionality	14
5.7 Extrapolation to rare conditions	14
5.8 Metocean parameters for fatigue assessments	14
5.9 Metocean parameters for short-term activities	14
6 Water depth, tides and storm surges	16
6.1 General.....	16
6.2 Tides.....	16
6.3 Storm surge.....	16
7 Wind	17
7.1 General.....	17
7.2 Wind actions and action effects	18
7.3 Wind profile and time-averaged wind speed	19
7.4 Wind spectra	19
8 Waves.....	19
8.1 General.....	19
8.2 Wave actions and action effects	20
8.3 Intrinsic, apparent and encounter wave periods.....	20
8.4 Two-dimensional wave kinematics	21
8.5 Maximum height of an individual wave for long return periods	21
8.6 Wave spectra	21
8.7 Wave directional spreading function and spreading factor	21
8.8 Wave crest elevation	22
9 Currents	22
9.1 General.....	22
9.2 Current velocities.....	22
9.3 Current profile	23
9.4 Current profile stretching	23
9.5 Current blockage	23
10 Other environmental factors.....	24
10.1 Marine growth	24
10.2 Tsunamis	24
10.3 Seiches	25
10.4 Sea ice and icebergs	25

ISO 19901-1:2005(E)

10.5	Snow and ice accretion	25
10.6	Miscellaneous.....	25
Annex A (informative) Additional information and guidance.....		26
A.1	Scope.....	26
A.2	Normative references	26
A.3	Terms and definitions	26
A.4	Symbols and abbreviations	26
A.5	Determining the relevant metocean parameters.....	26
A.6	Water depth, tides and storm surges.....	35
A.7	Wind.....	36
A.8	Waves	41
A.9	Currents	57
A.10	Other environmental factors	61
Annex B (informative) Discussion of wave frequency spectra.....		64
B.1	The Pierson-Moskowitz spectrum.....	64
B.2	The JONSWAP spectrum	67
B.3	Comparison of Pierson-Moskowitz and JONSWAP spectra	68
B.4	Ochi-Hubble spectra	70
Annex C (informative) Regional information		74
C.1	General	74
C.2	North-west Europe	74
C.3	West coast of Africa	84
C.4	US Gulf of Mexico	94
C.5	US Coast of California	112
C.6	East coast of Canada.....	118
Bibliography		130

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19901-1 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*.

ISO 19901 consists of the following parts, under the general title *Petroleum and natural gas industries — Specific requirements for offshore structures*:

- *Part 1: Metocean design and operating considerations*
- *Part 2: Seismic design procedures and criteria*
- *Part 4: Geotechnical and foundation design considerations*
- *Part 5: Weight control during engineering and construction*
- *Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units*

The following parts are under preparation:

- *Part 3: Topsides structure*
- *Part 6: Marine operations*

ISO 19901 is one of a series of standards for offshore structures. The full series consists of the following International Standards.

- ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*
- ISO 19901 (all parts), *Petroleum and natural gas industries — Specific requirements for offshore structures*
- ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*¹⁾
- ISO 19903, *Petroleum and natural gas industries — Fixed concrete offshore structures*¹⁾

1) To be published.

ISO 19901-1:2005(E)

- ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Monohulls, semi-submersibles and spars*²⁾
- ISO 19904-2, *Petroleum and natural gas industries — Floating offshore structures — Part 2: Tension leg platforms*³⁾
- ISO 19905-1, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 1: Jack-ups*³⁾
- ISO/TR 19905-2, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 2: Jack-ups commentary*³⁾
- ISO 19906, *Petroleum and natural gas industries — Arctic offshore structures*³⁾

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19901-1:2006](https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

2) To be published.

3) Under preparation.

Introduction

The series of International Standards applicable to types of offshore structure, ISO 19900 to ISO 19906, constitutes a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum and natural gas industries worldwide. Through their application the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

The series of International Standards applicable to types of offshore structure is intended to provide a wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

The overall concept of structural integrity is described above. Some additional considerations apply for metocean design and operating conditions. The term "metocean" is short for "meteorological and oceanographic" and refers to the discipline concerned with the establishment of relevant environmental conditions for the design and operation of offshore structures. A major consideration in the design and operation of such a structure is the determination of actions on, and the behaviour of, the structure as a result of winds, waves and currents.

SIST EN ISO 19901-1:2006

Environmental conditions vary widely around the world. For the majority of offshore locations there are little numerical data from historic conditions; comprehensive data often only start being collected when there is a specific need, for example, when exploration for hydrocarbons is being considered. Despite the usually short duration for which data are available, designers of offshore structures need estimates of extreme and abnormal environmental conditions (with an individual or joint probability of the order of 1×10^{-2} / year and 1×10^{-3} to 1×10^{-4} / year, respectively).

Even for areas like the Gulf of Mexico, offshore Indonesia and the North Sea, where there are up to 30 years of fairly reliable measurements available, the data are insufficient for rigorous statistical determination of appropriate extreme and abnormal environmental conditions. The determination of relevant design parameters has therefore to rely on the interpretation of the available data by specialists, together with an assessment of any other information, such as prevailing weather systems, ocean wave creation and regional and local bathymetry, coupled with consideration of data from comparable locations. It is hence important to employ specialists from both the metocean and structural communities in the determination of design parameters for offshore structures, particularly since setting of appropriate environmental conditions depends on the chosen option for the offshore structure.

This part of ISO 19901 provides procedures and guidance for the determination of environmental conditions and their relevant parameters. Requirements for the determination of the actions on, and the behaviour of, a structure in these environmental conditions are given in ISO 19901-3, ISO 19901-6, ISO 19901-7, ISO 19902, ISO 19903, ISO 19904, ISO 19905 and ISO 19906.

Some background to, and guidance on, the use of this part of ISO 19901 is provided in informative Annex A. The clause numbering in Annex A is the same as in the normative text to facilitate cross-referencing.

A discussion on wave spectra is provided in informative Annex B.

Regional information, where available, is provided in informative Annex C.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19901-1:2006

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 1: Metocean design and operating considerations

1 Scope

This part of ISO 19901 gives general requirements for the determination and use of meteorological and oceanographic (metocean) conditions for the design, construction and operation of offshore structures of all types used in the petroleum and natural gas industries.

The requirements are divided into two broad types:

- a) those that relate to the determination of environmental conditions in general, together with the metocean parameters that are required to adequately describe them;
- b) those that relate to the characterization and use of metocean parameters for the design, the construction activities or the operation of offshore structures.

The environmental conditions and metocean parameters discussed comprise

- extreme and abnormal values of metocean parameters that recur with given return periods that are considerably longer than the design service life of the structure,
- long-term distributions of metocean parameters, in the form of cumulative, conditional, marginal or joint statistics of metocean parameters, and
- normal environmental conditions that are expected to occur frequently during the design service life of the structure.

Metocean parameters are applicable to

- the determination of actions and action effects for the design of new structures,
- the determination of actions and action effects for the assessment of existing structures,
- the site-specific assessment of mobile offshore units,
- the determination of limiting environmental conditions, weather windows, actions and action effects for pre-service and post-service situations (i.e. fabrication, transportation and installation or decommissioning and removal of a structure), and
- the operation of the platform, where appropriate.

NOTE Specific metocean requirements for tension leg platforms are to be contained in ISO 19904-2^[1], for site-specific assessment of jack-ups in ISO 19905-1^[2], for arctic structures in ISO 19906^[3] and for topsides structures in ISO 19901-3^[4].

ISO 19901-1:2005(E)

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures* ⁴⁾

ISO 19903, *Petroleum and natural gas industries — Fixed concrete offshore structures*

ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Monohulls, semi-submersibles and spars*

3 Terms and definitions

For the purpose of this document, the terms and definitions given in ISO 19900 and the following apply.

3.1

abnormal value

design value of a parameter of abnormal severity used in accidental limit state checks in which a structure is intended not to suffer complete loss of integrity

NOTE Abnormal events have probabilities of the order of 10^{-3} to 10^{-4} per annum. In the limit state checks, some or all of the partial factors are set to 1,0.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.2

chart datum

local datum used to fix water depths on a chart or tidal heights over an area

SIST EN ISO 19901-1:2006

<https://standards.iteh.ai/catalog/standards/sist/39753b17-2711-4b25-ae5d-d818b44f3ce4/sist-en-iso-19901-1-2006>

NOTE Chart datum is usually an approximation to the level of the lowest astronomical tide.

3.3

conditional distribution

conditional probability

statistical distribution (probability) of the occurrence of a variable A , given that other variables B , C , ... have certain assigned values

NOTE The conditional probability of A given that B , C , ... occur is written as $P(A|B,C,\dots)$. The concept is applicable to metocean parameters, as well as to actions and action effects.

EXAMPLE When considering wave parameters, A can be the individual crest elevation, B the water depth and C the significant wave height, and so on.

3.4

design crest elevation

extreme crest elevation measured relative to still water level

NOTE The design crest elevation is used in combination with information on astronomical tide, storm surge, platform settlement, reservoir subsidence and water depth uncertainty and is derived from an extreme value analysis. Because of the simplified nature of the models used to estimate the kinematics of the design wave, the design crest elevation can be different from, usually somewhat greater than, the crest elevation of the design wave used to calculate actions on the structure.

4) To be published.

3.5**design wave**

deterministic wave used for the design of an offshore structure

NOTE 1 The design wave is an engineering abstract. Most often it is a periodic wave with suitable characteristics (e.g. height H , period T , steepness, crest elevation). The choice of a design wave depends on

- the design purpose(s) considered,
- the wave environment,
- the geometry of the structure,
- the type of action(s) or action effect(s) pursued.

NOTE 2 Normally, a design wave is only compatible with design situations in which the action effect(s) are quasi-statically related to the associated wave actions on the structure.

3.6**extreme value**

design value of a parameter used in ultimate limit state checks, in which a structure's global behaviour is intended to stay in the elastic range

NOTE Extreme events have probabilities of the order of 10^{-2} per annum.

3.7**gust**

brief rise and fall in wind speed lasting less than 1 min

NOTE In some countries, gusts are reported in meteorological observations if the maximum wind speed exceeds approximately 8 m/s.

3.8**gust wind speed**

maximum value of the wind speed of a gust averaged over a short (3 s to 60 s) specified duration within a longer (1 min to 1 h) specified duration

NOTE 1 For design purposes, the specified duration depends on the dimensions and natural period of the (part of the) structure being designed such that the structure is designed for the most onerous conditions; thus, a small part of a structure is designed for a shorter gust wind speed duration (and hence a higher gust wind speed) than a larger (part of a) structure.

NOTE 2 In practice, for design purposes, the gust wind speeds for different durations (e.g. 3 s, 5 s, 15 s, 60 s) are derived from the wind spectrum.

3.9**highest astronomical tide****HAT**

level of high tide when all harmonic components causing the tides are in phase

NOTE The harmonic components are in phase approximately once every 19 years, but these conditions are approached several times each year.

3.10**hindcasting**

method of simulating historical (metocean) data for a region through numerical modelling