

SLOVENSKI STANDARD SIST EN 61076-2-101:2008

01-november-2008

?cbY_hcf]nUY_Yfcbg_c'cdfYa c!'NU hYj Y'nU]nXY_Y_'!&!\$%XY.'DcXfcVbU
gdWVZ_UWU'nUc_fc[`Y`_cbY_hcfYA%&n'j]U b]a `nU`YdUbYa 'f97 *%\$+*!&
%\$%&\$\$, Ł

Connectors for electronic equipment - Product requirements - Part 2-101: Detail specification for circular connectors M12 with screw-locking (IEC 61076-2-101:2008)

Connecteurs pour équipements électroniques - Exigences de produit - Partie 2-101: Connecteurs circulaires - Spécification particulière pour les connecteurs M12 à vis (IEC 61076-2-101:2008)

Connecteurs pour équipements électroniques - Exigences de produit - Partie 2-101: Spécification particulière pour les connecteurs circulaires M12 vis (CEI 61076-2-101:2008)

Ta slovenski standard je istoveten z: EN 61076-2-101:2008

ICS:

31.220.10 Xã ã Áã } ã^É[} ^\ d |ã Plug-and-socket devices.
Connectors

SIST EN 61076-2-101:2008

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61076-2-101:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61076-2-101

September 2008

ICS 31.220.10

Partially supersedes EN 61076-2-101:2003 + A1:2006

English version

**Connectors for electronic equipment -
Product requirements -
Part 2-101: Circular connectors -
Detail specification for M12 connectors with screw-locking
(IEC 61076-2-101:2008)**

Connecteurs pour équipements
électroniques -
Exigences de produit -
Partie 2-101: Connecteurs circulaires -
Spécification particulière
pour les connecteurs M12 à vis
(CEI 61076-2-101:2008)

Steckverbinder für elektronische
Einrichtungen -
Produktanforderungen -
Teil 2-101: Rundsteckverbinder -
Bauartspezifikation für Steckverbinder
M12 mit Schraubverriegelung
(IEC 61076-2-101:2008)

(standards.iteh.ai)

[SIST EN 61076-2-101:2008](https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-)

<https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56->

This European Standard was approved by CENELEC on 2008-08-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 48B/1893/FDIS, future edition 2 of IEC 61076-2-101, prepared by SC 48B, Connectors, of IEC TC 48, Electromechanical components and mechanical structures for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61076-2-101 on 2008-08-01.

This European Standard, together with EN 61076-2-104:2008, supersedes EN 61076-2-101:2003 + A1:2006.

EN 61076-2-101:2008 includes the following significant technical changes with respect to EN 61076-2-101:2003:

- the connector type M8 has been removed from EN 61076-2-101 and has been published in a separate European Standard under reference EN 61076-2-104;
- the content of Amendment 1 is included in this European Standard;
- mounting thread changed from Pg to metric.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-05-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-08-01

Annex ZA has been added by CENELEC.

[SIST EN 61076-2-101:2008](https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008)
<https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008>

Endorsement notice

The text of the International Standard IEC 61076-2-101:2008 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60423	NOTE	Harmonized as EN 60423:2007 (not modified).
IEC 61076-2-001	NOTE	Harmonized as EN 61076-2-001:2001 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
-	-	Communication cables - Specifications for test methods - Part 1-14: Electrical test methods - Coupling attenuation or screening attenuation of connecting hardware	EN 50289-1-14	- ¹⁾
IEC 60050-581	- ¹⁾	International Electrotechnical Vocabulary (IEV) - Chapter 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	- ¹⁾	Environmental testing - Part 1: General and guidance	EN 60068-1	1994 ²⁾
IEC 60068-2-60	- ¹⁾	Environmental testing - Part 2: Tests - Test Ke: Flowing mixed gas corrosion test	EN 60068-2-60	1996 ²⁾
IEC 60352	Series	Solderless connections	EN 60352	Series
IEC 60512	Series	Connectors for electronic equipment - Tests and measurements	EN 60512	Series
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 1993
IEC 60664-1	- ¹⁾	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007 ²⁾
IEC 60998-2-1 (mod)	- ¹⁾	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units	EN 60998-2-1	2004 ²⁾
IEC 60999	Series	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units	EN 60999	Series
IEC 61076-1	2006	Connectors for electronic equipment - Product requirements - Part 1: Generic specification	EN 61076-1	2006
IEC 61984	- ¹⁾	Connectors - Safety requirements and tests	EN 61984	2001 ²⁾
ISO 1302	- ¹⁾	Geometrical Product Specifications (GPS) - Indication of surface texture in technical product documentation	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
DIN 46320	- ¹⁾	Screwed glands for cables: general application, dimensions, mounting instructions	-	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61076-2-101:2008

<https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008>



IEC 61076-2-101

Edition 2.0 2008-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Product requirements –
Part 2-101: Circular connectors – Detail specification for M12 connectors with
screw-locking**

**Connecteurs pour équipements électroniques – Exigences de produit –
Partie 2-101: Connecteurs circulaires – Spécification particulière pour les
connecteurs M12 à vis**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XA

ICS 31.220.10

ISBN 2-8318-9891-9

CONTENTS

FOREWORD.....	5
1 General information.....	8
1.1 Scope.....	8
1.2 Recommended method of termination.....	8
1.2.1 Number of contacts or contact cavities.....	8
1.3 Ratings and characteristics.....	8
1.4 Normative references.....	9
1.5 Marking.....	9
1.6 IEC Type designation.....	10
1.7 Ordering information.....	10
1.8 Safety aspects.....	11
2 Technical information.....	11
2.1 Terms and definitions.....	11
2.1.1 Mounting orientation.....	11
2.2 Survey of styles and variants.....	11
2.2.1 Fixed connectors.....	12
2.2.2 Free connectors.....	19
3 Dimensions.....	23
3.1 General.....	23
3.2 Interface dimensions.....	24
3.2.1 Pin front view A-coding.....	24
3.2.2 Pin front view B-coding.....	28
3.2.3 Pin front view C-coding.....	29
3.2.4 Pin front view D-coding.....	32
3.2.5 Pin front view P-coding.....	33
3.3 Engagement (mating) information.....	34
3.4 Gauges.....	36
4 Characteristics.....	37
4.1 Climatic category.....	37
4.2 Electrical characteristics.....	37
4.2.1 Rated voltage – Rated impulse voltage – Pollution degree.....	37
4.2.2 Voltage proof.....	38
4.2.3 Current-carrying capacity.....	38
4.2.4 Contact resistance.....	39
4.2.5 Insulation resistance.....	39
4.3 Mechanical characteristics.....	39
4.3.1 IP degree of protection.....	39
4.3.2 Mechanical operation.....	39
4.3.3 Insertion and withdrawal forces.....	39
4.3.4 Contact retention in insert.....	40
4.3.5 Polarizing method.....	40
4.3.6 Vibration (sinusoidal).....	40
5 Test schedule.....	40
5.1 General.....	40
5.1.1 Arrangement for contact resistance measurements.....	41
5.1.2 Arrangement for dynamic stress tests (vibration).....	41

5.2	Test schedule	43
5.2.1	Test group P – Preliminary	43
5.2.2	Test group AP – Dynamic/ Climatic.....	44
5.2.3	Test group BP – Mechanical endurance.....	47
5.2.4	Test group CP – Electrical load	49
5.2.5	Test group DP – Chemical resistivity	50
5.2.6	Test group EP – Connection method tests	50
5.2.7	Test group FP – Electrical transmission requirements	51
Annex A	(informative) Diameter of the female connector body	52
Annex B	(informative) Steel conduit thread, sizes	53
Bibliography	55
Figure 1	– Tube insert, male contacts, mounting without thread (thread on tube)	12
Figure 2	– Tube insert, male contacts, mounting with thread $M12 \times 1$	13
Figure 3	– Fixed connector, male contacts, mounting with thread $M12 \times 1$, square flange front mounting	14
Figure 4	– Fixed connector, male contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M16 \times 1,5$	15
Figure 5	– Fixed connector, male contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M20 \times 1,5$	15
Figure 6	– Fixed connector, male contacts, mounting with thread $M12 \times 1$ with wire ends, single hole mounting thread $M16 \times 1,5$, mounting orientation.....	16
Figure 7	– Fixed connector, male contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M20 \times 1,5$, mounting orientation.....	16
Figure 8	– Fixed connector, female contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M16 \times 1,5$	17
Figure 9	– Fixed connector, female contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M20 \times 1,5$	17
Figure 10	– Fixed connector, female contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M16 \times 1,5$, mounting orientation.....	18
Figure 11	– Fixed connector, female contacts, mounting with thread $M12 \times 1$, with wire ends, single hole mounting thread $M20 \times 1,5$, mounting orientation.....	18
Figure 12	– Rewireable connector, male contacts, straight version, with locking nut	19
Figure 13	– Rewireable connector, male contacts, right angled version, with locking nut.....	20
Figure 14	– Non-rewireable connector, male contacts, straight version, with locking nut	20
Figure 15	– Non-rewireable connector, male contacts, right angled version, with locking nut	21
Figure 16	– Non-rewireable connector, male contacts, right angled higher version, with locking nut	21
Figure 17	– Rewireable connector, female contacts, straight version, with locking nut	22
Figure 18	– Rewireable connector, female contacts, right angled version, with locking nut....	22
Figure 19	– Non-rewireable connector, female contacts, straight version, with locking nut	23
Figure 20	– Non-rewireable connector, female contacts, right angled version, with locking nut	23
Figure 21	– Pin front view A-coding	25
Figure 22	– Contact position A-coding front view	27
Figure 23	– Pin front view B-coding	28

Figure 24 – Contact position B-coding front view	28
Figure 25 – Pin front view 3 way with C-coding	29
Figure 26 – Pin front view 4 way with C-coding	29
Figure 27 – Pin front view 5 way with C-coding	30
Figure 28 – Pin front view 6 way with C-coding	30
Figure 29 – Contact position C-coding front view	31
Figure 30 – Pin front view D-coding	32
Figure 31 – Contact position D-coding front view	32
Figure 32 – Pin front view P-coding	33
Figure 33 – Contact position P-coding front view	33
Figure 34 – Engagement (mating) information.....	34
Figure 35 – Gauge dimensions	36
Figure 36 – Contact resistance arrangement.....	41
Figure 37 – Dynamic stress test arrangement	42
Figure A.1 – Diameter of the female connector body	52
Figure B.1 – Dimensions Pg thread.....	53
Table 1 – Styles of fixed connectors	12
Table 2 – Styles of free connectors	19
Table 3 – Connectors dimensions in mated and locked position	35
Table 4 – Gauges	36
Table 5 – Climatic category	37
Table 6 – Rated voltage – Rated impulse voltage – Pollution degree	37
Table 7 – Voltage proof.....	38
Table 8 – Number of mechanical operations	39
Table 9 – Insertion and withdrawal forces	39
Table 10 – Number of test specimens	40
Table 11 – Test group P	43
Table 12 – Test group AP	44
Table 13 – Test group BP	47
Table 14 – Test group CP	49
Table 15 – Test group DP	50
Table 16 – Test group EP	50
Table 17 – Test group FP	51
Table A.1 – Diameter of the female connector body, dimension x	52
Table B.1 – Dimensions	54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –**
**Part 2-101: Circular connectors –
Detail specification for M12 connectors with screw-locking**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-2-101 has been prepared by Sub-Committee 48B: Connectors, of Technical Committee 48: Electromechanical components and mechanical structures for electronic equipment.

This second edition cancels and replaces the first edition published in 2003 and its Amendment 1 published in 2006. It is a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the connector type M8 has been removed from IEC 61076-2-101 and has been published in a separate IEC Standard under reference IEC 61076-2-104;
- the content of Amendment 1 is included in this International Standard;
- mounting thread changed from Pg to metric.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/1893/FDIS	48B/1926/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.


The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition; or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61076-2-101:2008](https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008)

<https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008>

<p>IEC SC 48B – Connectors</p> <p>Specification available from: IEC General secretariat or from the addresses shown on the inside cover.</p>	<p>IEC 61076-2-101/Ed. 2.0</p>
<p>ELECTRONIC COMPONENTS</p> <p>DETAIL SPECIFICATION in accordance with IEC 61076-1</p>	
 <p style="text-align: center;">iTeh STANDARD PREVIEW (standards.iteh.ai)</p> <p style="text-align: center;">SIST EN 61076-2-101:2008 https://standards.iteh.ai/catalog/standards/sist/1074182f-e2a3-4f23-bc56-f074182f712f/sist-en-61076-2-101-2008</p> <p style="text-align: right;">IEC 2336/03</p>	<p>Circular connectors M12 2 to 12 way Male and female contacts Male and female connectors Rewireable – Non-rewireable</p>
	<p>Free cable connectors Straight and right angle connectors Fixed connectors</p> <p>Flange mounting Single hole mounting</p> <p>Pin sockets</p>

CONNECTORS FOR ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 2-101: Circular connectors – Detail specification for M12 connectors with screw-locking

1 General information

Throughout this standard dimensions are in mm.

1.1 Scope

This International Standard describes circular connectors M12 typically used for industrial process measurement and control. These connectors consist of fixed and free connectors either rewirable or non-rewirable, with screw-locking. Male connectors have round contacts \varnothing 0,6 mm, \varnothing 0,76 mm, \varnothing 0,8 mm and \varnothing 1,0 mm.

The different codings prevent the mating of these coded male or female connectors to any other interfaces and cross mating between the different codings.

NOTE M12 is the dimension of the thread of the screw locking mechanism of these circular connectors.

1.2 Recommended method of termination

The contact terminations shall be of the following types: screw, crimp, insulation piercing, insulation displacement, press-in or solder.

1.2.1 Number of contacts or contact cavities

A-coding	2 to 12 contacts
B-coding	5 contacts
C-coding	3 to 6 contacts
D-coding	4 contacts
P-coding	5 contacts (4+PE)

1.3 Ratings and characteristics

Rated Voltage	A-coding	2 to 4 contacts	250 V d.c. or a.c.
		5 contacts	60 V d.c. or a.c.
		6 to 12 contacts	30 V d.c. or a.c.
	B-coding	5 contacts	60 V d.c. or a.c.
		C-coding	3 and 4 contacts
	D-coding	5 and 6 contacts	250 V d.c. or a.c.
4 contacts		250 V d.c. or a.c.	
P-coding (4+PE)		5 contacts (4+PE)	60 V d.c. or a.c.
Rated Current	A-coding	2 to 5 contacts	4 A
		6 to 8 contacts	2 A
		9 to 12 contacts	1,5 A
	B-coding	5 contacts	4 A
		C-coding	3 contacts (2+PE)
	D-coding	4 contacts (3+PE)	4 A
		5 contacts (4+PE)	2 A
		6 contacts (5+PE)	2 A
		4 contacts	4 A
		P-coding	5 contacts (4+PE)

Insulation Resistance : $10^8 \Omega \text{ min.}$

Climatic category : see 4.1 Table 5

Contact spacing : see 3

1.4 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, *Advance edition of the International Electrotechnical Vocabulary – Chapter 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-60, *Environmental testing – Part 2: Tests – Test Ke: Flowing mixed gas corrosion test*

IEC 60352 (all parts), *Solderless connections*

IEC 60512 (all parts), *Connectors for electronic equipment – Tests and measurements*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP code)*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests* [SIST EN 61076-2-101:2008](https://standards.iteh.ai/catalog/standards/sist/140b872f-e2a3-4f23-be56-f074182f712f/sist-en-61076-2-101-2008)

IEC 60998-2-1, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units*

IEC 60999 (all parts), *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units*

IEC 61076-1:2006, *Connectors for electronic equipment – Product requirements – Part 1: Generic specification*

IEC 61984, *Connectors – Safety requirements and tests*

ISO 1302: *Technical drawings – Methods of indicating surface texture*

EN 50289-1-14, *Communication cables – Specifications for test methods – Part 1-14: Electrical test methods – Coupling attenuation or screening attenuation of connecting hardware (only available in English)*

DIN 46320, *Screwed glands for cables: general application, dimensions, mounting instructions*

1.5 Marking

The marking of the connector and the package shall be in accordance with 2.7 of IEC 61076-1.