

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Arc welding equipment –
Part 4: Periodic inspection and testing

Matériel de soudage à l'arc –
Partie 4: Inspection et essais périodiques

ITeH STANDARD PREVIEW
(standards.iteh.ai)
IEC 60974-4:2016
<https://standards.iteh.ai/catalog/standards/sist/5f98096d-a88d-4273-b9ad-bcc221d8da30/iec-60974-4-2016>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms, containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60974-4

Edition 3.0 2016-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Arc welding equipment –
Part 4: Periodic inspection and testing

Matériel de soudage à l'arc –
Partie 4: Inspection et essais périodiques

IEC 60974-4:2016

supplément à la norme IEC 60974-1:2016
http://standards.iteh.ai/sist/5f98096d-a88d-4273-b9ad-
bcc221d8da30/iec-60974-4-2016

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.160

ISBN 978-2-8322-3528-7

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 General requirements	6
4.1 Qualification of test personnel	6
4.2 Test conditions.....	6
4.3 Measuring instruments	6
4.4 Periodic inspection and test.....	7
4.5 Maintenance	7
4.6 Repair.....	7
4.7 Test sequence	7
5 Protection against electrical shock	8
5.1 Visual inspection.....	8
5.2 Continuity of the protective circuit.....	8
5.3 Insulation resistance	9
5.4 Welding circuit touch current	9
5.5 Touch current in normal condition.....	10
5.6 Protective conductor current.....	10
5.7 No-load voltage (U_0)	11
6 Functional test.....	12
6.1 Function.....	12
6.2 Supply-circuit on/off switching device	12
6.3 Voltage-reducing device	12
6.4 Magnetic gas valve	13
6.5 Signal and control lamps	13
7 Documentation	13
7.1 Test report.....	13
7.2 Labelling	13
Annex A (informative) Check-list for the visual inspection	14
Annex B (informative) Example of a test report after repair	15
Annex C (informative) Equipment not built in accordance with IEC 60974-1.....	16
Figure 1 – Measurement of welding circuit touch current.....	9
Figure 2 – Measurement of touch current in normal condition.....	10
Figure 3 – Principles of protective conductor current measurement for single phase equipment	11
Figure 4 – Measurement of peak values	12
Table 1 – Test sequence on used arc welding equipment.....	8
Table 2 – Insulation resistance.....	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT –

Part 4: Periodic inspection and testing

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/si/508006d1-e88d-4273-b9-dca22a650c09/iec-60974-4-2016>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60974-4 has been prepared by IEC technical committee 26: Electric welding.

This third edition cancels and replaces the second edition published in 2010. It constitutes a technical revision.

The main significant technical changes with respect to the previous edition are the following:

- With regard to basic standards the term "leakage current" has been replaced by "touch current" and "protective conductor current".
- Measurements of circuits connected in a non-galvanic way shall be tested according to the information of the manufacturer.
- The order of the chapters dealing with measurements to be carried out has been changed.
- The example test report in Annex B has been adapted.

The text of this standard is based on the following documents:

FDIS	Report on voting
26/597/FDIS	26/603/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60974 series, under the general title *Arc welding equipment*, can be found on the IEC website.

In this standard, the following print types are used:

- *conformity statements: in italic type.*

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

ITeH STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/5f98096d-a88d-4273-b9ad-bcc221d8da30/iec-60974-4-2016>

ARC WELDING EQUIPMENT –

Part 4: Periodic inspection and testing

1 Scope

This part of IEC 60974 specifies test procedures for periodic inspection and, after repair, to ensure electrical safety. These test procedures are also applicable for maintenance.

This standard is applicable to power sources for arc welding and allied processes designed in accordance with IEC 60974-1 or IEC 60974-6. Stand-alone ancillary equipment designed in accordance with other parts of IEC 60974 may be tested in accordance with relevant requirements of this part of IEC 60974.

NOTE 1 The welding power source can be tested with any ancillary equipment fitted that can affect the test results.

This standard is not applicable to testing of new power sources or engine-driven power sources.

NOTE 2 For a power source not built in accordance with IEC 60974-1, see Annex C

2 Normative references (standards.iteh.ai)

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151, *International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices*

IEC 60050-195, *International Electrotechnical Vocabulary – Part 195: Earthing and protection against electric shock*

IEC 60050-851, *International Electrotechnical Vocabulary – Part 851: Electric welding*

IEC 60974-1:2012, *Arc welding equipment – Part 1: Welding power sources*

IEC 60974-6, *Arc welding equipment – Part 6: Limited duty equipment*

IEC 61557-4, *Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 4: Resistance of earth connection and equipotential bonding*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the IEC 60050-151, the IEC 60050-195, the IEC 60050-851, the IEC 60974-1, as well as the following, apply.

3.1

expert competent person skilled person

a person who can judge the work assigned and recognize possible hazards on the basis of professional training, knowledge, experience and knowledge of the relevant equipment

Note 1 to entry: Several years of practice in the relevant technical field may be taken into consideration in assessment of professional training.

[SOURCE: IEC 60974-1:2012, 3.3]

3.2

instructed person

person informed about the tasks assigned and about the possible hazards involved in neglectful behaviour

Note 1 to entry: If necessary, the person has undergone some training

[SOURCE: IEC 60974-1:2012, 3.4]

3.3

periodic inspection and test

examination carried out at specified intervals to reduce the risk of hazard

3.4

maintenance

service carried out at specified intervals to reduce the risk of hazard and failure

3.5

repair

restore to a safe and intended operating condition

iTech STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/5f98096d-a88d-4273-b9ad-bec221d81e30/iec-60974-4-2016>

3.6

test personnel

instructed person or expert that has been trained and authorized to perform periodic inspection and testing

4 General requirements

4.1 Qualification of test personnel

Tests of welding equipment can be hazardous and shall be carried out by an instructed person or expert in the field of electrical repair, preferably also familiar with welding, cutting and allied processes. Instructed persons should be considered qualified for simple periodic testing and maintenance provided the equipment enclosure does not have to be opened.

NOTE Hazardous voltages and currents inside the equipment enclosure can cause shock, burn or death. Only expert test personnel can open the equipment.

4.2 Test conditions

Tests shall be carried out at an ambient air temperature between 10 °C and 40 °C on dry and cleaned welding equipment.

4.3 Measuring instruments

The accuracy of measuring instruments shall be class 2.5 as a minimum, except for the measurement of insulation resistance, where the accuracy of the instruments is not specified but shall be taken into account for the measurement.

4.4 Periodic inspection and test

The periodic inspection and test specified in Table 1 shall be carried out.

Tests shall be documented in a test report in accordance with 7.1.

During the tests, complementary instructions from the manufacturer shall be followed.

4.5 Maintenance

The manufacturer's maintenance schedule and instructions shall be followed.

Tests shall be documented in a test report in accordance with 7.1.

4.6 Repair

After repair or replacement of a component which restores a welding or cutting function, an expert shall select appropriate tests to be carried out, as specified in Table 1.

NOTE After a minor repair such as replacement of a lamp, wheel or under carriage, the tests given in Table 1 may not be necessary.

Tests shall be documented in a test report in accordance with 7.1.

During the tests, complementary instructions from the manufacturer shall be observed (for example, circuit diagrams, spare part list, functional test of power source and ancillary equipment, etc.).

4.7 Test sequence

[IEC 60974-4:2016](https://standards.iteh.ai/catalog/standards/sist/5f98096d-a88d-4273-b9ad-6cc221d8da30/iec-60974-4-2016)

The test sequence is given in Table 1.

Table 1 – Test sequence on used arc welding equipment

Periodic inspection and test	After repair
a) Visual inspection in accordance with 5.1	a) Visual inspection in accordance with 5.1
b) Electrical test: <ul style="list-style-type: none"> – protective conductor resistance in accordance with 5.2 – insulation resistance in accordance with 5.3 (Optional: welding circuit touch current in accordance with 5.4, touch current in normal condition^b in accordance with 5.5 and protective conductor current in accordance with 5.6)^a – no-load voltage in accordance with 5.7 	b) Electrical test: <ul style="list-style-type: none"> – protective conductor resistance in accordance with 5.2 – insulation resistance in accordance with 5.3 (Optional: welding circuit touch current in accordance with 5.4, touch current in normal condition^b in accordance with 5.5 and protective conductor current in accordance with 5.6)^a – no-load voltage in accordance with 5.7
c) Functional test: <ul style="list-style-type: none"> – no requirement 	c) Functional test: <ul style="list-style-type: none"> – function in accordance with 6.1 – supply-circuit on/off switching device in accordance with 6.2 – voltage-reducing device in accordance with 6.3 – magnetic gas valve in accordance with 6.4 – signal and control lamps in accordance with 6.5
d) Documentation in accordance with Clause 7	d) Documentation in accordance with Clause 7
^a If the insulation resistance test cannot be carried out for without disconnection of any component of the equipment to be tested (e.g. interference suppression networks, protection capacitors or surge protection component), the insulation resistance test may be replaced by the optional tests specified in item b). ^b Only if there are accessible conductive surfaces not connected to the protective circuit.	

IEC 60974-4:2016
<https://standards.iteh.ai/catalog/standards/sist/5f98096d-a88d-4273-b9ad-bcc221d8da30/iec-60974-4-2016>

5 Protection against electrical shock

5.1 Visual inspection

Visual inspection shall be carried out in accordance with the conditions of use of welding equipment and the manufacturer's instructions.

An example of items for a visual inspection is given in Annex A.

5.2 Continuity of the protective circuit

For mains-powered welding equipment of protection class I, including ancillary equipment (for example, cooling system) having mains connecting cables up to a length of 5,0 m, the maximum measured protective conductor resistance shall not exceed 0,3 Ω .

For cables longer than 5,0 m, the permissible value of the protective conductor resistance is increased by 0,1 Ω per additional 7,5 m cable. The maximum permissible value of the protective conductor resistance is 1 Ω .

Conformity shall be checked by measuring the resistance between the protective conductor contact at the plug and exposed conductive parts with testing equipment according to IEC 61557-4.

During the measurement, the cables shall be bent, flexed or twisted along the whole length, especially in the vicinity of cable entries into the enclosure, in order to detect interruptions in the protective conductor.

5.3 Insulation resistance

The insulation resistance shall not be less than the values given in Table 2.

Table 2 – Insulation resistance

Measurement ^a			Resistance	Insulation
Supply circuit	to	welding circuit	5,0 MΩ	Double or reinforced
Welding circuit	to	protective circuit	2,5 MΩ	Basic
Supply circuit	to	protective circuit	2,5 MΩ	Basic
Supply circuit of Class II equipment	to	accessible surfaces ^b	5,0 MΩ	Double or reinforced
^a Control circuits are tested together with the circuit to which they are galvanically connected. Accessible control circuits separated from all other circuits are tested according to the manufacturer's specification.				
^b For measurement to accessible non-conductive surfaces, such surfaces shall be considered to be covered by metal foil.				

Conformity shall be checked by the stabilized measurement of the insulation resistance by application of a d.c. voltage of 500 V at room temperature.

During the measurement, torches shall be disconnected, solid-state electronic components and their protective devices may be short-circuited, and liquid cooling units shall be tested without liquid.


5.4 Welding circuit touch current

The touch current between the welding circuit connections and the protective conductor terminal shall not exceed 10 mA r.m.s. IEC 60974-4:2016

<https://standards.iteh.ai/catalog/standards/sist/5f98096d-a88d-4273-b9ad-bcc221d8da30/iec-60974-4-2016>

Conformity shall be checked by visual inspection and measurement of the touch current with a circuit as shown in Figure 1 at the rated supply voltage(s) and no-load condition.

The measuring network shall be connected as shown in Figure 1.



NOTE For class II equipment, use the PE-terminal of earthed supply network.

Figure 1 – Measurement of welding circuit touch current

5.5 Touch current in normal condition

The touch current for accessible conductive surfaces, not connected to the protective circuit, shall not exceed 0,5 mA r.m.s under normal conditions.




Figure 2 – Measurement of touch current in normal condition

Conformity shall be checked as shown in Figure 2.

- a) The welding power source is:
 - isolated from the ground plane;
 - supplied by the highest rated supply voltage;
- b) the welding circuit is in the no-load condition;
- c) interference suppression capacitors are not disconnected.

5.6 Protective conductor current

For class 1 equipment, the protective conductor current shall not exceed 10 mA r.m.s except for equipment with permanent connection by a reinforced protective conductor in accordance with IEC 61140.

Equipment for permanent connection with a reinforced protective conductor may have a leakage current up to 5 % of the rated supply current per phase.

Conformity shall be checked using the measuring circuit as shown in Figure 3 under the following conditions:

- 1) the welding power source is:
 - isolated from the ground plane;
 - supplied by the highest rated supply voltage;
 - not connected to the protective earth except through measurement components;