

Edition 2.0 2015-05

# INTERNATIONAL STANDARD

### NORME INTERNATIONALE



Digital addressable lighting interface ARD PREVIEW
Part 201: Particular requirements for control gear - Fluorescent lamps (device type 0)

Interface d'éclairage adressable numérique 3 de commande – Partie 201: Exigences particulières pour les appareillages de commande – Lampes fluorescentes (dispositifs de type 0)





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a 6-variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 2.0 2015-05

### INTERNATIONAL STANDARD

### NORME INTERNATIONALE



Digital addressable lighting interface ARD PREVIEW

Part 201: Particular requirements for control gear Fluorescent lamps (device type 0)

IEC 62386-201:2015

Interface d'éclairage adressable numérique de décide 5906-4363-9068-Partie 201: Exigences particulières pour les apparéillages de commande – Lampes fluorescentes (dispositifs de type 0)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.140.50; 29.140.99 ISBN 978-2-8322-3037-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

#### CONTENTS

FOF	REWORD	3
INT	RODUCTION	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	General	6
5	Electrical specification	7
6	Interface power supply	7
7	Transmission protocol structure	7
8	Timing	7
9	Method of operation	7
10	Declaration of variables	7
11	Definition of commands	7
12	Test procedures	8
Figu	ure 1 – IEC 62386 graphical overview	5
Tab	le 1 – Declaration of additional variables rd s.iteh.ai)	7

IEC 62386-201:2015 https://standards.iteh.ai/catalog/standards/sist/3d6fc1ba-5906-4363-9068-9901a998e115/iec-62386-201-2015

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### DIGITAL ADDRESSABLE LIGHTING INTERFACE -

### Part 201: Particular requirements for control gear – Fluorescent lamps (device type 0)

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (standards.iteh.ai)
   4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications
- 4) In order to promote international uniformity, IEC National Committee's undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national committees undertake to apply IEC Publications and international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national corresponding national
- 5) IEC itself does not provide any attestation of conformity independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62386-201 has been prepared by subcommittee 34C: Auxiliaries for lamps, of IEC technical committee 34: Lamps and related equipment.

This second edition cancels and replaces the first edition published in 2009 and constitutes a technical revision. The essential changes with respect to the first edition are:

- references to subclauses in IEC 62386-101 and IEC 62386-102 updated to the new structure of the standard;
- test sequence reworked and description of the test sequences in form of a pseudo code instead of flow charts.

This bilingual version (2015-12) corresponds to the English version, published in 2015-05.

The text of this standard is based on the following documents:

CDV	Report on voting	
34C/1082/CDV	34C/1103/RVC	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This Part 201 of IEC 62386 is intended to be used in conjunction with:

- IEC 62386-101, which contains general requirements for system components;
- IEC 62386-102, which contains general requirements for the control gear.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- iTeh STANDARD PREVIEW withdrawn,
- replaced by a revised edition, or (standards.iteh.ai)

#### IEC 62386-201:2015

IMPORTANT - The 'colour inside'a logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

IEC 62386 contains several parts, referred to as series. The 1xx series includes the basic specifications. Part 101 contains general requirements for system components, Part 102 extends this information with general requirements for control gear and Part 103 extends it further with general requirements for control devices.

The 2xx parts extend the general requirements for control gear with lamp specific extensions (mainly for backward compatibility with Edition 1 of IEC 62386) and with control gear specific features.

The 3xx parts extend the general requirements for control devices with input device specific extensions describing the instance types as well as some common features that can be combined with multiple instance types.

The setup of the standard is graphically represented in Figure 1.




Figure 1 - IEC 62386 graphical overview

This second edition of IEC 62386-201 is published in conjunction with the second edition of IEC 62386-101 and the second edition of IEC 62386-102. The division of IEC 62386 into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

This International Standard, and the other parts that make up the IEC 62386-200 series, in referring to any of the clauses of IEC 62386-101 or IEC 62386-102, specify the extent to which such a clause is applicable and the order in which the tests are to be performed; the parts also include additional requirements, as necessary.

Where the requirements of any of the clauses of IEC 62386-101 or IEC 62386-102 are referred to in this International Standard by the sentence "The requirements of fluorescent lamp control gear (device type 0) shall conform to IEC 62386-1xx, Clause "n", this sentence is to be interpreted as meaning that all requirements of the clause in question of Part 101 or Part 102 apply, except any which are inapplicable to the specific type of lamp control gear covered by Part 201.

All numbers used in this International Standard are decimal numbers unless otherwise noted. Hexadecimal numbers are given in the format 0xVV, where VV is the value. Binary numbers are given in the format XXXXXXXXX or in the format XXXXX XXXX, where X is 0 or 1; "x" in binary numbers means "don't care".

#### DIGITAL ADDRESSABLE LIGHTING INTERFACE -

### Part 201: Particular requirements for control gear – Fluorescent lamps (device type 0)

#### 1 Scope

This part of IEC 62386 specifies a bus system for control by digital signals of electronic lighting equipment. This electronic lighting equipment should be in line with the requirements of IEC 61347.

This document is applicable to control gear associated with fluorescent lamps.

NOTE Tests in this standard are type tests. Requirements for testing individual bus units during production are not included.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. Teh STANDARD PREVIEW

IEC 61347 (all parts), Lamp controlgear (standards.iteh.ai)

IEC 62386-101:2014, Digital addressable lighting interface – Part 101: General requirements – System components

IEC 62386-201:2015

IEC 62386-102:2014 Digital addressable lighting interface Part 102: General requirements – Control gear 9901a998e115/iec-62386-201-2015

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in Clause 3 of IEC 62386-101:2014 and Clause 3 of IEC 62386-102:2014 apply.

#### 4 General

The requirements of IEC 62386-102:2014, Clause 4 apply, with the following exception:

Replace Subclause 4.2 by the following:

#### 4.2 Extended version number

The extended version number of this document shall be in the format "x.y", where the major extended version number x is in the range of 0 to 62 and the minor extended version number y is in the range of 0 to 2. When the extended version number is encoded into a byte, the major extended version number x shall be placed in bits 7 to 2 and the minor extended version number y shall be placed in bits 1 to 0.

At each amendment to an edition of IEC 62386-201, the minor extended version number shall be incremented by one.

At a new edition of IEC 62386-201, the major extended version number shall be incremented by one and the minor extended version number shall be set to 0.

The current extended version number is "2.0" and is encoded in extended Version Number.

NOTE The IEC allows normally for 2 amendments before a new edition is created.

#### 5 Electrical specification

The requirements of IEC 62386-101:2014, Clause 5 apply.

#### 6 Interface power supply

If a power supply is integrated into a control gear, the requirements of IEC 62386-101:2014, Clause 6 apply.

#### 7 Transmission protocol structure

#### 7.1 General

The requirements of Subclause 7.1 of IEC 62386-101:2014 apply.

#### 7.2 Bit encoding

The requirements of Subclause 7.2 of IEC 62386-101:2014 apply.

#### 7.3 Frame description

The requirements of Subclause 7.3 of IEC 62386-101:2014 apply.

#### 7.4 Frame types

The requirements of Subclause 7.4 of IEC 62386-101:2014 apply.

#### 7.5 16 bit forward frame encoding

The requirements of Subclause 7.2 of IEC 62386-102:2014 apply. E.W.

#### 8 Timing

(standards.iteh.ai)

The requirements of IEC 62386-101:2014, Clause 8 apply.

9 Method of operation with aircatalog/standards/sist/3d6fc1ba-5906-4363-9068-9901a998e115/iec-62386-201-2015

The requirements of IEC 62386-102:2014, Clause 9 apply.

#### 10 Declaration of variables

The requirements of IEC 62386-102:2014, Clause 10 apply, with the following additional variables for this device type, as indicated in Table 1.

Table 1 - Declaration of additional variables

Variable	Default value (factory)	Reset value	Power-on value	Range of validity	Memory type
"extendedVersionNumber"	2.0	no change	no change	00001000b	ROM
"deviceType"	0	no change	no change	0	ROM

#### 11 Definition of commands

The requirements of IEC 62386-102:2014, Clause 11 apply, with the following exceptions:

Amendment of Subclause 11.6 of IEC 62386-102:2014 as follows:

#### 11.6 APPLICATION EXTENDED COMMANDS

#### 11.6.1 General

Amendment:

Replace data by deviceType.

#### 11.6.2 QUERY EXTENDED VERSION NUMBER

Replacement:

The answer shall be extendedVersionNumber when device type deviceType has been enabled.

Refer to Subclause 4.1 for further information.

Amendment of Subclause 11.7 of IEC 62386-102 as follows:

#### 11.7 Special commands

#### 11.7.14 ENABLE DEVICE TYPE (data)

Addition:

data shall be equal to deviceType to enable the command set as defined in this standard.

#### 12 Test procedures

The requirements of IEC 62386-102:2014, Clause 12 apply, with the following exceptions:

Additional subclause:

#### 12.1 Application extended commands tests

#### 12.1.1 Check extended version number

The answer to QUERY EXTENDED VERSION NUMBER shall be checked. The correct answer is 8, which represents extended version number 2.0. PREVIEW

NOTE the principle mechanism of correct enabling different device types is checked by sequences defined in part 102 of this standard.

#### Test description:

```
IEC 62386-201:2015
```

```
// get extended version number using QUERY EXTENDED VERSION NUMBER
ENABLE DEVICE TYPE 0
answer = QUERY EXTENDED VERSION NUMBER
if (answer == NO)
      error 1 DUT did not answer QUERY EXTENDED VERSION NUMBER
else
      answerMajor = answer >> 2
      answerMinor = answer & 0x03
      if ((answerMajor == 2) AND (answerMinor == 0))
             report 1 Reported extended version number is
                    answerMajor.answerMinor.
      else
             error 2 Incorrect extended version number.
                     Actual: answerMajor.answerMinor. Expected: 2.0.
      endif
endif
```

#### 12.1.2 Reserved application extended commands

The test sequence checks if the control gear answers to reserved application extended commands, which shall not be the case.

Test description:

// send broadcast application extended command
answer = COMMAND[0xFF, opcode]
if (answer!= NO)
error 1 Answer to reserved application extended command opcode.
endif
endfor

## iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 62386-201:2015 https://standards.iteh.ai/catalog/standards/sist/3d6fc1ba-5906-4363-9068-9901a998e115/iec-62386-201-2015