



Edition 1.1 2023-08 CONSOLIDATED VERSION

TECHNICAL SPECIFICATION



Microgrids – STANDARD PREVE Part 1: Guidelines for microgrid projects planning and specification

IEC TS 62898-1:2017





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



standards/sist/a1955be-aca2-4d46-ad39-0619cf049ede/iec-ts-





Edition 1.1 2023-08 CONSOLIDATED VERSION

TECHNICAL SPECIFICATION



Microgrids - iTeh STANDARD PREVIEW

Part 1: Guidelines for microgrid projects planning and specification

IEC TS 62898-1:2017

https://standards.iteh.ai/catalog/standards/sist/a1f955be-aca2-4d46-ad39-0619cf049ede/iec-ts-62898-1-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.240.01

ISBN 978-2-8322-7473-6

Warning! Make sure that you obtained this publication from an authorized distributor.

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC TS 62898-1:2017





Edition 1.1 2023-08 CONSOLIDATED VERSION

REDLINE VERSION



Microgrids – Standard Projects planning and specification

IEC TS 62898-1:2017



CONTENTS

INTRODUCTION	7	
	/	
1 Scope	8	
2 Normative references	8	
3 Terms and definitions		
4 General principles		
4.1 General		
4.2 Preliminary study		
4.3 Overall microgrid planning and design process		
5 Purpose and application of microgrids		
5.1 Application classification		
5.2 Application of non-isolated microgrids		
5.3 Application of isolated microgrids		
6 Resource analysis and generation forecast		
6.1 Resource analysis		
6.1.1 General		
6.1.2 Non-dispatchable resource analysis		
6.1.3 Dispatchable resource analysis		
6.2 Generation forecast		
6.2.1 General	17	
6.2.2 Technical requirements		
6.2.3 Data processing		
7 Load forecast		
7.1 General		
7.2 Load analysis		
7.3 Classification of load forecast	19	
7.4 Technical requirements	20	
8 Distributed energy resource planning	20	
8.1 Ratio of renewable energy	20	
8.2 Renewable generation configuration	20	
8.3 Energy storage	20	
8.4 Electric power and energy balancing	21	
8.5 Dispatchable generation configuration	21	
9 Microgrid power system planning	21	
9.1 Voltage level	21	
9.2 Typical topology of a microgrid	21	
9.2.1 Typical topology for a non-isolated microgrid	21	
9.2.2 Typical topology for an isolated microgrid		
9.3 Electrical parameter calculations		
10 Technical requirements for DER in microgrids		
10.1 General		
10.2 Technical requirements for DER in grid-connected mode	24	
10.3 Technical requirements for DER in isolated microgrids and island mode of non-isolated microgrids	24	
11 Technical requirements for distribution lines in microgrids		
12 Technical requirements for microgrid connection to distribution networks	25	

IEC TS 62898-1:2017+AMD1:2023 CSV - 3 -© IEC 2023 12.1 12.2 12.3 12.3.1 Technical requirements for microgrid earthing25 12.3.2 12.4 12.4.1 12.4.2 13.1 13.1.1 13.1.2 13.2 13.2.113.2.2 Component protection for all users in a microgrid27 13.2.3 13.2.4 Load shedding in a microgrid27 13.3 13.3.1 13.3.2 13.4 14.1 14.2 14.3 14.4 14.5 14.6 14.7 Annex A (informative) Business use case A Guarantee a continuity in load service by A.1 A.2 A.3 Annex B (informative) Business use case B Optimize local resources to provide **B**.1 **B.2 B.3** Annex C (informative) Business use case C Electrify remote areas using renewable C.1 C.2 C.3 C.4 C.5 Annex D (informative) Business use case D Optimize local resources to provide D.1

D.2	Scope	34
D.3	Objectives	34
D.4	Basic functions	34
D.5	Advanced functions	34
Annex E (informative) Background information into energy economics' cost calculation		35
E.1	ntroduction into energy economics' cost calculation	35
E.2	Derivation of the minimum cost	36
E.3	Examples	37
Bibliogra	Bibliography	
Figure 1 – Overall microgrid planning and design process		

· · · · · · · · · · · · · · · · · · ·	
Figure 2 – Single bus structure microgrid	22
Figure 3 – Multiple bus structure microgrid	22
Figure 4 – Multilevel structure microgrid	23
Figure 5 – Typical topology for an isolated microgrid	23
Figure E.1 – Overall costs of a power plant depending on the economic characteristic as base load, medium load or peak load plant	35

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC TS 62898-1:2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MICROGRIDS -

Part 1: Guidelines for microgrid projects planning and specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 62898 edition 1.1 contains the first edition (2017-05) [documents 8/1445/DTS and 8/1460/RVDTS] and its amendment 1 (2023-08) [documents 8B/165/DTS and 8B/179/RVDTS].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication. The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62898, which is a Technical Specification, has been prepared by IEC technical committee 8: Systems aspects for electrical energy supply.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62898 series, published under the general title *Microgrids*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IEC TS 62898-1:2017

https://standards.iteh.ai/catalog/standards/sist/a1f955be-aca2-4d46-ad39-0619cf049ede/iec-ts-

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

IEC TS 62898-1:2017+AMD1:2023 CSV - 7 - © IEC 2023

INTRODUCTION

Microgrids can serve different purposes depending on the primary objectives of their applications. They are usually seen as means to manage reliability of supply in a grid contingency and local optimization of energy supply by controlling distributed energy resources (DER). Microgrids also present a way to provide electricity supply in remote areas and to use clean and renewable energy as a systemic approach for rural electrification.

This part of IEC 62898 defines the guidelines for the general planning and design of microgrids, and IEC TS 62898-2⁴ defines the general technical requirements for operation and control of microgrids, IEC TS 62898-3-1 defines the technical requirements for protection and dynamic control of microgrids, IEC TS 62898-3-2 defines the technical requirements for energy management systems of microgrids, IEC TS 62898-3-3 defines the technical requirements for self-regulation loads of microgrids, and IEC TS 62898-3-4 defines the technical requirements for microgrid monitoring and control systems. IEC TC8/SC8B/JWG1 is responsible for the development of these TS.

This document mainly covers the following issues:

- determination of microgrid purpose and application;
- preliminary study used for microgrid planning, including resource analysis, load forecast, DER planning and microgrid power system planning;
- principles of microgrid technical requirements that should be specified during planning stage;
- microgrid evaluation to select an optimal planning scheme for a microgrid project.

IEC TS 62898-2 mainly covers the following issues:

- operation requirements and control targets of microgrids under different operation modes;
- basic control strategies and methods under different operation modes; 19cf049ede/iec-ts-
- requirements of energy storage, monitoring and communication under different operation modes;
- power quality.

Microgrids can be stand-alone or be a sub-system of the smart grid. The technical requirements in this document and in IEC TS 62898-2 are intended to be consistent and in line with:

- system requirements from IEC System Committee Smart Energy,
- technical requirements from IEC 62786 for connection of generators intended to be operated in parallel with the microgrid,
- basic rules from IEC TC 64 and TC 99 for safety and quality of power distribution (essentially selectivity, through coordination of protective devices) in installations,
- basic rules from IEC TC 77/SC 77A for electromagnetic compatibility (EMC) issues,
- IEC TS 62257 (all parts) with respect to rural electrification,
- IEC TS 62749 with respect to power quality.

Local laws and regulations can overrule the requirements of this document.

¹ Under preparation. Stage at the time of publication: IEC CD 62898-2:2017.

MICROGRIDS -

Part 1: Guidelines for microgrid projects planning and specification

1 Scope

The purpose of this part of IEC 62898, which is a Technical Specification, is to provide guidelines for microgrid projects planning and specification. Microgrids considered in this document are alternating current (AC) electrical systems with loads and distributed energy resources (DER) at low or medium voltage level. This document does not cover direct current (DC) microgrids.

Microgrids are classified into isolated microgrids and non-isolated microgrids. Isolated microgrids have no electrical connection to a wider electric power system. Non-isolated microgrids can act as controllable units to the electric power system and can operate in the following two modes:

- grid-connected mode;
- island mode.

This document will cover the following areas:

- microgrid application, resource analysis, generation forecast, and load forecast;
- DER planning and microgrid power system planning;
- high level technical requirements for DER in microgrids, for microgrid connection to the distribution system, and for control, protection and communication systems;
- evaluation of microgrid projects.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, IEC standard voltages

IEC 60364 (all parts), Low voltage electrical installations

IEC 61936 (all parts), Power installations exceeding 1 kV AC

IEC TS 62749, Assessment of power quality - Characteristics of electricity supplied by public networks

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

IEC TS 62898-1:2017+AMD1:2023 CSV - 9 - © IEC 2023

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

black start

start-up of an electric power system from a blackout through internal energy resources

[SOURCE: IEC 60050-617:2009, 617-04-24]

3.2

busbar

low-impedance conductor to which several electric circuits can be connected at separate points

Note 1 to entry: In many cases, the busbar consists of a bar.

[SOURCE: IEC 60050-151:2001, 151-12-30]

3.3 conve

converter

device for changing one or more characteristics associated with electric energy

Note 1 to entry: Characteristics associated with energy are for example voltage, number of phases and frequency including zero frequency.

[SOURCE: IEC 60050-151:2001, 151-13-36, modified – The words "electric energy" have been removed from the term]

3.4

combined heat and power

<u>IEC TS 62898-1:2017</u>

CHP production of heat which is used for non-electrical purposes and also for the generation of electric energy

Note 1 to entry: Conventional power plants emit the heat produced as a useless byproduct of the generation of electric energy into the environment. With combined heat and power, the excess heat is captured for domestic or industrial heating purposes.

[SOURCE: IEC 60050-602:1983, 602-01-24, modified – The abbreviated term "CHP" has been added, as well as the note to entry. The definition has been rephrased]

3.5 earth ground

part of the earth-which that is in electric contact with an earth electrode and-whose that has an electric potential-is not necessarily equal to zero

[SOURCE: IEC 60050-195: 1998 2021, 195-01-03, modified – The adjective "local" has been removed from the term]

3.6 earthing arrangement grounding arrangement

electric connections and devices all electrical means involved in the earthing of a system, an installation and or equipment

Note 1 to entry: Electric connection and devices used for earthing are examples of electrical means.

[SOURCE: IEC 60050-195:19982021, 195-02-20, modified The deprecated term has been removed]

3.7 earthing conductor

grounding conductor

conductor which provides a conductive path, or part of the conductive path, between a given point in a system or in an installation or in equipment and an earth electrode

conductor forming a conductive path between a conductive part and an earth electrode

[SOURCE: IEC 60050-195:19982021, 195-02-03, modified – The deprecated term has been removed]

3.8

electromagnetic compatibility

EMC

ability of an equipment or system to function satisfactorily in its electromagnetic environment without introducing intolerable electromagnetic disturbances to anything in that environment

[SOURCE: IEC 60050-161:19902018, 161-01-07]

3.9 distributed energy resources DER

generators (with their auxiliaries, protection and connection equipment), including loads having a generating mode (such as electrical energy storage systems), connected to the a low-voltage or a medium-voltage network, with their auxiliaries, protection and connection equipment, if any

[SOURCE: IEC 60050-617:2017, 617-04-20]

3.10

IEC TS 62898-1:2017

distributed generation catalog/standards/sist/a1955be-aca2-4d46-ad39-0619cf049ede/iec-tsgeneration of electric energy by multiple sources which are connected to the power distribution system

[SOURCE: IEC 60050-617:2009, 617-04-09, modified – The other preferred terms "embedded generation" and "dispersed generation" have been deleted]

3.11

distribution network

electrical facility and its components including poles, transformers, disconnects, relays, isolators, and wires that are owned or operated by an electrical utility for the purpose of distributing electrical energy from substations to customers

Note 1 to entry: Usually, the distribution network operates up to a nominal voltage of 35 kV.

3.12

in-plant point of coupling IPC

point on a network inside a system or an installation, electrically nearest to a particular load, at which other loads are, or could be, connected

Note 1 to entry: The IPC is usually the point for which electromagnetic compatibility is to be considered.

[SOURCE: IEC 61000-2-4:2002, 3.1.7]

3.13 interface switch

switch (circuit breaker, switch or contactor) installed in the microgrid, for separating the part(s) of the microgrid containing at least one generation unit from the distribution network

IEC TS 62898-1:2017+AMD1:2023 CSV - 11 - © IEC 2023

3.14

interruptible load

load of particular consumers which, according to contract, can be disconnected by the supply undertaking for a limited period of time

[SOURCE: IEC 60050-603:1986, 603-04-41]

3.15

island

part of an electric power system, that is electrically disconnected from the remainder of the interconnected electric power system, but remains energized from local electric power sources

Note 1 to entry: An electric island can be either the result of the action of automatic protections or the result of a deliberate action.

Note 2 to entry: An electric island can be stable or unstable.

Note 23 to entry: The generation Inside the electric island, generators and loads can be any combination of customer-owned and utility-owned.

[SOURCE: <u>IEC 60050-617:2009, 617-04-12, modified – "in an electric power system" has</u> been deleted. The second note to entry has been added IEC 60050-692:2017, 692-02-11, modified – The term "electric" has been removed from the term., Note 3 to entry has been added.]

3.16

isolated microgrid

group of interconnected loads and distributed energy resources with defined electrical boundaries forming a local electric power system at distribution voltage levels not currently capable of being, that cannot be connected to a wider electric power system

Note 1 to entry: Isolated microgrids are usually designed for geographical islands or for rural electrification.

Note 2 to entry: A microgrid capable of being connected to a wider electric power system is also called nonisolated microgrid or embedded microgrid.

[SOURCE: IEC 60050-617:2017, 617-04-23, modified – Note 2 to entry has been added.]

3.17 low voltage

LV

a set of voltage levels used for the distribution of electricity and whose upper limit is generally accepted to be 1 000 V for alternating current

[SOURCE: IEC 60050-601:1985, 601-01-26]

3.18

load forecast

estimate of the expected load of a network at a given future date

[SOURCE: IEC 60050-603:1986, 603-01-04]

3.19

load profile

curve representing supplied electric power against time of occurrence to illustrate the variance in a load during a given time interval

[SOURCE: IEC 60050-617:2009, 617-04-05]