

INTERNATIONAL  
STANDARD

**ISO**  
**10349-2**

First edition  
1992-12-15

---

---

**Photography — Photographic-grade  
chemicals — Test methods —**

**Part 2:**

Determination of matter insoluble in water

**(standards.iteh.ai)**

*Photographie — Produits chimiques de qualité photographique —  
Méthodes d'essai —*

*Partie 2: Détermination des matières insolubles dans l'eau*



Reference number  
ISO 10349-2:1992(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 10349-2 was prepared by Technical Committee ISO/TC 42, *Photography*.

ISO 10349 consists of the following parts, under the general title *Photography — Photographic-grade chemicals — Test methods*:

- Part 1: *General*
- Part 2: *Determination of matter insoluble in water*
- Part 3: *Determination of matter insoluble in ammonium hydroxide solution*
- Part 4: *Determination of residue after ignition*
- Part 5: *Determination of heavy metals and iron content*
- Part 6: *Determination of halide content*
- Part 7: *Determination of alkalinity or acidity*
- Part 8: *Determination of volatile matter*
- Part 9: *Reaction to ammoniacal silver nitrate*
- Part 10: *Determination of sulfide content*

© ISO 1992

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

- *Part 11: Determination of specific gravity*
- *Part 12: Determination of density*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 10349-2:1992

<https://standards.iteh.ai/catalog/standards/sist/0b83a278-5147-4e16-a909-af8fdbf3fcc9/iso-10349-2-1992>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

This page intentionally left blank

[ISO 10349-2:1992](#)

<https://standards.iteh.ai/catalog/standards/sist/0b83a278-5147-4e16-a909-af8fdbf3fcc9/iso-10349-2-1992>

# Photography — Photographic-grade chemicals — Test methods —

## Part 2:

## Determination of matter insoluble in water

### 1 Scope

This part of ISO 10349 specifies a general test method for the determination of the content of matter insoluble in water in photographic-grade chemicals.

### 2 Normative reference

The following standard contains provisions which, through reference in this text, constitute provisions of this part of ISO 10349. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this part of ISO 10349 are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 10349-1:1992, *Photography — Photographic-grade chemicals — Test methods — Part 1: General*.

### 3 Hazards

See ISO 10349-1 for general hazard warnings and for details of the hazard code system used in this part of ISO 10349.

### 4 Requirements

See ISO 10349-1 for requirements for reagents and glassware.

### 5 Apparatus

**5.1 Oven**, capable of maintaining a temperature of 105 °C to 115 °C.

**5.2 Filter crucible**, 10 µm to 15 µm retention.

### 6 Sampling

See ISO 10349-1.

### 7 Procedure

Place the test portion specified in the individual chemical standard in a 125 ml conical flask containing 100 ml of water. Heat on a steam bath for 30 min. Filter through a dry porous crucible (5.2) (10 µm to 15 µm, 105 °C, 1 h, 0,001 g)<sup>1)</sup> and wash with hot water. Dry the crucible plus residue (105 °C, 4 h, 0,001 g)<sup>1)</sup> and reweigh.

1) The notation system used for the drying of apparatus is described in ISO 10349-1.

## 8 Calculation

Calculate the content of matter insoluble in water, expressed as a percentage by mass, from the formula

$$100(m_2 - m_1)/m_0$$

where

- $m_0$  is the mass, in grams, of the test portion;
- $m_1$  is the mass, in grams, of the crucible;
- $m_2$  is the mass, in grams, of the crucible and residue after drying.

## 9 Test report

The test report shall specify the method used and the test result obtained.

It shall also mention all operating details not specified in this part of ISO 10349, or regarded as optional, together with details of any incidents which may have influenced the test result.

The test report shall include all information necessary for the complete identification of the sample.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10349-2:1992

<https://standards.iteh.ai/catalog/standards/sist/0b83a278-5147-4e16-a909-af8fdbf3fcc9/iso-10349-2-1992>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

This page intentionally left blank

[ISO 10349-2:1992](#)

<https://standards.iteh.ai/catalog/standards/sist/0b83a278-5147-4e16-a909-af8fdbf3fcc9/iso-10349-2-1992>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 10349-2:1992

<https://standards.iteh.ai/catalog/standards/sist/0b83a278-5147-4e16-a909-af8fdbf3fcc9/iso-10349-2-1992>

---

---

**UDC 771.7:543.725**

**Descriptors:** photography, photographic materials, photographic chemicals, tests, determination of content, insoluble matter.

Price based on 2 pages

---

---