

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment –
Part 7-82: Detail specification for 8-way, 12 contacts, shielded, free and fixed
connectors, for data transmission with frequencies up to 2 000 MHz**

**Connecteurs pour équipements électroniques –
Partie 7-82: Spécification particulière pour les fiches et les embases écrantées à
8 voies et 12 contacts pour la transmission de données à des fréquences
jusqu'à 2 000 MHz**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment –
Part 7-82: Detail specification for 8-way, 12 contacts, shielded, free and fixed
connectors, for data transmission with frequencies up to 2 000 MHz**

**Connecteurs pour équipements électroniques –
Partie 7-82: Spécification particulière pour les fiches et les embases écrantées à
8 voies et 12 contacts pour la transmission de données à des fréquences
jusqu'à 2 000 MHz**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.220.10

ISBN 978-2-8322-3556-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	8
4 Common features and isometric view	8
5 Cable terminations and internal connections – Fixed and free connectors	8
6 Gauges	8
7 Characteristics	9
7.1 General.....	9
7.2 Pin and pair grouping assignment.....	9
7.3 Classification into climatic category	9
7.4 Electrical characteristics.....	9
7.5 Transmission characteristics	9
7.5.1 General	9
7.5.2 Insertion loss	10
7.5.3 Return loss	10
7.5.4 Propagation delay	10
7.5.5 Delay skew	10
7.5.6 NEXT.....	11
7.5.7 Power sum NEXT (for information only)	11
7.5.8 FEXT.....	11
7.5.9 Power sum FEXT (for information only)	11
7.5.10 Transverse conversion loss	12
7.5.11 Transverse conversion transfer loss	12
7.5.12 Coupling attenuation	12
7.5.13 Power sum alien (exogenous) NEXT.....	12
7.5.14 Power sum alien (exogenous) FEXT.....	13
7.6 Mechanical	13
7.6.1 Mechanical operation	13
7.6.2 Effectiveness of connector coupling devices	13
7.6.3 Insertion and withdrawal forces	13
8 Tests and test schedule	13
8.1 General.....	13
8.2 Arrangement for contact resistance test.....	13
8.3 Arrangement for vibration test	13
8.4 Test procedures and measuring methods.....	13
8.5 Preconditioning	14
8.6 Wiring and mounting of specimens	14
8.6.1 Wiring.....	14
8.6.2 Mounting.....	14
8.7 Test schedules.....	14
8.7.1 General	14
8.7.2 Basic (minimum) test schedule	14
8.7.3 Full test schedule.....	14
Bibliography	17

Figure 1 – Diagram of the interrelation of the documents6

Table 1 – Test group EP 15

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEC 60603-7-82:2016
<https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT –

**Part 7-82: Detail specification for 8-way, 12 contacts, shielded,
free and fixed connectors, for data transmission
with frequencies up to 2 000 MHz**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60603-7-82 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/2497/FDIS	48B/2510/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60603 series, under the general title *Connectors for electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.


iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60603-7-82:2016

<https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016>

INTRODUCTION

IEC 60603-7 is the base specification of the whole series. Subsequent specifications do not duplicate information given in the base document, but list only additional requirements. For complete specification regarding a component of a higher number document all lower numbered documents shall be considered as well. The following diagram (Figure 1) shows the interrelation of the documents:



Key

- ▶ Indicates reference for dimensions, mechanical and electrical characteristics, tests and test schedules
- ▶ Indicates reference for transmission performance (backward compatibility)

Figure 1 – Diagram of the interrelation of the documents

CONNECTORS FOR ELECTRONIC EQUIPMENT –

Part 7-82: Detail specification for 8-way, 12 contacts, shielded, free and fixed connectors, for data transmission with frequencies up to 2 000 MHz

1 Scope

This part of IEC 60603 covers 8-way, 12 contacts, shielded, free and fixed connectors, references dimensional, mechanical, electrical and environmental characteristics and tests in IEC 60603-7-7, and specifies electrical transmission requirements, including power sum alien (exogenous) crosstalk, for frequencies up to 2 000 MHz.

These connectors are typically used as “category 8.2” connectors in “class II” cabling systems specified in ISO/IEC TR 11801-9901 and specified in ISO/IEC 11801-11.

These connectors are intermateable and interoperable with other IEC 60603-7 series connectors, i.e. as defined in IEC 60603-7-7 and IEC 60603-7-1.

These connectors are backward compatible with other IEC 60603-7 series connectors.

NOTE Transmission performance categories: in this IEC standard, the term “category”, when used in reference to transmission performance, refers to those categories defined by ISO/IEC 11801-1.

2 Normative references

[IEC 60603-7-82:2016](https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016)

[https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-](https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016)

[e0a2f89272f0/iec-60603-7-82-2016](https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016)

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60512-25-9, *Connectors for electronic equipment – Tests and measurements – Part 25-9: Signal integrity tests – Test 25i: Alien crosstalk*

IEC 60512-26-100:2008, *Connectors for electronic equipment – Tests and measurements – Part 26-100: Measurement setup, test and reference arrangements and measurements for connectors according to IEC 60603-7 – Tests 26a to 26g*
IEC 60512-26-100:2008/AMD1:2011

IEC 60512-27-100, *Connectors for electronic equipment – Tests and measurements – Part 27-100: Signal integrity tests up to 500 MHz on IEC 60603-7 series connectors – Tests 27a to 27g*

IEC 60512-28-100, *Connectors for electronic equipment – Tests and measurements – Part 28-100: Signal integrity tests for 1 000 MHz and up, for IEC 60603-7 series connectors – Tests 28a to 28g²*

IEC 60603-7:2008, *Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors*

¹ Under consideration.

² The tests include frequencies up to 2 000 MHz.

IEC 60603-7-1:2011, *Connectors for electronic equipment – Part 7-1: Detail specification for 8-way, shielded, free and fixed connectors*

IEC 60603-7-7:2010, *Connectors for electronic equipment – Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 600 MHz*

IEC 61156 (all parts), *Multicore and symmetrical pair/quad cables for digital communications*

IEC 62153-4-15, *Metallic communication cable test methods – Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in Clause 2 of IEC 60603-7:2008, apply as well as the following.

3.1

backward compatibility

set of requirements which ensure that a free or fixed connector which is in compliance with this standard, when mated with a fixed or free connector in compliance with a lower frequency IEC 60603-7 series connector, fully complies with the transmission performance requirements of the lower frequency IEC 60603-7 series connector

Note 1 to entry: The complete specification of the categories and the backward compatibility system for the IEC 60603-7 series connectors, when used in standard balanced cabling systems, is specified in referenced ISO/IEC 11801-1.

[IEC 60603-7-82:2016](#)

[SOURCE: IEC 60603-7-81:2015 3.1, modified – The definition has been updated, and the additional reference to Clause 3 of IEC 60603-7-1:2011 has been deleted.]

3.2

crosstalk loss

near-end-crosstalk (NEXT) and far-end-crosstalk (FEXT), commonly referred to as crosstalk loss, are the specific transmission characteristics associated with the reverse and forward crosstalk coupling attenuation between two pairs

4 Common features and isometric view

See Clause 3 of IEC 60603-7-7:2010 for dimensions, views and requirements.

5 Cable terminations and internal connections – Fixed and free connectors

See Clause 4 of IEC 60603-7-7:2010 for cable termination and internal connections types.

6 Gauges

The gauges as defined by IEC 60603-7 and IEC 60603-7-7 shall apply.

7 Characteristics

7.1 General

Connectors according to this standard shall also conform to all relevant requirements specified by IEC 60603-7-7 and IEC 60603-7-1.

7.2 Pin and pair grouping assignment

The relevant pin and pair grouping assignment of IEC 60603-7-7, IEC 60603-7-1 and IEC 60603-7 apply.

The complete specification for the pin and pair numbering and grouping assignments, for the IEC 60603-7 series connectors used in balanced cabling systems is specified in ISO/IEC 11801-1.

7.3 Classification into climatic category

Connectors according to this standard are classified in the same climatic categories as defined by IEC 60603-7.

7.4 Electrical characteristics

Connectors according to this standard shall also conform to the electrical characteristics specified by IEC 60603-7-7 and IEC 60603-7-1. In addition, the transfer impedance Z_t of connectors according to this standard shall meet the following requirements:

Transfer impedance, Z_t

Conditions: <https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016>
IEC 60512-26-100, Test 26e

Mated connectors, terminated with each cable construction type intended to be allowed for these connectors.

All types: $\leq 0,05f^{0,3} \Omega$ from 1 MHz to 10 MHz

All types: $\leq 0,01f \Omega$ from 10 MHz to 80 MHz

where f is the frequency in MHz.

7.5 Transmission characteristics

7.5.1 General

Compliance to this standard in respect to transmission characteristics, is determined according to specific test methods described in test group EP, see Table 1. The interoperability of connectors compliant to this standard shall be demonstrated by testing the fixed connectors with the full range of free connectors according to IEC 60512-28-100.

For the connectors compliant to this standard:

- their interoperability with the IEC 60603-7-7 interface shall be demonstrated by testing the fixed connectors with the full range of free connectors, according to IEC 60512-28-100, from 1 MHz to 2 000 MHz.
- their interoperability with the IEC 60603-7-1 interface shall be demonstrated by testing the fixed connectors with the full range of free connectors, according to IEC 60512-27-100 from 1 MHz to 500 MHz.

Compliance to these transmission performance requirements applies to the separated pairs of contacts, which are the alternative contacts specified in IEC 60603-7-7, i.e. contact pairs 1-2, 7-8, 3'-6', 4'-5'. The transmission performance requirements specified herein do not apply to

the non-separated pairs of contacts, which are specified in IEC 60603-7 and IEC 60603-7-1, i.e. contact pairs 3-6, 4-5. In the case of crosstalk requirements, these apply between the combinations of separated pairs of contacts.

Compliance to this standard in respect to the alien (exogenous) crosstalk is determined according to IEC 60512-25-9. Insofar as the connectors according to this standard are shielded, power sum alien (exogenous) crosstalk requirements of this standard are assumed to be met, if the requirements for coupling attenuation are met.

All transmission performance requirements apply between the reference planes specified in IEC 60512-28-100.

In the following subclauses f is the frequency expressed in MHz.

7.5.2 Insertion loss

Conditions:

Test 28a of IEC 60512-28-100 shall be tested according to the contact assignment defined in IEC 60603-7-7 (separated pairs).

Mated connectors

All pairs: $\leq 0,02 \sqrt{f}$ dB from 1 MHz to 1 000 MHz.

All pairs: $\leq 0,02 \sqrt{f} + 0,000 5 (f - 1 000)$ dB from 1 000 MHz to 2 000 MHz.

Whenever the formula results in a value less than 0,1 dB, the requirement shall revert to 0,1 dB.

(standards.iteh.ai)

7.5.3 Return loss

[IEC 60603-7-82:2016](https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016)

Conditions: <https://standards.iteh.ai/catalog/standards/sist/10941cbd-e535-429e-a6f7-e0a2f89272f0/iec-60603-7-82-2016>

Test 28b of IEC 60512-28-100 shall be tested according to the contact assignment defined in IEC 60603-7-7 (separated pairs).

Mated connectors

All pairs: $\geq 72 - 20 \log_{10}(f)$ dB from 1 MHz to 2 000 MHz.

Whenever the requirement results in a value less than 12 dB, the requirement shall revert to 12 dB.

Whenever the requirement results in a value greater than 30 dB, the requirement shall revert to 30 dB.

7.5.4 Propagation delay

Shall be tested according to the contact assignment defined in IEC 60603-7-7 (separated pairs).

Mated connectors

All pairs: $\leq 2,5$ ns from 1 MHz to 2 000 MHz.

Propagation delay test does not need to be performed, since it is assumed that connectors comply by design.

7.5.5 Delay skew

Shall be tested according to the contact assignment defined in IEC 60603-7-7 (separated pairs).

Mated connectors

All pair combinations: $\leq 1,25$ ns from 1 MHz to 2 000 MHz.

Delay Skew is calculated from the individual propagation delay measurements and, as with propagation delay (7.5.4), it is assumed that connectors comply by design.