## **INTERNATIONAL STANDARD**



First edition 1992-12-15

## Photography — Photographic-grade chemicals — Test methods —

## Part 12:

iTeh Determination of density w

(standards.iteh.ai) Photographie — Produits chimiques de qualité photographique — Méthodes d'essai

https://standards.Partie 420 Détermination de la masse 406 fumique 1e83de9b6231/iso-10349-12-1992



Reference number ISO 10349-12:1992(E)

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting VIEW a vote.

International Standard ISO 10349-12 was prepared by Technical Comj mittee ISO/TC 42, Photography.

ISO 10349 consists of the following parts under the general title *Pho*-9741-4966-b08btography — *Photographic-grade chemicals* — *Test methods*: 10349-12-1992

- Part 1: General
- Part 2: Determination of matter insoluble in water
- Part 3: Determination of matter insoluble in ammonium hydroxide solution
- Part 4: Determination of residue after ignition
- Part 5: Determination of heavy metals and iron content
- Part 6: Determination of halide content
- Part 7: Determination of alkalinity or acidity
- Part 8: Determination of volatile matter
- Part 9: Reaction to ammoniacal silver nitrate
- Part 10: Determination of sulfide content

Printed in Switzerland

<sup>©</sup> ISO 1992

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

- Part 11: Determination of specific gravity
- Part 12: Determination of density

<u>ISO 10349-12:1992</u> https://standards.iteh.ai/catalog/standards/sist/81e9a26b-9741-4966-b08b-1e83de9b6231/iso-10349-12-1992

#### This page intentionally left blank

,

https://standards.iteh.ai/catalog/standards/sist/81e9a26b-9741-4966-b08b-1e83de9b6231/iso-10349-12-1992

# Photography — Photographic-grade chemicals — Test methods —

### Part 12: Determination of density

**1 Scope** This part of ISO 10349 specifies a general test **ds**. **current and** constant temperature (± 0,05 °C). The method for the determination of the density of solutions used in photographic processing. ISO 10349-12: low the surface of the water. The temperature of the https://standards.itch.ai/catalog/standards/sizeha

1e83de9b6231/iso-1034

#### 2 Normative reference

The following standard contains provisions which, through reference in this text, constitute provisions of this part of ISO 10349. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this part of ISO 10349 are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 10349-1:1992, Photography — Photographicgrade chemicals — Test methods — Part 1: General.

#### 3 Hazards

See ISO 10349-1 for general hazard warnings for the handling of chemicals.

#### 4 Apparatus

**4.1 Density meter**, capable of measuring density to 0,001 units.

#### 5 Sampling

See ISO 10349-1.

#### 6 Procedure

#### 6.1 Calibration

Refer to the manufacturer's instruction manual for detailed instructions for calibration. Maintain calibration versus deionized or distilled water at 25 °C using a relative density value of 0,997 04.

#### 6.2 Determination

Pour a test portion of 100 ml of the test sample into a clean dry container and place it in the water-bath (4.2). After the test portion has reached thermal equilibrium with the water-bath, measure the density using the density meter (4.1), following the manufacturer's instructions.

#### 7 Test report

The test report shall specify the method used and the test result obtained.

It shall also mention all operating details not specified in this part of ISO 10349, or regarded as optional, together with details of any incidents which may have influenced the test result.

The test report shall include all information necessary for the complete identification of the sample.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10349-12:1992 https://standards.iteh.ai/catalog/standards/sist/81e9a26b-9741-4966-b08b-1e83de9b6231/iso-10349-12-1992

#### This page intentionally left blank

,

https://standards.iteh.ai/catalog/standards/sist/81e9a26b-9741-4966-b08b-1e83de9b6231/iso-10349-12-1992

ISO 10349-12:1992 https://standards.iteh.ai/catalog/standards/sist/81e9a26b-9741-4966-b08b-1e83de9b6231/iso-10349-12-1992

#### UDC 771.7:531.754

Descriptors: photography, photographic materials, photographic chemicals, tests, determination, density (mass/volume), density measurement.

Price based on 2 pages