

Edition 2.0 2016-11

INTERNATIONAL STANDARD

Specification for plastic films for electrical purposes –

Part 2: Methods of test

(https://standards.iteh.ai)

Document Preview

IEC 60674-2:2016

01674-2-2016/https://standards.iteh.ai/catalog/standards/iec/8503529e-cec1-4e64-b75a-0bd509f90907/iec





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC 60674-2:2016

https://standards.iteh.ai/catalog/standards/iec/8503529e-cec1-4e64-b75a-0bd509f90907/iec-60674-2-2016



Edition 2.0 2016-11

INTERNATIONAL STANDARD

Specification for plastic films for electrical purposes –
Part 2: Methods of test

Document Preview

IEC 60674-2:2016

https://standards.iteh.ai/catalog/standards/iec/8503529e-cec1-4e64-h75a-0hd509f90907/iec-60674-2-2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.035.20 ISBN 978-2-8322-3747-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

ŀ	FC	REWO	PRD	6
ı	N.	TRODU	JCTION	8
	1	Scop	De	9
2	2	•	native references	
•	3		eral notes on tests	
	4	_	kness	_
	•	4.1	General	
		4.1	Determination of thickness by mechanical scanning	
		4.2.1	•	
		4.2.1		
		4.2.3	· · · ·	
		4.3	Determination of thickness by gravimetric method	
		4.3.1	• •	
		4.3.2	, ,	
		4.4	Crosswise thickness profile and lengthwise variation in thickness	
į	5		sity	
6	3		h	
	7		dability (bias/camber and sag)	
	′			
		7.1 7.2	Principle	12
		7.2		
		7.3 7.3.1	Method APrinciple	12
		7.3.1		
		7.3.2		
		7.4darc	Method B alog/standards/iec/8503529e-cec1-4e64-b75a-0bd509f90907/iec	-60674-21201
		7.4.1		
		7.4.2	•	
		7.4.3	• •	
		7.4.4	•	
		7.4.5		
8	3	Surfa	ace roughness	15
ç	9		ce factor	
	10	•	ficient of friction	
	11		ing tension (polyolefine films)	
			,	
		11.1 11.2	Test principle and introductory remarks	
		11.2	Apparatus	
		11.4	Test specimens	
		11.5	Conditioning	
		11.6	Procedure	
		11.7	Evaluation	
		11.8	Report	
	12		sile properties	
	_	12.1	General	
		12.1	Test specimens	
		14.4	rear apecimena	10

12.3	Speed of testing	18
12.4	Result	18
13 Edg	e tearing resistance	19
13.1	General	19
13.2	Principle	19
14 Tear	resistance	19
15 Stiff	ness of film	19
16 Surf	ace resistivity	19
17 Volu	me resistivity	19
17.1	Method 1: Electrode method	19
17.2	Method 2: Method for wound capacitor dielectric films or films too thin for	
	Method 1	
17.2	.1 Principle	19
17.2	.2 Test specimens	20
17.2	.3 Procedure	20
17.2	.4 Result	20
18 Diss	ipation factor and permittivity	20
18.1	General	20
18.2	Method 1	
18.2		20
18.2	1 1	
18.2	.3 Sample conditioning prior to measurement	21
18.2	.4 Measurements with contacting electrodes	21
18.2	.5 Measurements with non-contacting electrodes	23
18.2	.6 Test procedure	23
18.2	.7 Report	23
18.3	Method 2	
18.3		
18.3	.2 Dissipation factor at or above 5 × 10 ⁻⁴	24
18.3	.3 Dissipation factor below 5 × 10 ⁻⁴	24
19 Diss	ipation factor under impregnated conditions	24
20 Elec	tric strength	24
20.1	AC and DC tests of film sheet sandwiched by metal electrodes	24
20.2	DC test using a wound capacitor	
21 Elec	trical weak spots	
21.1	General	24
21.2	Method A: Testing narrow strips of film in long lengths	
21.2		
21.2		
21.2		
21.3	Method B: Testing wide strips of film	
21.3	•	
21.3		
21.3	·	
21.3		
21.4	Method C: Testing of film in rolls	
21.4	-	
21 4	2 Unreeling system	26

	21.4.	3 Fault counter	27
	21.4.	.4 Procedure	27
	21.4.	.5 Results	27
22	Resis	istance to breakdown by surface discharges	28
23	Elect	trolytic corrosion	28
24	Melti	ing point	28
25	Dime	ensional change	28
	25.1	Test specimens	
	25.2	Procedure	
	25.3	Results	
		ensional stability under tension with rising temperature	
	26.1	Test specimens	
	26.1 26.2	Procedure	
	26.3	Results	
		ensional stability under pressure with rising temperature	
	27.1	Test equipment	
	27.2	Test specimens	
	27.3	Procedure	
	27.4	Results	
		istance to penetration at elevated temperature	
	28.1	General	
	28.2	Principle (Intims://standards.iteh.ai)	
		itile content (loss of mass on heating)	
	29.1	Test specimens	
	29.2	Procedure	
	29.3	Result	
30		rmal endurance	
31	Burn	ning characteristics	31
	31.1	Principle	31
	31.2	Apparatus	31
	31.3	Test specimens	31
	31.4	Conditioning	31
	31.5	Procedure	32
	31.6	Interpretation of results	32
32	Wate	er absorption in a damp atmosphere	33
	32.1	Apparatus	33
	32.2	Test specimens	33
	32.3	Procedure	33
	32.3.	3.1 Water absorption of material as-received	33
	32.3.	3.2 Water absorption of dry material	33
	32.4	Results	34
33	Abso	orption of liquid	34
	33.1	Principle	34
	33.2	Apparatus	
	33.3	Test specimens	
	33.4	Procedure	
	33.5	Calculations	35

33.6 Result	35						
34 Ionic impurities							
35 Effect of insulating varnishes	35						
35.1 Procedure	35						
35.2 Results	35						
36 Effect of polymerisable resinous compounds in a liquid state	36						
36.1 Procedure	36						
36.2 Results	36						
Figure 1 – Windability of film – Measurement of bias/camber – Method A	36						
Figure 2 – Windability of film – Apparatus for measurement of sag – Method A	37						
Figure 3 – Windability of film – Measurement of sag – Method A	37						
Figure 4 – Three-terminal electrode system for low frequencies (up to 50 kHz)	38						
Figure 5 – Two-electrode system for high frequencies (above 50 kHz)							
Figure 6 – Equipment for testing for electrical weak spots by Method A	39						
Figure 7 – Equipment for testing for electrical weak spots by Method B	40						
Figure 8 – Equipment for testing for electrical weak spots by Method C1	40						
Figure 9 – Equipment for testing for electrical weak spots by Method C2							
Figure 10 – Equipment for testing for electrical weak spots by Method C3							
Table 1 – Concentrations of ethylene-glycol-monoethyl-ether, formamide mixtures							
used in measuring wetting tension of polyethylene and polypropylene films							
Table 2 - Classification of materials regarding self-extinguishing properties	33						

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATION FOR PLASTIC FILMS FOR ELECTRICAL PURPOSES –

Part 2: Methods of test

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication. -0bd509f90907/icc-60674-2-2016
 - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60674-2 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

This second edition cancels and replaces the first edition published in 1988 and Amendment 1 (2001). This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) this document was completely revised editorially and technically and included in the IEC 60674 series of standards;
- b) the test methods are updated to reflect today's state of the art;
- c) a method to obtain DC electric strength is now specified according to IEC 60243-2.

The text of this standard is based on the following documents:

CDV	Report on voting
15/742/CDV	15/760/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60674 series, published under the general title *Specification for plastic films for electrical purposes*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of December 2017 have been included in this copy.

Document Preview

IEC 60674-2:2016

https://standards.iteh.ai/catalog/standards/iec/8503529e-cec1-4e64-h75a-0hd509f90907/iec-60674-2-2016

INTRODUCTION

This document is one of a series which deals with plastic films for electrical purposes. The series consists of three parts:

- Part 1: Definitions and general requirements (IEC 60674-1)
- Part 2: Methods of test (IEC 60674-2)
- Part 3: Specifications for individual materials (IEC 60674-3 (all parts))

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60674-2:2016

https://standards.iteh.ai/catalog/standards/iec/8503529e-cec1-4e64-b75a-0bd509f90907/iec-60674-2-2016

SPECIFICATION FOR PLASTIC FILMS FOR ELECTRICAL PURPOSES –

Part 2: Methods of test

1 Scope

This part of IEC 60674 is applicable to plastic films used for electrical purposes. This part of IEC 60674 gives methods of test.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60212:2010, Standard conditions for use prior to and during the testing of solid electrical insulating materials

IEC 60216 (all parts), Electrical insulating materials – Thermal endurance properties

IEC 60243-1:2013, Electric strength of insulating materials – Test methods – Part 1: Tests at power frequencies

IEC 60243-2, Electric strength of insulating materials – Test methods – Part 2: Additional requirements for tests using direct voltage 60674-2:2016

IEC 60250:1969, Recommended methods for the determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths

IEC 60343, Recommended test methods for determining the relative resistance of insulating materials to breakdown by surface discharges

IEC 60394-2:1972, Varnished fabrics for electrical purposes – Part 2: Methods of test

IEC 60426, Electrical insulating materials – Determination of electrolytic corrosion caused by insulating materials – Test methods

IEC 60454-2:2007, Pressure-sensitive adhesive tapes for electrical purposes – Part 2: Methods of test

IEC 60589, Methods of test for the determination of ionic impurities in electrical insulating materials by extraction with liquids

IEC TR 60648, Method of test for coefficients of friction of plastic film and sheeting for use as electrical insulation

IEC 60674-3 (all parts), Specification for plastic films for electrical purposes – Part 3: Specifications for individual materials

IEC 62631-3-1, Dielectric and resistive properties of solid insulating materials – Part 3-1: Determination of resistive properties (DC methods) – Volume resistance and volume resistivity – General method

IEC 62631-3-2, Dielectric and resistive properties of solid insulating materials — Part 3-2: Determination of resistive properties (DC methods) — Surface resistance and surface resistivity

ISO 527-3:1995, Plastics – Determination of tensile properties – Part 3: Test conditions for films and sheets

ISO 534, Paper and board – Determination of thickness, density and specific volume

ISO 1183, Plastics – Methods for determining the density of non-cellular plastics – Part 1: Immersion method, liquid pyknometer method and titration method

ISO 4591:1992, Plastics – Film and sheeting – Determination of average thickness of a sample, and average thickness and yield of a roll, by gravimetric techniques (gravimetric thickness)

ISO 4592, Plastics – Film and sheeting – Determination of length and width

ISO 4593, Plastics – Film and sheeting – Determination of thickness by mechanical scanning

ISO 6383-1, Plastics – Film and sheeting – Determination of tear resistance – Part 1: Trouser tear method

ISO 6383-2, Plastics – Film and sheeting – Determination of tear resistance – Part 2: Elmendorf method

ISO 11357-3:2011, Plastics – Differential scanning calorimetry (DSC) – Part 3: Determination of temperature and enthalpy of melting and crystallization

3 General notes on tests

- **3.1** Discard at least the first three layers of film from the roll to be tested before removing test specimens.
- **3.2** Sample rolls shall be exposed for at least 24 h to the standard atmosphere 23 °C \pm 2 K and 50 % \pm 5 % RH before test specimens are removed for test. Unless otherwise specified, all individual test specimens shall be conditioned for 1 h and tested in the same standard atmosphere.

4 Thickness

4.1 General

Thickness shall be measured by any one or more of the methods given below as required by IEC 60674-3 (all parts).

4.2 Determination of thickness by mechanical scanning

4.2.1 General

Two methods, the first using a single sheet and the second using a stack of sheets, are given individually as follows.