

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Electrical installations in ships –  
Part 202: System design – Protection**

ITIH STANDARD PREVIEW  
(standards.iteh.ai)

**Installations électriques à bord des navires –  
Partie 202: Conception des systèmes – Protection**

IEC 60092-202:2016  
<http://standards.iteh.ai/catalog/standards/sist/60a5462-c500-4d47-968a-f75771a7370/iec-60092-202-2016>





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



IEC 60092-202

Edition 5.0 2016-09

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Electrical installations in ships –  
Part 202: System design – Protection

Installations électriques à bord des navires –  
Partie 202: Conception des systèmes – Protection

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 47.020.60

ISBN 978-2-8322-3599-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 General requirements .....	10
4.1 General.....	10
4.2 Basic protection .....	10
4.3 Studies and calculations .....	10
5 Electrical load study .....	11
6 Short-circuit current calculations.....	11
7 Protection discrimination study .....	11
7.1 General.....	11
7.2 Current selectivity.....	12
7.3 Time-current selectivity.....	12
7.4 Alternative protection schemes .....	12
8 Characteristics and choice of protective devices with reference to short-circuit rating.....	12
8.1 General.....	12
8.2 Protective devices.....	12
8.3 Rated short-circuit breaking capacity.....	13
8.4 Rated short-circuit making capacity.....	13
8.5 Co-ordinated choice of protective devices with regard to discrimination requirements.....	13
9 Choice of protective devices with reference to overload.....	14
9.1 Mechanical switching devices .....	14
9.2 Fuses for overload protection.....	14
9.3 Static or solid state switching devices .....	15
10 Choice of protective devices with regard to their application .....	15
10.1 General.....	15
10.2 Generator protection .....	15
10.2.1 General .....	15
10.2.2 Protection against short-circuits and fault currents on the generator side.....	15
10.3 Protection of essential services.....	16
10.4 Protection of transformers.....	16
10.5 Circuit protection.....	16
10.6 Motor protection.....	16
10.7 Accumulator (storage) battery protection.....	17
10.8 Protection of meters, pilot lamps and control circuits.....	17
10.9 Protection of static or solid-state devices .....	17
11 Reverse power and reverse current protection for AC generators .....	17
12 Undervoltage protection.....	17
12.1 A.C. and DC generators .....	17
12.2 A.C. and DC motors .....	18
13 Overvoltage protection .....	18

13.1 General..... 18

13.2 Transformers ..... 18

13.3 AC machines ..... 18

14 Protection against under- and over-frequency..... 18

Bibliography..... 19

  

Figure 1 – Continuity of supply and service..... 14

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

IEC 60092-202:2016  
<https://standards.iteh.ai/catalog/standards/sist/6f6a3462-c500-4d47-968a-f75771a7370/iec-60092-202-2016>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICAL INSTALLATIONS IN SHIPS –****Part 202: System design – Protection**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60092-202 has been prepared by IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units.

This fifth edition cancels and replaces the fourth edition published in 1994 and Amendment 1:1996. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

<b>This document: Clause/subclause No. and heading</b>	<b>Previous document: Corresponding clause/subclause No., remark</b>
1 Scope	1, No change
2 Normative references	2, Updated
3 Definitions	3, Several definitions changed and added
4 General requirements	4, Text changed
4.1 General	New clause/subclause
4.2 Basic protection	New clause/subclause
4.3 Studies and calculations	New clause/subclause
5 Electrical load study	New clause/subclause
6 Short-circuit current calculations	5, Heading change
-	5.1, Text changed and moved to new Clause 6
-	5.2, Text deleted, for DC-Systems reference to IEC 61660-1 added
7 Protection discrimination study	New clause/subclause
7.1 General	New clause/subclause
7.2 Current selectivity	New clause/subclause
7.3 Time-current selectivity	New clause/subclause
8 Characteristics and choice of protective devices with reference to short-circuit rating	6, Text completely revised and extended
8.1 General	6.1
8.2 Protective devices	New clause/subclause
8.3 Rated short-circuit breaking capacity	6.2
8.4 Rated short-circuit making capacity	6.3
8.5 Co-ordinated choice of protective devices with regard to discrimination requirements	6.4, Heading changed, new text
9 Choice of protective devices with reference to overload	7
9.1 Mechanical switching devices	7.1
9.2 Fuses for overload protection	7.2
10 Choice of protective devices with regard to their application	8
10.1 General	8.1
10.2 Generator protection	8.2
10.3 Protection of essential services	8.3
10.4 Protection of transformers	8.4
10.5 Circuit protection	8.5
10.6 Motor protection	8.6
10.7 Accumulator (storage) battery protection	8.9
10.8 Protection of meters, pilot lamps and control circuits	8.10
10.9 Protection of static or solid-state devices	8.11
11 Reverse power and reverse current protection for AC generators	9
11 Reverse power and reverse current protection for AC generators	9.1
-	9.2
12 Undervoltage protection	10
12.1 AC and DC generators	10.1

This document: Clause/subclause No. and heading	Previous document: Corresponding clause/subclause No., remark
12.2 AC and DC motors	10.2
13 Overvoltage protection	11
13.1 General	New clause/subclause
13.2 Transformers	11.1
13.3 AC machines	11.2
14 Protection against under- and over-frequency	New clause/subclause

The text of this standard is based on the following documents:

FDIS	Report on voting
18/1538/FDIS	18/1542/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60092 series, published under the general title *Electrical installations in ships*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed, <https://standards.iteh.ai/catalog/standards/sist/6f6a3462-c500-4d47-968a-f75771a7370/iec-60092-202-2016>
- withdrawn,
- replaced by a revised edition, or
- amended.



## INTRODUCTION

The IEC 60092 series includes international standards for electrical installations in sea-going ships, incorporating good practice and co-ordinating as far as possible existing rules.

These standards form a code of practical interpretation and amplification of the requirements of the International Convention for the safety of life at sea, a guide for future regulations which may be prepared and a statement of practice for use by ship owners, ship builders and appropriate organizations.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[IEC 60092-202:2016](https://standards.iteh.ai/catalog/standards/sist/6f6a3462-c500-4d47-968a-f75771a7370/iec-60092-202-2016)

<https://standards.iteh.ai/catalog/standards/sist/6f6a3462-c500-4d47-968a-f75771a7370/iec-60092-202-2016>

## ELECTRICAL INSTALLATIONS IN SHIPS –

### Part 202: System design – Protection

#### 1 Scope

This part of IEC 60092 is applicable to the main features of the electrical protective system to be applied to electrical installations for use in ships.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60909 (all parts), *Short-circuit currents in three-phase a.c. systems*

IEC 60909-0, *Short-circuit currents in three-phase a.c. systems – Part 0: Calculation of currents*

IEC TR 60909-1, *Short-circuit currents in three-phase a.c. systems – Part 1: Factors for the calculation of short-circuit currents according to IEC 60909-0*

IEC 60947-2:2006, *Low-voltage switchgear and controlgear – Part 2: Circuit-breakers*

IEC 60947-2:2006/AMD1:2009

IEC 60947-2:2006/AMD2:2013

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

IEC 61363-1, *Electrical installations of ships and mobile and fixed offshore units – Part 1: Procedures for calculating short-circuit currents in three-phase a.c.*

IEC 61660-1, *Short-circuit currents in d.c. auxiliary installations in power plants and substations – Part 1: Calculation of short-circuit currents*

IEC 62271-100, *High-voltage switchgear and controlgear – Part 100: Alternating-current circuit-breakers*

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

##### 3.1

##### rated load

the highest value of load specified for rated conditions

##### 3.2

##### overload

operating conditions in an electrically undamaged circuit, which cause an overload above the rated load

[SOURCE: IEC 60050-441:1984, 441-11-08, modified — The words "which cause an over-current" has been replaced with "which cause an overload above the rated load".]

### 3.3

#### **over-current**

current exceeding the rated current

[SOURCE IEC 60050-441:1984, 441-11-06]

### 3.4

#### **short-circuit**

accidental or intentional conductive path between two or more conductive parts forcing the electric potential differences between these conductive parts to be equal to or close to zero

[SOURCE IEC 60050-195:1998, 195-04-11]

### 3.5

#### **backup protection**

protection equipment or system which is intended to operate when a system fault is not cleared in due time because of:

- failure or inability of a protective device closest to the fault to operate or
- failure of a protective device other than the protective device closest to the fault to operate

Note 1 to entry: This definition differs from the one given in IEC 60050-448:1995, 448-11-14.

### 3.6

#### **over-current discrimination selectivity**

co-ordination of the operating characteristics of two or more over-current protective devices such that, on the incidence of over-currents within stated limits, the device intended to operate within these limits does so, while the other(s) does (do) not

Note 1 to entry: Distinction is made between series discrimination, involving different over-current protective devices passing substantially the same over-current and network discrimination involving identical protective devices passing different proportions of the over-current.

[SOURCE 60050-441:1984, 441-17-15, modified — The term "selectivity" has been added as an equivalent term.]

### 3.7

#### **total discrimination total selectivity**

selectivity (over-current discrimination) where, in the presence of two over-current protective devices in series, the protective device on the load side effects the protection without causing the other protective device to operate

[SOURCE IEC 60947-2:2006/AMD2:2013, 2.17.2, modified — The term "total discrimination" has been added as an equivalent term and the term "over-current discrimination" has been replaced by "selectivity (over-current discrimination)" in the definition.]

### 3.8

#### **partial discrimination partial selectivity**

selectivity (over-current discrimination) where, in the presence of two or more over-current protective devices in series, the protective device closest to the fault at the load side effects the protection up to a given level of short-circuit current without causing the other protective devices to operate

[SOURCE IEC 60947-2:2006/AMD2:2013, 2.17.3, modified —The term "partial discrimination" has been added as an equivalent term and the definition has been rephrased..]

### 3.9 continuity of service

condition where, after a fault in a circuit has been cleared, the supply to the healthy circuits is re-established

### 3.10 continuity of supply

condition where during and after a fault in a circuit, the supply to the healthy circuits is permanently ensured

Note 1 to entry: This definition is different from that given in IEC 60050-614:2016, 614-01-22.

### 3.11 basic protection

minimum required protection for equipment

### 3.12 electrical load study

study reflecting the different operational modes and their respective load requirements

Note 1 to entry: Typical examples of operational modes are harbour, manoeuvre, seagoing mode.

## 4 General requirements

### 4.1 General

Electrical installations shall be protected against accidental over-currents, up to and including short-circuit, by appropriate devices. Choice, arrangement and performance of the various protective devices shall provide complete and co-ordinated automatic protection in order to obtain

- elimination of the effects of faults to reduce damage to the system and the hazard of fire, and
- continuity of supply.

Under these conditions, the elements of the healthy system shall be designed and constructed to withstand the thermal and electrodynamic stresses caused by the possible over-current, including short-circuit, for the admissible durations.

### 4.2 Basic protection

Devices provided for basic protection shall be suitable for the equipment they are protecting, especially with regard to

- over-current,
- short-circuit, and
- earth fault, as appropriate.

The complexity of the protections is driven by a number of factors such as improved system performance, reliability, and reduction of the damage to the equipment for economical reason. Additional protection features shall not interfere with the basic protection requirements of this standard.

Electrical installation shall be provided with protections against electric shock in accordance with IEC 61140.

### 4.3 Studies and calculations

Studies and calculations shall demonstrate the proper coordination of power ratings, load requirements, system dynamics and protection.

In order to confirm the design of the electrical system and to confirm the ratings of the equipment selected, system studies shall be carried out. The system studies and calculation shall include

- an electrical load study (see Clause 5),
- short-circuit current calculations (see Clause 6), and
- a protection discrimination study (see Clause 7).

## 5 Electrical load study

An electrical load list shall be prepared to establish the electrical power requirements throughout the installation.

Based on analysis, load shedding shall be applied when required in order to avoid a blackout. Load shedding can be implemented by shedding of individual/groups of consumers or by appropriate separation of switchboard busbars.

Care should be taken to ensure that the response time is sufficient to enable the load shedding system to perform its function and maintain a stable electrical system.

Load estimates should be carried out for all operational conditions, for example

- navigation at sea,
- estuary trading and navigation close to port, and
- emergency power supply.

## 6 Short-circuit current calculations

The fault currents that flow as a result of short-circuits shall be calculated at each system voltage under three-phase fault conditions. These calculated currents shall be used to select suitably rated equipment and to allow the selection and setting of protective devices to ensure that successful discriminatory fault clearance is achieved.

The fault current shall be calculated for maximum and minimum system supply. The contribution of induction motors should be included in the study.

For general information regarding short-circuit calculations, reference shall be made to IEC 61363-1, IEC 60909-0 and IEC TR 60909-1 for AC systems, and IEC 61660-1 for DC systems.

IEC 60909 (all parts) is written for installations in which the short-circuit behaviour is predominantly ruled by passive elements (e.g. transformers, cables). It shall therefore only be applied for small transformer-fed low voltage installations. In all other cases, IEC 61363-1, which takes generator short-circuit behaviour into account, shall be applied.

Where precise information of their characteristics is lacking, the contribution of induction motors for determining the maximum peak value attainable by the short-circuit current (i.e. the value of the current to be added to the maximum peak value of the short-circuit due to the generators) can be taken as equal to  $8 I_n$  where  $I_n$  is the sum of the rated currents of the motors estimated normally when simultaneously in service ( $I_n$  is an RMS value).

For more precise calculation, the following RMS values may be used:

- at the instant of short-circuit occurrence (sub-transient value):  $6,25 I_n$
- at the instant  $T$ , i.e. after one cycle from short-circuit inception:  $2,5 I_n$
- at the instant  $2T$ , i.e. after two cycles from short-circuit inception:  $1,0 I_n$

## 7 Protection discrimination study

### 7.1 General

A coordination study shall be carried out to determine the setting of the protective relays and direct acting circuit-breakers (see Clause 4).