



Edition 1.0 2014-12

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Photovoltaic inverters - Data sheet and name plate VIEW

Onduleurs photovoltaïques – Fiche technique et plaque d'identification

IEC 62894:2014 https://standards.iteh.ai/catalog/standards/sist/aea6753d-cd83-4d27-a1d8-306f3d54f1b1/iec-62894-2014





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office	Tel.: +41 22 919 02 11
3, rue de Varembé	Fax: +41 22 919 03 00
CH-1211 Geneva 20	info@iec.ch
Switzerland	www.iec.ch

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

## About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad. Slandard

## IEC publications search - www.iec.ch/searchpub

variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

## IEC Glossary - std.iec.ch/glossary

The advanced search enables to find IEC publications by @ 894 More 4 than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

## Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

### Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.





Edition 1.0 2014-12

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Photovoltaic inverters h Data sheet and name plate VIEW (standards.iteh.ai) Onduleurs photovoltaïques – Fiche technique et plaque d'identification

> <u>IEC 62894:2014</u> https://standards.iteh.ai/catalog/standards/sist/aea6753d-cd83-4d27-a1d8-306f3d54f1b1/iec-62894-2014

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 27.160

ISBN 978-2-8322-1980-5

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

# CONTENTS

FC	FOREWORD			
1	Scop	e	5	
2	Normative references5			
3	Term	s and definitions	5	
	3.1	Input side (PV generator)	5	
	3.2	Output side (grid connection)	6	
4	Data	sheet information	7	
	4.1	General	7	
	4.2	Short description	7	
	4.3	Conformity	7	
	4.4	Electrical parameters	8	
	4.4.1	General	8	
	4.5	Characterisation of the operating performance	8	
	4.6	Safety	9	
	4.7	Operating conditions	10	
	4.8	Fitting and construction		
	4.8.1	<b>)</b>		
	4.8.2			
5	Detai	ls on the name plate (standards.iteh.ai)	10	
Bi	Bibliography			
		IEC 62894:2014		
Fi	gure 1 -	- Representation of the inverter efficiency ist aca6753d-cd83-4d27-a1d8-	9	
Fi	Figure 2 – Power reduction with increased ambient temperatures			
Fi	Figure 3 – Example of a name plate11			

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# PHOTOVOLTAIC INVERTERS – DATA SHEET AND NAME PLATE

# FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any enduser.
- misinterpretation by any end user. STANDARD PREVIEW
  4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of <u>conformity.0Ind</u>ependent certification bodies provide conformity assessment services and in some areas access to IEC marks of conformity.2IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62894 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This standard has been derived from EN 50524.

The text of this standard is based on the following documents:

FDIS	Report on voting
82/887/FDIS	82/917/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 62894:2014 https://standards.iteh.ai/catalog/standards/sist/aea6753d-cd83-4d27-a1d8-306f3d54f1b1/iec-62894-2014

# PHOTOVOLTAIC INVERTERS -DATA SHEET AND NAME PLATE

#### 1 Scope

This International Standard describes data sheet and name plate information for photovoltaic inverters in grid parallel operation.

The object of this standard is to provide minimum information required to configure a safe and optimal system with photovoltaic inverters.

In this context, data sheet information is a technical description separate from the photovoltaic inverter. The name plate is a sign of durable construction on or in the photovoltaic inverter. The name plate may be inside the photovoltaic inverter only if the name plate is visible once a door is opened in normal use.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any (standards.iteh.ai) amendments) applies.

IEC 60529, Degrees of protection provided by enclosures (IP Code)

https://standards.iteh.ai/catalog/standards/sist/aea6753d-cd83-4d27-a1d8-

IEC 60664-1, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60721-2-1, Classification of environmental conditions – Part 2-1: Environmental conditions appearing in nature – Temperature and humidity

IEC 62109-1, Safety of power converters for use in photovoltaic power systems – Part 1: General requirements

ISO 216, Writing paper and certain classes of printed matter – Trimmed sizes – A and B series, and indication of machine direction

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1 Input side (PV generator)

3.1.1 maximum input voltage  $V_{dcmax}$  allowed maximum voltage at the inverter input

# 3.1.2

# minimum input voltage

V<sub>dcmin</sub> minimum input voltage for the inverter to energize the utility grid, independent of mode of operation

# 3.1.3

# start-up input voltage

V<sub>dcstart</sub> input voltage at which the inverter starts energizing the utility grid

## 3.1.4 rated input voltage

V<sub>dc.r</sub>

input voltage specified by the manufacturer, to which other data sheet information refers

# 3.1.5

# maximum MPP voltage

 $V_{mppmax}$  maximum voltage at which the inverter can deliver its rated power

# 3.1.6

# minimum MPP voltage

V<sub>mppmin</sub> minimum voltage at which the inverter can deliver its rated power E.W.

# 3.1.7

# (standards.iteh.ai)

# maximum input current

# IEC 62894:2014

I<sub>dcmax</sub> maximum current at which the inverter can operate alf the inverter has multiple MPP inputs, Idcmax is related to each single input<sub>06f3d54f1b1/iec-62894-2014</sub>

#### 3.2 Output side (grid connection)

# 3.2.1

# maximum grid voltage

V<sub>acmax</sub> maximum voltage at which the inverter can energize the grid

# 3.2.2

# minimum grid voltage

V<sub>acmin</sub> minimum voltage at which the inverter can energize the grid

# 3.2.3

# rated grid voltage

V<sub>ac.r</sub> utility grid voltage to which other data sheet information refers

# 3.2.4

# maximum output current

I<sub>acmax</sub> maximum output current that the inverter can deliver

## 3.2.5 rated power

P<sub>ac.r</sub> active power the inverter can deliver in continuous operation

## 3.2.6 rated frequency

## f.

utility grid frequency at which the inverter performs as specified

# 3.2.7

## maximum frequency

# f<sub>max</sub>

maximum frequency at which the inverter can energize the grid

# 3.2.8

## minimum frequency f<sub>min</sub>

minimum frequency at which the inverter can energize the grid

# 3.2.9

# night-time power loss

power loss of the inverter, which is supplied from the public grid, when no solar generator power is present

# 3.2.10

cosphi<sub>ac.r</sub>

minimum power factor for which the inverter can output the rated active power

# **3.2.11 iTeh STANDARD PREVIEW**

nominal operation power factor power factor operating at nominal power dards.iteh.ai)

## 3.2.12

## IEC 62894:2014

power factor of operationdrange ai/catalog/standards/sist/aea6753d-cd83-4d27-a1d8range of power factor for the range operation of the inverter

# 4 Data sheet information

# 4.1 General

Technical products are usually brought into the market with a documentation providing information to the user regarding the operating conditions and its intended purpose. A data sheet specifies a product to the extent that the contained data could be consulted for planning or dimensioning. The size and organization of the data sheet are left to the manufacturer. It is however recommendable to be limited to a double-side printed on A4 sheet, according to ISO 216, whereby a topic-specific separation is favourable.

# 4.2 Short description

In short the characteristics of the inverter are to be described. Special characteristics of the inverters can be mentioned. For better identification of the equipment, its photo or its true design drawing should be included on the data sheet. The internal design of the inverter should be represented in a clear way (e.g. by means of a block diagram). The topology type should be indicated too.

# 4.3 Conformity

The conformity to relevant norms and standards shall be shown in the data sheet.

# 4.4 Electrical parameters

## 4.4.1 General

The electrical parameters from 4.4.2 to 4.4.3 are to be regarded as minimum requirement for a professional system integration of an inverter.

**4.4.2** The following parameters of the input side shall be indicated:

 $V_{dcmax,}$   $V_{dcmin,}$   $V_{dcstart}$ <sup>1)</sup>,  $V_{dc,r,}$   $V_{mppmax,}$   $V_{mppmin,}$   $I_{dcmax,}$  number of independent MPP inputs (if applicable),  $P_{dc,r,}$   $P_{dcmax,}$   $t_{start}$ 

The maximum voltage of the connected solar generator should be determined in individual cases from the planner. The maximum input voltage of the inverter should not be exceeded at any time.

The specification of maximum and minimum MPP voltage may also be indicated as ranges.

**4.4.3** The following parameters of the output side shall be indicated:

V<sub>acmax</sub>, V<sub>acmin</sub>, V<sub>ac,r</sub>, I<sub>acmax</sub>, P<sub>ac,r</sub>, f<sub>r</sub>, f<sub>min</sub>, f<sub>max</sub>, cosphi<sub>ac,r</sub>, I<sub>ac,r</sub>, P<sub>acmax</sub>, THD, η<sub>max</sub>

The power factor should be displayed over the range of power and not only at rated power. Additionally the number of phases to be connected at the output and the number of phases fed in have to be noted. (standards.iteh.ai)

The specification of the maximum and minimum output voltages and frequencies may be specified in each case as ranges. If only one value is given, the default status at delivery should be used. It is a status at delivery 306f3d54f1b1/iec-62894-2014

## 4.5 Characterisation of the operating performance


**4.5.1** The indication of the rated power ( $P_{ac,r}$ ) refers to the respective rated values of the connected grid (e.g. 230 V/50 Hz). The rated power is given at the rated input voltage, rated power and the ambient temperature of (25 ± 3) °C. This value shall be obtained after temperature rise test.

NOTE In addition, the ability of the inverter to supply the rated power even at higher ambient temperatures can be stated together with the time the inverter can supply this power (e.g. 40  $^{\circ}$ C for 2 h or 35  $^{\circ}$ C unlimited).

**4.5.2** Night-time power loss is to be specified, including the internal power source.

**4.5.3** The operating efficiency has to be specified in tabular form at least for the three input voltages ( $V_{mppmax}$ ,  $V_{dc,r}$ , and  $V_{mppmin}$ ) and eight output powers (5 %, 10 %, 20 %, 25 %, 30 %, 50 %, 75 %, and 100 %, where these percentages indicate the ratio of  $P_{ac}/P_{ac,r}$ ). A graphical representation is optional (example: Figure 1).

<sup>&</sup>lt;sup>1)</sup> The indication of the start-up input voltage is necessary only if the input voltage is used as switching on criterion for the inverter.





**4.5.4** For the purpose of self-protection routines can be implemented into the inverter, which prevent a damage (current power a temperature derating). Any self-protection routine that causes derating shall be described in tabular or graphical form over the entire permitted operation range (see example in Figure 2).




Figure 2 – Power reduction with increased ambient temperatures

## 4.6 Safety

The following data concerning the safety of inverters shall be contained in the data sheet:

safety class system according to IEC 62109-1;

- data for galvanic separation (with or without transformer);
- kind of integrated utility interface (indication of the sets of local rules, regulations or laws);

- 10 -

- the method of active detection of loss of mains should be clearly indicated;
- time to reconnect after disconnection due to loss of mains should be indicated.

# 4.7 Operating conditions

The operating conditions for the inverters are differentiated (unprotected in the open, protected in the open, air-conditioned in interiors, without air-condition in interiors).

The degree of severity depends on the use of the inverter and is to be specified by the manufacturer. For inverters to be used in the outdoor the indication of the appropriate climatic class shall be specified according to IEC 60721-2-1 by the manufacturer. Further data concerning the operating conditions of inverters should be contained in the data sheet:

- rated range of the ambient temperature in which the inverter is to be operated may be according to IEC 60721-2-1;
- permissible maximum value for the relative humidity (non-condensing);
- maximum noise emission, to be given if over 75 dB.

# 4.8 Fitting and construction

# 4.8.1 Physical characteristics

- Degree of protection according to IEC 60529 D PREVIEW
- Overvoltage category according IEC 60664-1. iteh.ai)
- Input and output side connection technology.
- Number of input DC connectors (pairs) and number of input DC connectors per MPP input.
- Physical dimensions including protructing parts (width, depth, height). d8-
- Weight.

If applicable the type and manufacturer of the input and output connector should be given.

# 4.8.2 Other characteristics

- Existing disconnecting device at the input side (if any).
- Cooling principle (convection, forced cooling).
- Name and address of the manufacturer and of market importer, if applicable.
- Communication protocol(s) used should be indicated as well.
- Warranty period should be indicated.

# 5 Details on the name plate

The following list represents the minimum required information, which should be contained on a name plate for a photovoltaic inverter. Additional information can however be supplied by the manufacturer.

The minimum requirements for the production of a name plate are according to IEC 62109-1:

- name and origin of the manufacturer and/or market importer;
- model or type name;
- serial number;
- electrical parameters: V<sub>dcmax</sub>, V<sub>mppmin</sub>, V<sub>mppmax</sub>, I<sub>dcmax</sub>, P<sub>ac,r</sub>, V<sub>ac,r</sub>, f<sub>r</sub>, I<sub>acmax</sub>;
- degree of protection;