

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Radio frequency and coaxial cable assemblies –  
Part 2-5: Detail specification for cable assemblies for radio and TV receivers –  
Frequency range 0 MHz to 1 000 MHz, IEC 61169-2 connectors**

**Cordons coaxiaux et cordons pour fréquences radioélectriques –  
Partie 2-5: Spécification particulière pour cordons de connexion de récepteurs  
radio ou TV – Plage de fréquences de 0 MHz à 1 000 MHz, connecteurs  
IEC 61169-2**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms, containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Radio frequency and coaxial cable assemblies –  
Part 2-5: Detail specification for cable assemblies for radio and TV receivers –  
Frequency range 0 MHz to 1 000 MHz, IEC 61169-2 connectors**

**Cordons coaxiaux et cordons pour fréquences radioélectriques –  
Partie 2-5: Spécification particulière pour cordons de connexion de récepteurs  
radio ou TV – Plage de fréquences de 0 MHz à 1 000 MHz, connecteurs  
IEC 61169-2**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.120.10

ISBN 978-2-8322-3706-9

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[IEC 60966-2-5:2016](https://standards.iteh.ai/catalog/standards/sist/11847cff-8910-464b-ade6-80403f86de55/iec-60966-2-5-2016)

<https://standards.iteh.ai/catalog/standards/sist/11847cff-8910-464b-ade6-80403f86de55/iec-60966-2-5-2016>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –****Part 2-5: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 1 000 MHz, IEC 61169-2 connectors**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.  
[https://standards.iteh.ai/catalog/standards/sist/11847cff-8910-464b-ade6-11847cff-8910-464b-ade6-](https://standards.iteh.ai/catalog/standards/sist/11847cff-8910-464b-ade6-11847cff-8910-464b-ade6)
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60966-2-5 has been prepared by IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

This fourth edition cancels and replaces the third edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the return loss requirements and insertion loss requirements are matched to the relevant cables,
- b) screening effectiveness shall be measured according to IEC 62153-4-7, triaxial method,
- c) screening class B was cancelled.

The text of this standard is based on the following documents:

FDIS	Report on voting
46/592/FDIS	46/625/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This detail specification is to be read in conjunction with IEC 60966-1:1999, with IEC 60966-2-1:2008 and with IEC 60966-2-2:2003.

A list of all parts of the IEC 60966 series, published under the general title: *Radio frequency and coaxial cable assemblies* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

IEC 60966-2-5:2016

**IMPORTANT – The colour inside logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This part of IEC 60966 is a detail specification which applies to flexible coaxial cables described in the IEC 61196 series. It relates to cable assemblies for radio and TV receivers, and in particular to the cable assemblies subfamily 9,52 (see IEC 61169-2). These cable assemblies are used as described in IEC 60728-4.

This part of IEC 60966 gives subfamily requirements and severities which shall be applied.

Under qualification approval, the qualification will be conducted in accordance with 12.2 of IEC 60966-2-1:2008 taking into account the specified variants. Only the tests whose results might depend on the variants will be repeated.

Under capability approval, the qualification will be conducted on the relating CQCs (capability qualifying components) as defined in 12.3 of IEC 60966-2-1:2008 and described in the CM (capability manual). Unless otherwise specified in the CM, only lot-by-lot tests from groups Ba and Eb will be conducted on delivered products, all other tests will be performed on CQCs as defined in 12.3 of IEC 60966-2-1:2008 and described in the CM.

### Reference documents

IEC 60728-4, *Cable networks for television signals, sound signals and interactive services – Part 4: Passive wideband equipment for coaxial cable networks*

IEC 60966-1:1999, *Radio frequency and coaxial cable assemblies – Part 1: Generic specification – General requirements and test methods*

IEC 60966-2-1:2008, *Radio frequency and coaxial cable assemblies – Part 2-1: Sectional specification for flexible coaxial cable assemblies*  
<https://standards.iteh.ai/catalog/standards/sist/11847cff-8910-464b-ade6-80403f86de55/iec-60966-2-5-2016>

IEC 60966-2-2:2003, *Radio frequency and coaxial cable assemblies – Part 2-2: Blank detail specification for flexible coaxial cable assemblies*

IEC 61169-2, *Radio-frequency connectors – Part 2: Sectional specification – Radio frequency coaxial connectors of type 9,52*



IEC 61196-1-110, *Coaxial communication cables – Part 1-110: Electrical test methods – Test for continuity*

IEC 61196-6, *Coaxial communication cables – Part 6: Sectional specification for CATV drop cables*

IEC 62153-4-7, *Metallic communication cable test methods – Part 4-7: Electromagnetic compatibility (EMC) – Test method for measuring the transfer impedance  $Z_T$  and screening attenuation  $a_S$  or coupling attenuation  $a_C$  of connectors and assemblies up to and above 3 GHz – Triaxial tube in tube method*

## RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –

### Part 2-5: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 1 000 MHz, IEC 61169-2 connectors

[1] Prepared by IEC TC 46		[2] Document No. 60966-2-5 Issue: Fourth issue Date:																		
[3] Available from: IEC 3 rue de Varembe Geneva Switzerland	[4] Generic specification: IEC 60966-1 Sectional specification: IEC 60966-2-1 Blank detail specification: IEC 60966-2-2																			
[5] Additional references:																				
<b>Detail specification for coaxial cable assemblies for radio and TV receivers</b>																				
NOTE Example diagram, manufacturer to insert actual diagram																				
<div style="text-align: center;">  </div>																				
[6] Maximum diameter of connectors < 16,6 mm																				
[7] Characteristic impedance: 75 Ω	[8] Frequency range: 0 MHz to 1 000 MHz																			
[9] Weight: 40 g/m + 50 g (typically)	[10] Maximum mandrel radius: for static bending: 25 mm for dynamic bending: 75 mm Maximum length: 10 m																			
[11] Climatic category: 40/70/21	[12] Applicable test group: Ba, Eb, Eh, Ee, Mn																			
[13] Connector type  Cable type <sup>1</sup>  Marking  Taper sleeves:	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">A</th> <th style="width: 15%;">B</th> <th style="width: 15%;">C</th> <th style="width: 15%;">D</th> </tr> </thead> <tbody> <tr> <td>IEC 61169-2 (9,52)</td> <td>IEC 61169-2 (9,52)</td> <td>IEC 61169-2 (9,52)</td> <td>IEC 61169-2 (9,52)</td> </tr> <tr> <td>Straight plug</td> <td>Straight socket</td> <td>Right angled plug</td> <td>Right angled socket</td> </tr> <tr> <td>IEC 61196-6, IEC-75-yy or equivalent</td> <td>IEC 61196-6, IEC-75-yy or equivalent</td> <td>IEC 61196-6, IEC-75-yy or equivalent</td> <td>IEC 61196-6, IEC-75-yy or equivalent</td> </tr> </tbody> </table> <p>Marking of the assembly shall be applied to the sheath or jacket of the cable. The marking shall consist at least of the IEC assembly type and the screening class. Example: &lt;&lt; IEC 60966-2-5 – Screening class A – 2014 &gt;&gt;</p>				A	B	C	D	IEC 61169-2 (9,52)	IEC 61169-2 (9,52)	IEC 61169-2 (9,52)	IEC 61169-2 (9,52)	Straight plug	Straight socket	Right angled plug	Right angled socket	IEC 61196-6, IEC-75-yy or equivalent	IEC 61196-6, IEC-75-yy or equivalent	IEC 61196-6, IEC-75-yy or equivalent	IEC 61196-6, IEC-75-yy or equivalent
A	B	C	D																	
IEC 61169-2 (9,52)	IEC 61169-2 (9,52)	IEC 61169-2 (9,52)	IEC 61169-2 (9,52)																	
Straight plug	Straight socket	Right angled plug	Right angled socket																	
IEC 61196-6, IEC-75-yy or equivalent	IEC 61196-6, IEC-75-yy or equivalent	IEC 61196-6, IEC-75-yy or equivalent	IEC 61196-6, IEC-75-yy or equivalent																	
[14] Variants 1: A-A, 2: A-B, 3: A-C, 4: A-D	[15] Page 1 of 2 pages																			

<sup>1</sup> Flexible cables according to IEC 61196 series.



[16] Inspection values, ratings or characteristics	[17] IEC 60966-1:1999 Subclause	[18] Value	[19] Remarks
<b>Electrical</b>			
Reflection properties (return loss)	8.1	> 20 dB > 16 dB > 15 dB	5 MHz to 400 MHz > 400 MHz to 862 MHz > 862 MHz to 1 000 MHz
Insertion loss	8.3	$< 2 \times (0,0001 \times f) + 0,4$ dB/m (f/MHz)	Up to 1 000 MHz
Screening effectiveness: Transfer impedance Class A	IEC 62153-4-7	< 5 mΩ/m	5 MHz to 30 MHz
Screening attenuation Class A	IEC 62153-4-7	> 85 dB	30 MHz to 1 000 MHz
Voltage proof	8.10	1,0 kV min	50 Hz to 65 Hz peak value
Insulation resistance	8.11	> 10 <sup>3</sup> MΩ	Test voltage 500 V
Inner conductor continuity	IEC 61196-1-110	OK	Low voltage DC
Outer conductor continuity	IEC 61196-1-110	OK	After tensile test 9.1
<b>Mechanical</b>			
Tensile	9.1	> 45 N	Interface OK Duration 1 min Test 8.12
Flexure	9.2	50 cycles min	Force 5 N Screening effectiveness, IEC 62153-4-7
Flexing endurance	9.3	20 cycles min	Test 8.12 and screening effectiveness, IEC 62153-4-7
Cable assembly crushing	9.4	700 N min	Test 8.3

STANDARD PREVIEW  
(standards.iteh.ai)

IEC 60966-2-5:2016

https://standards.iteh.ai/catalog/standards/sis/11647/cff-8910-464b-1dc0-80403f86de55/iec-60966-2-5-2016

Recommended grouping of test			Recommended severity					[27] Length of specimen
[20] Group	[21] IEC 60966-1:1999 Subclause	Test	[22] Periodicity	[23] NC IL	[24] NQA AQL	[25] n	[26] c	
Ba	7.2	Visual inspection	Lot by lot	S3	4.0			
	7.3	Dimensional inspection	Lot by lot	S3	4.0			
Eh	8.1	Reflection properties (return loss)	Lot by lot	II	1.0			
	8.3	Insertion loss	Lot by lot	II	1.0			
Eb	8.10	Voltage proof	Lot by lot	II	1.0			
	8.11	Insulation resistance	Lot by lot	II	1.0			
	8.12	Inner and outer conductor continuity	Lot by lot	III	1.0			
Ee	8.9	Screening attenuation Transfer impedance	1 year	I		1	0	
Mn	9.1	Tensile	3 years			3	0	On a CQC variant 1 l = 300 mm
	9.2	Flexure	3 years					
	9.3	Flexing endurance	3 years					
	9.4	Cable assembly crushing	3 years					