



SLOVENSKI STANDARD
SIST EN 60264-1:2001/A1:2009
01-september-2009

Pakiranje navijalnih žic - 1. del: Embalaža za okrogle navijalne žice (IEC 60264-1:1968/A1:2009)

Packaging of winding wires -- Part 1: Containers for round winding wires

Verpackung von Wickeldrähten -- Teil 1: Nennabmessungen sowie Bezeichnung für Einweg- und Mehrwegbehälter für runde Wickeldrähte

Conditionnement des fils de bobinage -- Partie 1: Fûts d'emballages pour fils de bobinage de section circulaire

iTeh STANDARD PREVIEW

(standards.itteh.ai)

[SIST EN 60264-1:2001/A1:2009](https://standards.itteh.ai/catalog/standards/sist/10944284-7f20-4886-bb60-0551f0aaa45b/sist-en-60264-1-2001-a1-2009)

Ta slovenski standard je istoveten z: EN 60264-1:1994/A1:2009

ICS:

29.060.10	Žice	Wires
55.060	Tulci. Vretena	Spools. Bobbins

SIST EN 60264-1:2001/A1:2009 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60264-1:2001/A1:2009

<https://standards.iteh.ai/catalog/standards/sist/10944284-7f20-4886-bb60-033ff0aaa45b/sist-en-60264-1-2001-a1-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60264-1/A1

June 2009

ICS 55.060; 29.060.10

English version

**Packaging of winding wires -
Part 1: Containers for round winding wires
(IEC 60264-1:1968/A1:2009)**

Conditionnement des fils de bobinage -
Partie 1: Fûts d'emballage pour fils
de bobinage de section circulaire
(CEI 60264-1:1968/A1:2009)

Verpackung von Wickeldrähten -
Teil 1: Nennabmessungen sowie
Bezeichnung für Einweg- und
Mehrwegbehälter für runde Wickeldrähte
(IEC 60264-1:1968/A1:2009)

iTeh STANDARD PREVIEW

This amendment A1 modifies the European Standard EN 60264-1:1994; it was approved by CENELEC on 2009-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 55/1099/FDIS, future amendment 1 to IEC 60264-1:1968, prepared by IEC TC 55, Winding wires, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A1 to EN 60264-1:1994 on 2009-05-01.

The following dates were fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-02-01
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 2012-05-01

Endorsement notice

The text of amendment 1:2009 to the International Standard IEC 60264-1:1968 was approved by CENELEC as an amendment to the European Standard without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60264-1:2001/A1:2009](https://standards.iteh.ai/catalog/standards/sist/10944284-7f20-4886-bb60-033ff0aaa45b/sist-en-60264-1-2001-a1-2009)

<https://standards.iteh.ai/catalog/standards/sist/10944284-7f20-4886-bb60-033ff0aaa45b/sist-en-60264-1-2001-a1-2009>



IEC 60264-1

Edition 1.0 2009-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

AMENDMENT 1
AMENDEMENT 1

Packaging of winding wires –
Part 1: Containers for round winding wires

Conditionnement des fils de bobinage –
Partie 1: Fûts d'emballage pour fils de bobinage de section circulaire

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

C

ICS 55.060; 29.060.10

ISBN 2-8318-1039-3

FOREWORD

This amendment has been prepared by IEC technical committee 55: Winding wires.

The text of this amendment is based on the following documents:

FDIS	Report on voting
55/1099/FDIS	55/1136/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Add the following new Introduction:

[SIST EN 60264-1:2001/A1:2009](https://standards.iteh.ai/catalog/standards/sist/10944284-7f20-4886-bb60-033ff0aaa45b/sist-en-60264-1-2001-a1-2009)

INTRODUCTION <https://standards.iteh.ai/catalog/standards/sist/10944284-7f20-4886-bb60-033ff0aaa45b/sist-en-60264-1-2001-a1-2009>

This part of IEC 60264 is one of a series which deals with packaging of insulated wires used for windings in electrical equipment. The series has three groups describing:

- 1) Test methods (IEC 60851);
- 2) Specifications for particular types of winding wire (IEC 60317);
- 3) Packaging of winding wires (IEC 60264).

Table II

Replace the existing Table 2 with the following new Table 2:

Table 2 – Additional sizes

Dimensions in millimetres

d_1		h		d_2		d_3
Nom.	Tol.	Nom.	Tol.	Nom.	Tol.	Max.
200	0 -3	160	0 -2,5	125	+2,5 0	220
		224	0 -3			
		315	0 -3,5			
250	0 -3	200	0 -3	160	+2,5 0	270
		400	0 -4			
315	0 -3	250	0 -3	200	+3 0	340
		400	0 -4			
400	0 -3,5	315	0 -3,5	250	+3 0	425
		630	0 -4,5			
500	0 -4	200	0 -3	315	+3,5 0	530
		280	0 -3			
500	0 -4	630	0 -4	315	3,5 0	530