



SLOVENSKI STANDARD SIST EN 60794-3-40:2009

01-februar-2009

Cd[h] b]_UV]!'! (\$"XY. ?UV]nUnI bUb^c'i dcfUvc!'G_i d]bg_UgdYWZ_UW]UnU
_UbU]nUW]g_Y_UVY]b'_UbUYnUa cbU]yc'n'j d] Uj Ub^Ya `cn]fca Uj`Y Yb^Ya `j
a YHcfbY]b'gUb]HufbY_UbUYZbYXcglcdYnU `cj_Y_Uf197`* \$+- (!'!(\$.&\$\$, L

Optical fibre cables - Part 3-40: Outdoor cables - Family specification for sewer cables and conduits for installation by blowing and/or pulling in non-man accessible storm and sanitary sewers (IEC 60794-3-40:2008)

Lichtwellenleiterkabel - Teil 3-40: Außenkabel - Familienspezifikation für Kabel in Abwasserkanälen für die Verlegung durch Einblasen und/oder Einziehen in nicht zugänglichen Regenwasser- und Abwasserkanälen (IEC 60794-3-40:2008)

Câbles à fibres optiques - Partie 3-40: Câbles extérieurs - Spécification de famille relative aux câbles et conduits cheminant dans les égouts destinés à être installés par soufflage et/ou tirage dans les conduites d'eaux usées pluviales et sanitaires inaccessibles (CEI 60794-3-40:2008)

Ta slovenski standard je istoveten z: EN 60794-3-40:2008

ICS:

33.180.10 Fibres and cables

SIST EN 60794-3-40:2009 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60794-3-40:2009

<https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60794-3-40

December 2008

ICS 33.180.10

English version

**Optical fibre cables -
Part 3-40: Outdoor cables -
Family specification for sewer cables and conduits
for installation by blowing and/or pulling
in non-man accessible storm and sanitary sewers
(IEC 60794-3-40:2008)**

Câbles à fibres optiques -
Partie 3-40: Câbles extérieurs -
Spécification de famille
relative aux câbles et conduits
cheminant dans les égouts destinés
à être installés par soufflage et/ou tirage
dans les conduites d'eaux usées pluviales
et sanitaires inaccessibles
(CEI 60794-3-40:2008)

Lichtwellenleiterkabel -
Teil 3-40: Außenkabel -
Familienspezifikation
für Kabel in Abwasserkanälen
für die Verlegung durch Einblasen
und/oder Einziehen in nicht zugänglichen
Regenwasser- und Abwasserkanälen
(IEC 60794-3-40:2008)

[SIST EN 60794-3-40:2009](https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-173b6e71390c/iec-60794-3-40-2008)

[https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-](https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-173b6e71390c/iec-60794-3-40-2008)

This European Standard was approved by CENELEC on 2008-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 86A/1228/FDIS, future edition 1 of IEC 60794-3-40, prepared by SC 86A, Fibres and cables, of IEC TC 86, Fibre optics, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60794-3-40 on 2008-11-01.

This standard is to be used in conjunction with EN 60794-1-1, EN 60794-1-2 and EN 60794-3.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-08-02
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-11-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60794-3-40:2008 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60794-3-40:2009](https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009)

<https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60304	1982	Standard colours for insulation for low-frequency cables and wires	HD 402 S2	1984
IEC 60793-1-20	- ¹⁾	Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry	EN 60793-1-20	2002 ²⁾
IEC 60793-1-40 (mod)	- ¹⁾	Optical fibres - Part 1-40: Measurement methods and test procedures - Attenuation	EN 60793-1-40	2003 ²⁾
IEC 60793-1-44	- ¹⁾	Optical fibres - Part 1-44: Measurement methods and test procedures - Cut-off wavelength	EN 60793-1-44	2002 ²⁾
IEC 60793-2	- ¹⁾	Optical fibres - Part 2: Product specifications - General	EN 60793-2	2008 ²⁾
IEC 60793-2-50	- ¹⁾	Optical fibres - Part 2-50: Product specifications. Sectional specification for class B single-mode fibres	EN 60793-2-50	2008 ²⁾
IEC 60794-1-1	- ¹⁾	Optical fibre cables - Part 1-1: Generic specification - General	EN 60794-1-1	2002 ²⁾
IEC 60794-1-2	- ¹⁾	Optical fibre cables - Part 1-2: Generic specification - Basic optical cable test procedures	EN 60794-1-2	2003 ²⁾
IEC 60794-3	- ¹⁾	Optical fibre cables - Part 3: Sectional specification - Outdoor cables	EN 60794-3	2002 ²⁾
IEC 60794-3-10 (mod)	- ¹⁾	Optical fibre cables - Part 3-10: Outdoor cables - Family specification for duct and directly buried optical telecommunication cables	EN 60794-3-10	2002 ²⁾
IEC 60811-1-1	1993	Insulating and sheathing materials of electric and optical cables - Common test methods - Part 1-1: General application - Measurement of thickness and overall dimensions - Tests for determining the mechanical properties	EN 60811-1-1	1995

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60811-5-1 (mod)	1990	Insulating and sheathing materials of electric and optical cables - Common test methods - Part 5-1: Methods specific to filling compounds - Drop point - Separation of oil - Lower temperature brittleness - Total acid number - Absence of corrosive components - Permittivity at 23 °C - D.C. resistivity at 23 °C and 100 °C	EN 60811-5-1	1999

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60794-3-40:2009](https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009)

<https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009>



IEC 60794-3-40

Edition 1.0 2008-10

INTERNATIONAL STANDARD

**Optical fibre cables –
Part 3-40: Outdoor cables – Family specification for sewer cables and conduits
for installation by blowing and/or pulling in non-man accessible storm and
sanitary sewers**

STANDARD PREVIEW
(standards.iteh.ai)
SIST EN 60794-3-40:2009
<https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

W

ICS 33.180.10

ISBN 2-8318-1002-4

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Symbols	7
4 Family specification for sewer cables and conduits for installation by blowing and/or pulling in sewers (blank detail specification and minimum requirements)	8
4.1 Construction.....	8
4.1.1 General	8
4.1.2 Conduits.....	8
4.1.3 Sewer cables.....	8
4.1.4 Rodent protection	8
4.2 Optical fibres.....	9
4.2.1 Single-mode dispersion unshifted (B1.1) optical fibre	9
4.2.2 Single mode dispersion shifted (B2) optical fibre	9
4.2.3 Single mode non-zero dispersion (B4) optical fibre	10
4.2.4 Single mode (B6) optical fibre.....	10
4.2.5 Multimode fibres	10
4.3 Sewer cable constructions.....	11
4.3.1 Cable for installation within conduits (previously fixed to the sewer wall)	11
4.3.2 Cable for direct installation into the sewer duct.....	12
4.3.3 Conduit construction.....	13
4.4 Installation and operating conditions.....	13
4.4.1 Tests applicable to cables/cable elements.....	13
4.4.2 Installation conditions.....	14
4.5 Mechanical and environmental tests.....	14
4.5.1 Conduits.....	14
4.5.2 Cable for installation within conduits (previously fixed to the sewer wall)	17
4.5.3 Cables for direct installation into the sewer duct.....	21
Annex A (informative) Blank detail specification.....	25
Annex B (informative) OF cables for non-man accessible sewers.....	28
Annex C (informative) Examples of conduits and sewer cables	29
Annex D (informative) Examples of installation schemes.....	35
Figure C.1 – Dielectric optical fibre sewer cable.....	29
Figure C.2 – Dielectric optical fibre sewer cable.....	29
Figure C.3 – Optical fibre sewer cable within a conduit	30
Figure C.4 – Optical fibre sewer cable for direct installation – peripheral strength members.....	31
Figure C.5 – Optical fibre sewer cable for direct installation – steel wire armouring	31
Figure C.6 – Optical fibre sewer cable for spanning – peripheral strength members.....	32
Figure C.7 – Optical fibre sewer cable for spanning – steel wire armouring.....	32
Figure C.8 – Optical fibre sewer cable for laying – aluminium tape.....	33
Figure C.9 – Optical fibre sewer cable for laying – corrugated steel	33

Figure C.10 – Optical fibre sewer cable for laying – 2-layer-steel wire armouring	34
Figure D.1 – Conduit robotized installation.....	35
Figure D.2 – Spring loaded stainless-steel ring – conduit fastening.....	36
Figure D.3 – Schematic drawing robotized installation – Drilling.....	36
Figure D.4 – Schematic drawing – Spanning of optical fibre cables within sewers.....	37
Figure D.5 – Schematic drawing – laying on the ground of optical fibre cables within sewers.....	37
Table 1 – Single-mode dispersion unshifted (B1.1) optical fibre	9
Table 2 – Single mode dispersion shifted (B2) optical fibre	9
Table 3 – Single mode non-zero dispersion (B4) optical fibre.....	10
Table 4 – Single mode (B6) optical fibre	10
Table 5 – Characteristics – Cable for installation within conduits (previously fixed to the sewer wall)	11
Table 6 – Characteristics – Cable for direct installation into the sewer duct	12
Table 7 – Characteristics – Conduit construction	13
Table 8 – Tests applicable to cables/cable elements.....	13
Table 9 – Conduits – Tests applicable	14
Table 10 – Optical fibre cable – Tests applicable.....	17
Table 11 – Tests applicable	21
Table A.1 – Sewer optical fibre cable description – Within conduits	25
Table A.2 – Sewer optical fibre description – Direct installation	26
Table A.3 – Conduit description	27
Table B.1 – Characteristics for optical fibre cables within non-man accessible sewers.....	28

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

**Part 3-40: Outdoor cables –
Family specification for sewer cables and
conduits for installation by blowing and/or pulling
in non-man accessible storm and sanitary sewers**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-3-40 Ed. 1 has been prepared by sub-committee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This standard is to be used in conjunction with IEC 60794-1-1, IEC 60794-1-2 and IEC 60794-3.

The text of this standard is based on the following documents:

FDIS	Report on voting
86A/1228/FDIS	86A/1241/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IFU STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60794-3-40:2009](https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009)

<https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-b73b6e7b299d/sist-en-60794-3-40-2009>

OPTICAL FIBRE CABLES –

Part 3-40: Outdoor cables – Family specification for sewer cables and conduits for installation by blowing and/or pulling in non-man accessible storm and sanitary sewers

1 Scope

This part of IEC 60794 is a family specification that covers sewer cables and conduits for installation by blowing and/ or pulling in non-man accessible storm and sanitary sewers, also applicable for man-accessible and lateral ones. Systems built with components covered by this standard are subject to the requirements of sectional specification IEC 60794-3.

Sewer cable and conduit constructions have to meet the different requirements of the sewer operating companies and/or associations regarding chemical, environmental, operational, cleaning and in general maintenance conditions.

Preferential applications, describing sewer cable characteristics versus methods of installation is reported in Annex A and Annex B for non-man accessible sewers.

Clause 4 describes a blank detail specification for sewer cables and conduits for installation by blowing and/or pulling in storm and sanitary sewers. It incorporates some minimum requirements.

[SIST EN 60794-3-40:2009](https://standards.iteh.ai/catalog/standards/sist/3b0fc10b-a77e-4d09-9149-67566e7b299d/sist-en-60794-3-40-2009)

Detail specifications may be prepared on the basis of this family specification.

The parameters specified in this standard may be affected by measurement uncertainty arising either from measurement errors or calibration errors due to lack of suitable standards. Acceptance criteria should be interpreted with respect to this consideration.

The number of fibres tested is representative of the sewer cable and should be agreed between the customer and the supplier.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60304:1982, *Standard colours for insulation for low-frequency cables and wires*

IEC 60793-1-20, *Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-44, *Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength*

IEC 60793-2, *Optical fibres – Part 2: Product specifications– General*

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures*

IEC 60794-3, *Optical fibre cables – Part 3: Sectional specification – Outdoor cables*

IEC 60794-3-10, *Optical fibre cables – Part 3-10: Outdoor cables – Family specification for duct and directly buried optical telecommunication cables*

IEC 60811-1-1:1993, *Common test methods for insulating and sheathing materials of electric cables and optical cables – Part 1-1: Methods for general application – Measurement of thickness and overall dimensions – Tests for determining the mechanical properties*

IEC 60811-5-1:1990, *Insulating and sheathing materials of electric and optical cables – Common test methods – Part 5-1: Methods specific to filling compounds – Drop point – Separation of oil – Lower temperature brittleness – Total acid number – Absence of corrosive components – Permittivity at 23 °C – DC resistivity at 23 °C and 100 °C*

3 Symbols

iTeh STANDARD PREVIEW

For the purposes of this document, the following symbols apply.

APL	Aluminium/polyethylene laminate
SPL	Steel/polyethylene laminate
λ_{CC}	cabled fibre cut-off wavelength
d	nominal outer diameter of the sewer cable
d_c	nominal outer diameter of the conduit
DS	detail specification
$n \times d$	a value times cable outer diameter used for bends, mandrels, etc.
T_O	threshold tensile load below which no attenuation and/or fibre strain increase should occur in the tensile performance test
T_M	the acceptable amount of short-term tensile load that can be applied to the cable without permanent degradation of the characteristics of the fibres in the tensile performance test
T_{A1}	temperature cycling test low-temperature limit according to IEC 60794-1-2, method FI
T_{A2}	temperature cycling test low-temperature limit according to IEC 60794-1-2, method FI
T_{B1}	temperature cycling test high-temperature limit according to IEC 60794-1-2, method FI
T_{B2}	temperature cycling test high-temperature limit according to IEC 60794-1-2, method FI
t_1	temperature cycling dwell time