

Edition 3.0 2015-04 REDLINE VERSION

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety –
Part 2-80: Particular requirements for fans

Document Preview

IEC 60335-2-80:2015

https://standards.iteh.ai/catalog/standards/iec/7030f15b-b30c-4e02-a525-cc4f5501d137/iec-60335-2-80-2015





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

EC 60335-2-80:2015

https://standards.iteh.ai/catalog/standards/iec/7030f15b-b30c-4e02-a525-cc4f5501d137/iec-60335-2-80-201





Edition 3.0 2015-04 REDLINE VERSION

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety – Part 2-80: Particular requirements for fans

Document Preview

EC 60335-2-80:2015

https://standards.iteh.ai/catalog/standards/iec/7030f15b-b30c-4e02-a525-cc4f5501d137/iec-60335-2-80-2015

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 23.120 ISBN 978-2-8322-2637-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

	FOREWORD4		
	INT	RODUCTION	2
	1	Scope	8
	2	Normative references	9
	3	Terms and definitions	9
1	4	General requirement	9
	5	General conditions for the tests	9
	6	Classification	.10
	7	Marking and instructions	.10
	8	Protection against access to live parts	.11
	9	Starting of motor-operated appliances	.11
	10	Power input and current	.11
	11	Heating	.11
	12	Void	.12
	13	Leakage current and electric strength at operating temperature	.12
	14	Transient overvoltages	
	15	Moisture resistance	.12
	16	Leakage current and electric strength	.12
	17	Overload protection of transformers and associated circuits	.12
	18	Endurance Document Preview	.12
	19	Abnormal operation	
	20	Stability and mechanical hazards 6.6.60335.7.803015.	.13
	21	Mechanical strength and ards/iec/7030fl5b-b30c-4e02-a525-cc4f5501d137/iec-60335-2-	14-20
	22	Construction	.14
	23	Internal wiring	.16
	24	Components	.16
	25	Supply connection and external flexible cords	.16
	26	Terminals for external conductors	.16
	27	Provision for earthing	.16
	28	Screws and connections	.17
	29	Clearances, creepage distances and solid insulation	.17
	30	Resistance to heat and fire	.17
	31	Resistance to rusting	.17
	32	Radiation, toxicity and similar hazards	.17
	Annexes		24
	Bibliography		25
	Figure 101 – Subclause 22.102.1 – Example		
	Figu	ıre 102 – Test pin	.19
	Figu	ıre 103 – Subclause 22.102.2 – Example	.20
	Fiau	ıre 104 – Subclause 22.102.3 – Example	21

Figure 105 – Subclause 22.102.4 – Example	22
Figure 106 – Subclause 22.102.5 – Example 1	23

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-80:2015

https://standards.iteh.ai/catalog/standards/iec/7030f15b-b30c-4e02-a525-cc4f5501d137/iec-60335-2-80-2015

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-80: Particular requirements for fans

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication. cc 5 5 f 5 0 lec 6 D 3 8 05 0
 - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2002 including its Amendment 1 (2004) and its Amendment 2 (2008). It constitutes a technical revision.

The principal changes in this edition as compared with the second edition of IEC 60335-2-80 are as follows (minor changes are not listed):

- added definition for ceiling fan suspension system (3.102);
- added instructions for ceiling fan maintenance (7.12);
- added instructions for ceiling fan installation (7.12.1);
- added entrapment assessment criteria for table and pedestal fan with a fan head that oscillates in the up-down direction (20.102);
- added requirements for insulation of pre-installed internal wiring used to supply attached luminaires (22.101);
- added suspension system failure protection requirements for ceiling fans (22.102);
- added motor brush wear requirements (27.3).

The text of this standard is based on the following documents:

FDIS	Report on voting
61/4878/FDIS	61/4914/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for fans.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: Household and similar electrical appliances - Safety, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 6.2: This requirement is not applicable (USA).
- 7.1: The "T" marking is not required (USA).
- 7.12.1: Other mounting heights are specified and have to be marked on the appliance (USA).
- 19.7: The addition is not applicable (USA).
- 20.2: The requirements are different (USA). ment Preview
- 21.102: The loads are different (USA).
- 22.102.1: The requirement is not applicable (USA).
- 22.102.2: The requirement is not applicable (USA). 5-2-80 2015
- https://aia Figure 101 Example 1: The requirement is not applicable (China, USA).5-cc4[550] d [37/icc-60335-2-80-20] 5
 - Figure 101 Example 2: The requirement is not applicable (China, USA).
 - Figure 101 Example 3: This requirement is not applicable (MY).
 - Figure 101 Example 4: This requirement is not applicable (MY).
 - Figure 101 Example 5: This requirement is not applicable (MY).
 - Figure 101 Example 6: This requirement is not applicable (MY).
 - 23.3: Different requirements apply (USA).
 - 24.101: The requirement is not applicable (USA).

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-80: Particular requirements for fans

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric fans for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Examples of fans that are within the scope of this standard are

- ceiling fans;
- duct fans;
- partition fans;
- pedestal fans;
- table fans.

This standard also applies to separate controls supplied with fans.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended for use in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.
- persons (including children) whose
 - · physical, sensory or mental capabilities; or
 - lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction;

children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- fans incorporated in other appliances.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60245-3, Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 3: Heat resistant silicone insulated cables

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

Table and pedestal fans are operated with any oscillating mechanism in operation.

Ceiling fans are fixed to a ceiling.

Partition fans are installed in the centre of a suitable partition having dimensions at least four times the diameter of the air inlet.

Duct fans are installed in a duct in accordance with the installation instructions, the length of the duct being approximately four times the diameter of the fan.

3.101

duct fan

fan for installation within an enclosed airway so that the airflow is ducted on both the inlet and outlet sides standards. ileh. ai/catalog/standards/iec/7030f15b-b30c-4e02-a525-cc4f5501d137/iec-60335-2-80-

3.102

suspension system

system which is used to secure the ceiling fan unit to the ceiling

3.103

safety suspension system device

device used to secure the motor with blades of the ceiling fan to the mounting rod of the fan

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.7 Addition:

For fans intended to be used in tropical climates, the tests of Clauses 10, 11 and 13 are carried out at an ambient temperature of 40 $^{\circ}$ C \pm 2 $^{\circ}$ C.

For fans marked with an ambient operating temperature, the tests of Clauses 10, 11 and 13 are carried out at the marked value \pm 2 °C.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 Addition:

Duct fans shall be at least IPX2.

- **6.101** Fans shall be of one of the following classes with respect to climatic conditions:
- fans for temperate climates;
- fans for tropical climates.

Compliance is checked by inspection.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Fans for tropical climates shall be marked with the letter T.

Fans intended for operation in locations where the local ambient temperature exceeds 40 °C shall be marked with the ambient operating temperature.

7.12 Addition:

If the instructions state that the guard has to be removed for cleaning purposes, the instructions shall state the substance of the following:

Ensure that the fan is switched off from the supply mains before removing the guard.

The instructions for ceiling fans shall include the substance of the following warning:

WARNING: If unusual oscillating movement is observed, immediately stop using the ceiling fan and contact the manufacturer, its service agent or suitably qualified persons.

The instructions for ceiling fans shall include the substance of the following:

- the maintenance cycle and method of maintenance;
- the weight of the appliance in kilograms;
- that the replacement of parts of the safety suspension system device shall be performed by the manufacturer, its service agent or suitably qualified persons.

The instructions for fans incorporating motors containing brushes shall include the substance of the following:

If it is necessary to replace the live or neutral brushes to ensure operation of the motor then both brushes and the earth brush shall be replaced at the same time. The brushes shall only be replaced by a suitably qualified person.

7.12.1 *Addition:*

The installation instructions for ceiling fans shall include the substance of the following:

- the fixing means for attachment to the ceiling such as hooks or other devices shall be fixed with a sufficient strength to withstand 4 times the weight of the ceiling fan;
- that the mounting of the suspension system shall be performed by the manufacturer, its service agent or suitably qualified persons;
- that the fan is to be installed so that the blades are more than 2,3 m above the floor;
- the model or type reference of a luminaire that may be installed in a fan constructed for this purpose.

The instructions for other fans shall include the substance of the following:

- whether the fan is intended for mounting in outside windows or walls (for partition fans);
- that the fan is to be installed so that the blades are more than 2,3 m above the floor (for fans intended to be mounted at high level);
- that precautions must be taken to avoid the back-flow of gases into the room from the open flue of gas or other fuel-burning appliances (for duct and partition fans).

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 Modification:

Lamps are not removed. However, during insertion or removal of lamps, protection against contact with **live parts** of the lamp cap shall be ensured.

8.2 Addition:

After the removal of **detachable parts** for the purposes of **user maintenance**, the **basic insulation** of internal wiring may be touched provided that it is electrically equivalent to the insulation of cords complying with IEC 60227 or IEC 60245.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Addition:

Appliances are tested with shutters or similar devices in the open position.

10.2 Addition:

Appliances are tested with shutters or similar devices in the open position.

11 Heating

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

Appliances are operated until steady conditions are established.

11.8 Addition:

The temperature rise limits for appliances for tropical climates are reduced by 15 K.

The temperature rise limits for fans marked with an ambient operating temperature are reduced by the difference between the marked value and 25 °C.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.1.1 Addition:

The outer part of appliances fans intended to be mounted in outside windows and walls installed in the external structure of a building is subjected to the test of Subclause 14.2.4 a) of IEC 60529:1989, the part of the appliance fan that is not mounted on the outside of the window or wall surface being protected against spray from the oscillating tube. The test is carried out with the appliance in the rest position and then in operation while supplied at rated voltage, shutters or similar devices being in the open position.

Duct Fans marked with the second numeral of the IP system are subjected to the appropriate test of 14.2.2 of IEC 60529 while in the both at rest position and in operation while supplied at rated voltage.

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.