



# SLOVENSKI STANDARD SIST EN ISO 10297:2006

01-maj-2006

BUXca Yý U  
SIST EN 849:1999  
SIST EN 849:1999/A1:2000  
SIST EN 849:1999/A2:2002

DfYa ] bYd`]bg\_Y`Y`Yb\_YËJYb]`]nU`Y`Yb\_YËGdYVZ\_UYU]b`dfYg\_i g`h]dUf]GC  
%\$&+.&\$\*\$L

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

Transportable gas cylinders - Cylinder valves - Specification and type testing (ISO 10297:2006)

Ortsbewegliche Gasflaschen - Flaschenventile - Spezifikation und Typprüfung (ISO 10297:2006)

Bouteilles a gaz transportables - Robinets de bouteilles - Spécifications et essais de type (ISO 10297:2006)

Ta slovenski standard je istoveten z: EN ISO 10297:2006

### ICS:

23.020.30	V æ} ^Á [ • [ á^ Æ  ã • \ ^ b\  ^} \ ^	Pressure vessels, gas cylinders
23.060.40	V æ} á^*~  æ[ !ã	Pressure regulators

SIST EN ISO 10297:2006 en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 10297:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 10297**

January 2005

ICS 23.060.40; 23.020.30

Supersedes EN 849:1996

English Version

## Transportable gas cylinders - Cylinder valves - Specification and type testing (ISO 10297:2006)

Bouteilles à gaz transportables - Robinets de bouteilles -  
Spécifications et essais de type (ISO 10297:2006)

Ortsbewegliche Gasflaschen - Flaschenventile -  
Spezifikation und Typprüfung (ISO 10297:2006)

This European Standard was approved by CEN on 19 October 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

**EN ISO 10297:2006 (E)****Foreword**

This document (EN ISO 10297:2006) has been prepared by Technical Committee ISO/TC 58 "Gas cylinders" in collaboration with Technical Committee CEN/TC 23 "Transportable gas cylinders", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2006, and conflicting national standards shall be withdrawn at the latest by July 2006.

This document supersedes EN 849:1996.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

**Endorsement notice**

The text of ISO 10297:2006 has been approved by CEN as EN ISO 10297:2006 without any modifications.

**(standards.iteh.ai)**

[SIST EN ISO 10297:2006](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>

INTERNATIONAL  
STANDARD

ISO  
10297

Second edition  
2006-01-15

---

---

**Transportable gas cylinders — Cylinder  
valves — Specification and type testing**

*Bouteilles à gaz transportables — Robinets de bouteilles —  
Spécifications et essais de type*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 10297:2006](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>



Reference number  
ISO 10297:2006(E)

© ISO 2006

**ISO 10297:2006(E)****PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 10297:2006](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	iv
Introduction .....	v
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms, definitions and symbols .....</b>	<b>2</b>
<b>4 Valve design requirements .....</b>	<b>4</b>
4.1 General .....	4
4.2 Description .....	4
4.3 Materials .....	4
4.4 Dimensions.....	5
4.5 Valve connections .....	5
4.6 Mechanical strength .....	6
4.7 Valve operating mechanism .....	7
4.8 Leakage.....	7
4.9 Resistance to ignition.....	8
<b>5 Production requirements .....</b>	<b>8</b>
5.1 Manufacturing .....	8
5.2 Cleaning.....	8
<b>6 Type test methods .....</b>	<b>8</b>
6.1 General.....	8
6.2 Documentation.....	9
6.3 Number of test samples .....	9
6.4 Test report .....	9
6.5 Ambient conditions .....	9
6.6 Valve test pressure .....	10
6.7 Test gas .....	10
6.8 Test sequence .....	10
6.9 Hydraulic pressure test.....	11
6.10 Excessive torque tests .....	11
6.11 Leak tightness tests .....	11
6.12 Endurance test .....	13
6.13 Flame impingement test.....	13
6.14 Oxygen pressure surge test .....	13
6.15 Acetylene flashback test.....	16
<b>7 Marking .....</b>	<b>18</b>
<b>Annex A (normative) Valve impact test.....</b>	<b>19</b>
<b>Annex B (informative) Example of test sequence .....</b>	<b>21</b>
<b>Annex C (normative) Endurance test .....</b>	<b>22</b>
<b>Bibliography .....</b>	<b>26</b>

## ISO 10297:2006(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10297 was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 2, *Cylinder fittings*.

This second edition cancels and replaces the first edition (ISO 10297:1999), which has been technically revised.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 10297:2006](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>



## Introduction

Cylinder valves are fitted on gas cylinders used in, for example, industrial, medical and breathing applications. Such valves have to perform safely and reliably for at least the cylinder test period, often in hazardous situations.

Valves complying with this International Standard can be expected to perform satisfactorily under normal services conditions.

This International Standard pays particular attention to:

- suitability of materials;
- dimensions of inlet connections;
- dimensions of outlet connections;
- safety (mechanical strength, endurance, resistance to ignition);
- leakage;
- cleanliness;
- testing;
- identification.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 10297:2006](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>

NOTE For satisfactory service, valves are manufactured and batch tested to ISO 14246.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 10297:2006

<https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006>

# Transportable gas cylinders — Cylinder valves — Specification and type testing

## 1 Scope

This International Standard specifies valve design, production and marking requirements, and type test methods for valves intended to be fitted to gas cylinders which convey compressed, liquefied or dissolved gases.

This International Standard does not apply to valves for cryogenic equipment, for fire extinguishers or for liquefied petroleum gas (LPG).

Additional specific requirements for valves fitted with pressure-reducing devices (see ISO 22435 and EN 738-3), residual pressure-retaining devices and non-return devices (see ISO 15996), and bursting discs and pressure-relief devices (see ISO 4126 and prEN 14513) are not covered by this International Standard.

NOTE Requirements for valves for liquefied petroleum gas (LPG) are specified in ISO 14245 and EN 13152, and in ISO 15995 and EN 13153. Requirements for valves for cryogenic vessels are specified in ISO 21011. Further specific requirements for valves for breathing apparatus are specified in EN 144-1, EN 144-2 and EN 144-3.

## 2 Normative references

SIST EN ISO 10297:2006

[https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

[8951a8caeb5a/sist-en-iso-10297-2006](https://standards.iteh.ai/catalog/standards/sist/04faafb1-feac-4d18-8306-8951a8caeb5a/sist-en-iso-10297-2006)

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 407, *Small medical gas cylinders — Pin-index yoke-type valve connections*

ISO 5145, *Cylinder valve outlets for gases and gas mixtures — Selection and dimensioning*

ISO 8573-1, *Compressed air — Part 1: Contaminants and purity classes*

ISO 10156, *Gases and gas mixtures — Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets*

ISO 10286, *Gas cylinders — Terminology*

ISO 10692-1, *Gas cylinders — Gas cylinder valve connections for use in the microelectronics industry — Part 1: Outlet connections*

ISO 15001, *Anaesthetic and respiratory equipment — Compatibility with oxygen*

## ISO 10297:2006(E)

### 3 Terms, definitions and symbols

For the purposes of this document, the terms, definitions and symbols given in ISO 10286 and the following apply.

#### 3.1 working pressure

$p_w$   
 (compressed gases) settled pressure, at a uniform temperature of 15 °C, for a full gas cylinder with the maximum permissible charge of compressed gas

NOTE 1 In this International Standard, it corresponds to the maximum working pressure of the cylinders for which the valve is intended to be used.

NOTE 2 This definition does not apply to liquefied gases or dissolved gases (e.g. acetylene).


#### 3.2 valve test pressure

$p_{vt}$   
 pressure applied to a valve through a gas (or a liquid medium for hydraulic pressure test only) during type testing

#### 3.3 external leak tightness

leak tightness to atmosphere (leakage in and/or leakage out) when the valve is open

NOTE See Figure 1.



#### Key

1 connection to customer equipment (closed)

a Leakage in.

b Leakage out.

$p$  = internal pressure

$p_a$  = atmospheric pressure

**Figure 1 — External leak tightness**

#### 3.4 internal leak tightness

leak tightness across the valve seat (leakage in and/or leakage out) when the valve is closed