

---

**Sistemi industrijske avtomatizacije in integracija – Predstavitev in izmenjava proizvodnih podatkov – 210. del: Aplikacijski protokol: Elektronski sestavi, medsebojno povezovanje in oblika pakiranja (ISO 10303-210:2001)**

Industrial automation systems and integration - Product data representation and exchange - Part 210: Application protocol: Electronic assembly, interconnection, and packaging design (ISO 10303-210:2001)

Industrielle Automatisierungssysteme und Integration - Produktdatendarstellung und -austausch - Teil 210: Anwendungsprotokoll: Elektronische Montage, Verbindung und Gestaltung (ISO 10303-210:2001)

Systemes d'automatisation industrielle et intégration - Représentation et échange de données de produits - Partie 210: Protocole d'application: Interconnexions électroniques, assemblage, et conception d'emballage (ISO 10303-210:2001)

**Ta slovenski standard je istoveten z: EN ISO 10303-210:2002**

---

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
-----------	--	--

**SIST EN ISO 10303-210:2003**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 10303-210:2003](https://standards.iteh.ai/catalog/standards/sist/f9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003)

<https://standards.iteh.ai/catalog/standards/sist/f9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003>

EUROPEAN STANDARD

EN ISO 10303-210

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2002

ICS 25.040.40

English version

Industrial automation systems and integration - Product data  
representation and exchange - Part 210: Application protocol:  
Electronic assembly, interconnection, and packaging design  
(ISO 10303-210:2001)

Systèmes d'automatisation industrielle et intégration -  
Représentation et échange de données de produits - Partie  
210: Protocole d'application: Interconnexions électroniques,  
assemblage, et conception d'emballage (ISO 10303-  
210:2001)

Industrielle Automatisierungssysteme und Integration -  
Produktdatendarstellung und -austausch - Teil 210:  
Anwendungsprotokoll: Elektronische Montage, Verbindung  
und Gestaltung (ISO 10303-210:2001)

This European Standard was approved by CEN on 12 July 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

<https://standards.iteh.ai/catalog/standards/sist/9b18d87-974c-4a6b-b81f-409c2b10c121/iso-10303-210-2001>

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

**EN ISO 10303-210:2002 (E)****Foreword**

The text of ISO 10303-210:2001 has been prepared by Technical Committee ISO/TC 184 "Industrial automation systems and integration" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 10303-210:2002 by Technical Committee CEN/TC 310 "Advanced Manufacturing Technologies", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2003, and conflicting national standards shall be withdrawn at the latest by March 2003.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

**Endorsement notice**

The text of the International Standard ISO 10303-210:2001 has been approved by CEN as a European Standard without any modifications.

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**  
SIST EN ISO 10303-210:2003  
<https://standards.iteh.ai/catalog/standards/sist/f9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003>

INTERNATIONAL  
STANDARD

ISO  
10303-210

First edition  
2001-05-15

---

---

**Industrial automation systems and  
integration — Product data representation  
and exchange —**

Part 210:

**Application protocol: Electronic assembly,  
interconnection, and packaging design**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

*Systèmes d'automatisation industrielle et intégration — Représentation et  
échange de données de produits —*

*Partie 210: Protocole d'application: Interconnexions électroniques,  
assemblage, et conception d'emballage*

SIST EN ISO 10303-210:2003  
<https://standards.iteh.ai/catalog/standards/sist/9b18d87-9741-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003>

---

---

Reference number  
ISO 10303-210:2001(E)



**ISO 10303-210:2001(E)****PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 10303-210:2003](https://standards.iteh.ai/catalog/standards/sist/f9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003)

<https://standards.iteh.ai/catalog/standards/sist/f9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003>

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

<b>Contents</b>		<b>Page</b>
1	Scope . . . . .	1
2	Normative references . . . . .	3
3	Terms, definitions, and abbreviations . . . . .	6
3.1	Terms defined in IEC 60050-541 . . . . .	6
3.2	Terms defined in ISO 129 . . . . .	6
3.3	Terms defined in ISO 1101 . . . . .	6
3.4	Terms defined in ISO 2692 . . . . .	7
3.5	Terms defined in ISO 2692: Amendment 1 . . . . .	7
3.6	Terms defined in ISO 5459 . . . . .	7
3.7	Terms defined in ISO 8015 . . . . .	7
3.8	Terms defined in ISO 10303-1 . . . . .	7
3.9	Terms defined in ISO 10303-11 . . . . .	8
3.10	Terms defined in ISO 10303-44 . . . . .	8
3.11	Terms defined in ISO 10303-45 . . . . .	9
3.12	Terms defined in ISO 10303-46 . . . . .	9
3.13	Other definitions . . . . .	9
3.14	Abbreviations . . . . .	11
4	Information requirements . . . . .	13
4.1	Units of functionality . . . . .	13
4.2	Application objects . . . . .	85
4.3	Application assertions . . . . .	689
5	Application interpreted model . . . . .	857
5.1	Mapping table . . . . .	857
5.2	AIM EXPRESS short listing . . . . .	2082
6	Conformance requirements . . . . .	2973
6.1	Device Functional and Physical Characterization . . . . .	2976
6.2	Interconnect Technology Constraints . . . . .	2985
6.3	Assembly Technology Constraints . . . . .	2994
6.4	Assembly Functional Requirements . . . . .	3002
6.5	Assembly Physical Requirements . . . . .	3011
6.6	Interconnect Functional Requirements . . . . .	3019
6.7	Interconnect Physical Requirements . . . . .	3027
6.8	Assembly Physical Design . . . . .	3036
6.9	Interconnect Design . . . . .	3046
6.10	Interconnect Design (Microwave) . . . . .	3058
6.11	Geometric Dimensioning and Tolerancing . . . . .	3070
6.12	Product Rule . . . . .	3079
6.13	Functional Decomposition . . . . .	3082
6.14	Package Functional and Physical Characterization . . . . .	3089
6.15	Geometrically Bounded Surface Model . . . . .	3097

## ISO 10303-210:2001(E)

6.16	Wireframe Model With Topology . . . . .	3098
6.17	Advanced Boundary Representation . . . . .	3099
6.18	Constructive Solid Geometry . . . . .	3100
6.19	Extruded Solid . . . . .	3101
6.20	Geometrically Bounded 2d Wireframe Model . . . . .	3101
6.21	Wireframe 2d Model With Topology . . . . .	3102
6.22	Curve 2d . . . . .	3102
6.23	Basic Curve 2d . . . . .	3102
6.24	Laminate Assembly Design . . . . .	3103
6.25	Connection Zone Based Model Extraction . . . . .	3108
6.26	Functional Specification . . . . .	3111
6.27	Physical Unit Physical Characterization . . . . .	3115
6.28	Packaged Part White Box Model . . . . .	3123
6.29	Printed Part Functional and Physical Characterization . . . . .	3132
6.30	Open Shell Model . . . . .	3140
6.31	Assembly Functional Interface Requirements . . . . .	3140
6.32	Assembly Physical Interface Requirements . . . . .	3145
6.33	Assembly Requirement Allocation . . . . .	3152
6.34	Interconnect Requirement Allocation . . . . .	3159
6.35	Functional Requirement Allocation . . . . .	3166
6.36	Product Requirement Allocation . . . . .	3168
6.37	Datum Difference Based Model Definition . . . . .	3171
6.38	Datum Difference Based Characteristic . . . . .	3174
6.39	Design Management . . . . .	3177
Annex A (normative)	AIM EXPRESS expanded listing . . . . .	3183
Annex B (normative)	Short names of entities . . . . .	3674
Annex C (normative)	Implementation method specific requirements . . . . .	3691
Annex D (normative)	Protocol Implementation Conformance Statement (PICS) proforma . . . . .	3692
Annex E (normative)	Information object registration . . . . .	3695
E.1	Document identification . . . . .	3695
E.2	Schema identification . . . . .	3695
Annex F (normative)	Application interpreted constructs . . . . .	3696
F.1	Geometrically bounded surface . . . . .	3696
F.2	Manifold surface . . . . .	3714
Annex G (informative)	Application activity model . . . . .	3731
G.1	Application activity model definitions . . . . .	3731
G.2	Application activity model figures . . . . .	3751
Annex H (informative)	Application reference model . . . . .	3773
H.1	EXPRESS . . . . .	3773
H.2	EXPRESS-G . . . . .	3922



Annex J (informative)	AIM EXPRESS-G	4166
Annex K (informative)	AIM EXPRESS listing	4247
Annex L (informative)	Technical discussions	4248
Bibliography		4321
Index		4324

## Figures

1	Data planning model	xxi
2	Altered_package	89
3	Analytical_model of a resistor	93
4	Array_placement_group	104
5	Assembled_with_bonding	105
6	Assembled_with_fasteners	106
7	Assembly_component	110
8	Assembly_joint	114
9	Assembly_module_usage_view	122
10	Bevel_edge_feature_shape	131
11	Blind_via	133
12	Fabrication drawing detail	139
13	Alternative functions for Bounding_Curve	140
14	Buried_via	141
15	Component_termination_passage_role_in_an_assembly	180
16	Component_termination_passage_cross-section_view	180
17	Component_termination_passage_template terminals	186
18	Partially exploded view of a Conductor	199
19	Conductor	204
20	Contact_size_dependent_land	217
21	Square corners with extend	222
22	Corners with positive extend	223
23	Square corners with truncate	223
24	Round corners	224
25	Curve end treatment	224
26	Completed curve	225
27	Cutout plan view showing installed component	229
28	Cutout cross-section view showing installed component	229
29	Cutout_edge_segment	230
30	Datum	234
31	Datum_based_length_measure	237
32	Datum_system	249
33	Measurement arrangement for minimum_annular_ring	259
34	Dependently_located_layer_connection_point	264
35	Power Plane 1 design intent	270
36	Power Plane 2 design intent	270

## ISO 10303-210:2001(E)

37	Signal 3 design intent . . . . .	271
38	Power Plane 1 to 2 Material removal template . . . . .	271
39	Power Plane 1 to Signal 3 Material removal template . . . . .	271
40	Power Plane 2 to Signal 3 Material removal template . . . . .	272
41	Final shape for the combined signals . . . . .	272
42	Dielectric_material_passage exploded view . . . . .	285
43	Explicitly_located_layer_connection_point . . . . .	329
44	Land to Conductive_interconnect_element Fabrication_joint exploded view . . . . .	333
45	Land to Component_termination_passage exploded view . . . . .	334
46	Schematic presentation of network definition with Functional_units . . . . .	347
47	Complex technology specific land pattern definition . . . . .	372
48	Simple technology specific land pattern definition . . . . .	373
49	Interconnect_module_component_terminal in an assembly . . . . .	376
50	Interconnect_module_terminal . . . . .	385
51	Interface_component . . . . .	388
52	Interfacial_connection . . . . .	391
53	Laminate_text_component . . . . .	397
54	Land . . . . .	400
55	Custom designs for Land_physical_template . . . . .	403
56	Complex land template shapes . . . . .	404
57	Land_template_interface_terminal . . . . .	406
58	Land_template_join_terminal . . . . .	407
59	Material_removal_feature_template supports electrical isolation . . . . .	438
60	Material_removal_feature_template supports thermal isolation and electrical conduction . . . . .	439
61	Next_higher_assembly_relationship . . . . .	448
62	Axial lead . . . . .	457
63	Eight lead SOIC . . . . .	458
64	Eight lead DIP . . . . .	459
65	Twenty lead reversed J lead . . . . .	460
66	Ball grid array . . . . .	461
67	T099 . . . . .	463
68	Package_terminal . . . . .	469
69	Packaged_component_join_terminal . . . . .	474
70	Packaged_connector . . . . .	476
71	Packaged_connector_component . . . . .	477
72	Packaged_part exploded assembly detail . . . . .	481
73	Pca . . . . .	505
74	Pca_usage_view . . . . .	507
75	Circular Pcb tolerances . . . . .	508
76	Complex Pcb tolerances . . . . .	509
77	Bare printed wiring board . . . . .	510
78	Physical_unit_design_view . . . . .	526
79	Plated_inter_stratum_feature cross-section . . . . .	536
80	Exploded view of Plated_inter_stratum_feature . . . . .	537
81	Plated_interconnect_module_edge_segment . . . . .	538
82	Plated_passage . . . . .	539

83	Three-dimensional assembly relationships . . . . .	549
84	Two-dimensional assembly relationships . . . . .	550
85	Twenty pin orientation features . . . . .	551
86	Eight lead gull wing orientation features . . . . .	552
87	Eight lead DIP orientation features . . . . .	553
88	TO-99 orientation features . . . . .	554
89	Ball grid array orientation features . . . . .	555
90	Axial Package modifications and resulting orientations . . . . .	556
91	Primary_reference_terminal and Polarity_indication_feature for discrete devices . . . . .	556
92	Printed_connector_component and associated terminals . . . . .	558
93	Single contact of a Printed_connector_template . . . . .	560
94	Printed_part_cross_section_template . . . . .	563
95	Printed_part_template . . . . .	565
96	Probe_access_area . . . . .	571
97	Process_specification . . . . .	572
98	Radius_edge_feature_shape . . . . .	583
99	Registered_style . . . . .	587
100	Shield . . . . .	608
101	Step_edge_feature_shape . . . . .	619
102	Stratum . . . . .	622
103	Stratum_feature . . . . .	627
104	Styled_text . . . . .	644
105	Sub_assembly_relationship . . . . .	646
106	Thermal_isolation_removal_structure ISO.10303-210:2003 . . . . .	654
107	Trace_template <a href="https://standards.iteh.ai/catalog/standards/sist/9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003">https://standards.iteh.ai/catalog/standards/sist/9b18d87-974c-4a6b-b81f-40c0d2db43f2/sist-en-iso-10303-210-2003</a> . . . . .	669
108	Via . . . . .	676
109	Via_template_terminal . . . . .	680
G.1	Electrical or electronic product life cycle (Context) . . . . .	3752
G.2	Create electrical-electronic product . . . . .	3753
G.3	Develop product . . . . .	3754
G.4	Develop preliminary product definition . . . . .	3755
G.5	Develop detailed architecture . . . . .	3756
G.6	Complete detailed architecture . . . . .	3757
G.7	Define electronic design . . . . .	3758
G.8	Analyse electronic design . . . . .	3759
G.9	Analyse board specialty disciplines . . . . .	3760
G.10	Develop detail product definition . . . . .	3761
G.11	Design mechanical PCA . . . . .	3762
G.12	Evaluate functional mechanical characteristics . . . . .	3763
G.13	Finish detailed PCA definition . . . . .	3764
G.14	Place components . . . . .	3765
G.15	Locate components . . . . .	3766
G.16	Refine placement . . . . .	3767
G.17	Analyse component placement . . . . .	3768
G.18	Route board . . . . .	3769
G.19	Prepare for routing . . . . .	3770

## ISO 10303-210:2001(E)

G.20	Make prototype . . . . .	3771
G.21	Release engineering design . . . . .	3772
H.1	ARM EXPRESS-G Graphic 1 of 243 . . . . .	3923
H.2	ARM EXPRESS-G Graphic 2 of 243 . . . . .	3924
H.3	ARM EXPRESS-G Graphic 3 of 243 . . . . .	3925
H.4	ARM EXPRESS-G Graphic 4 of 243 . . . . .	3926
H.5	ARM EXPRESS-G Graphic 5 of 243 . . . . .	3927
H.6	ARM EXPRESS-G Graphic 6 of 243 . . . . .	3928
H.7	ARM EXPRESS-G Graphic 7 of 243 . . . . .	3929
H.8	ARM EXPRESS-G Graphic 8 of 243 . . . . .	3930
H.9	ARM EXPRESS-G Graphic 9 of 243 . . . . .	3931
H.10	ARM EXPRESS-G Graphic 10 of 243 . . . . .	3932
H.11	ARM EXPRESS-G Graphic 11 of 243 . . . . .	3933
H.12	ARM EXPRESS-G Graphic 12 of 243 . . . . .	3934
H.13	ARM EXPRESS-G Graphic 13 of 243 . . . . .	3935
H.14	ARM EXPRESS-G Graphic 14 of 243 . . . . .	3936
H.15	ARM EXPRESS-G Graphic 15 of 243 . . . . .	3937
H.16	ARM EXPRESS-G Graphic 16 of 243 . . . . .	3938
H.17	ARM EXPRESS-G Graphic 17 of 243 . . . . .	3939
H.18	ARM EXPRESS-G Graphic 18 of 243 . . . . .	3940
H.19	ARM EXPRESS-G Graphic 19 of 243 . . . . .	3941
H.20	ARM EXPRESS-G Graphic 20 of 243 . . . . .	3942
H.21	ARM EXPRESS-G Graphic 21 of 243 . . . . .	3943
H.22	ARM EXPRESS-G Graphic 22 of 243 . . . . .	3944
H.23	ARM EXPRESS-G Graphic 23 of 243 . . . . .	3945
H.24	ARM EXPRESS-G Graphic 24 of 243 . . . . .	3946
H.25	ARM EXPRESS-G Graphic 25 of 243 . . . . .	3947
H.26	ARM EXPRESS-G Graphic 26 of 243 . . . . .	3948
H.27	ARM EXPRESS-G Graphic 27 of 243 . . . . .	3949
H.28	ARM EXPRESS-G Graphic 28 of 243 . . . . .	3950
H.29	ARM EXPRESS-G Graphic 29 of 243 . . . . .	3951
H.30	ARM EXPRESS-G Graphic 30 of 243 . . . . .	3952
H.31	ARM EXPRESS-G Graphic 31 of 243 . . . . .	3953
H.32	ARM EXPRESS-G Graphic 32 of 243 . . . . .	3954
H.33	ARM EXPRESS-G Graphic 33 of 243 . . . . .	3955
H.34	ARM EXPRESS-G Graphic 34 of 243 . . . . .	3956
H.35	ARM EXPRESS-G Graphic 35 of 243 . . . . .	3957
H.36	ARM EXPRESS-G Graphic 36 of 243 . . . . .	3958
H.37	ARM EXPRESS-G Graphic 37 of 243 . . . . .	3959
H.38	ARM EXPRESS-G Graphic 38 of 243 . . . . .	3960
H.39	ARM EXPRESS-G Graphic 39 of 243 . . . . .	3961
H.40	ARM EXPRESS-G Graphic 40 of 243 . . . . .	3962
H.41	ARM EXPRESS-G Graphic 41 of 243 . . . . .	3963
H.42	ARM EXPRESS-G Graphic 42 of 243 . . . . .	3964
H.43	ARM EXPRESS-G Graphic 43 of 243 . . . . .	3965
H.44	ARM EXPRESS-G Graphic 44 of 243 . . . . .	3966

H.45	ARM EXPRESS-G Graphic 45 of 243	3967
H.46	ARM EXPRESS-G Graphic 46 of 243	3968
H.47	ARM EXPRESS-G Graphic 47 of 243	3969
H.48	ARM EXPRESS-G Graphic 48 of 243	3970
H.49	ARM EXPRESS-G Graphic 49 of 243	3971
H.50	ARM EXPRESS-G Graphic 50 of 243	3972
H.51	ARM EXPRESS-G Graphic 51 of 243	3973
H.52	ARM EXPRESS-G Graphic 52 of 243	3974
H.53	ARM EXPRESS-G Graphic 53 of 243	3975
H.54	ARM EXPRESS-G Graphic 54 of 243	3976
H.55	ARM EXPRESS-G Graphic 55 of 243	3977
H.56	ARM EXPRESS-G Graphic 56 of 243	3978
H.57	ARM EXPRESS-G Graphic 57 of 243	3979
H.58	ARM EXPRESS-G Graphic 58 of 243	3980
H.59	ARM EXPRESS-G Graphic 59 of 243	3981
H.60	ARM EXPRESS-G Graphic 60 of 243	3982
H.61	ARM EXPRESS-G Graphic 61 of 243	3983
H.62	ARM EXPRESS-G Graphic 62 of 243	3984
H.63	ARM EXPRESS-G Graphic 63 of 243	3985
H.64	ARM EXPRESS-G Graphic 64 of 243	3986
H.65	ARM EXPRESS-G Graphic 65 of 243	3987
H.66	ARM EXPRESS-G Graphic 66 of 243	3988
H.67	ARM EXPRESS-G Graphic 67 of 243	3989
H.68	ARM EXPRESS-G Graphic 68 of 243	3990
H.69	ARM EXPRESS-G Graphic 69 of 243	3991
H.70	ARM EXPRESS-G Graphic 70 of 243	3992
H.71	ARM EXPRESS-G Graphic 71 of 243	3993
H.72	ARM EXPRESS-G Graphic 72 of 243	3994
H.73	ARM EXPRESS-G Graphic 73 of 243	3995
H.74	ARM EXPRESS-G Graphic 74 of 243	3996
H.75	ARM EXPRESS-G Graphic 75 of 243	3997
H.76	ARM EXPRESS-G Graphic 76 of 243	3998
H.77	ARM EXPRESS-G Graphic 77 of 243	3999
H.78	ARM EXPRESS-G Graphic 78 of 243	4000
H.79	ARM EXPRESS-G Graphic 79 of 243	4001
H.80	ARM EXPRESS-G Graphic 80 of 243	4002
H.81	ARM EXPRESS-G Graphic 81 of 243	4003
H.82	ARM EXPRESS-G Graphic 82 of 243	4004
H.83	ARM EXPRESS-G Graphic 83 of 243	4005
H.84	ARM EXPRESS-G Graphic 84 of 243	4006
H.85	ARM EXPRESS-G Graphic 85 of 243	4007
H.86	ARM EXPRESS-G Graphic 86 of 243	4008
H.87	ARM EXPRESS-G Graphic 87 of 243	4009
H.88	ARM EXPRESS-G Graphic 88 of 243	4010
H.89	ARM EXPRESS-G Graphic 89 of 243	4011
H.90	ARM EXPRESS-G Graphic 90 of 243	4012

## ISO 10303-210:2001(E)

H.91	ARM EXPRESS-G Graphic 91 of 243	4013
H.92	ARM EXPRESS-G Graphic 92 of 243	4014
H.93	ARM EXPRESS-G Graphic 93 of 243	4015
H.94	ARM EXPRESS-G Graphic 94 of 243	4016
H.95	ARM EXPRESS-G Graphic 95 of 243	4017
H.96	ARM EXPRESS-G Graphic 96 of 243	4018
H.97	ARM EXPRESS-G Graphic 97 of 243	4019
H.98	ARM EXPRESS-G Graphic 98 of 243	4020
H.99	ARM EXPRESS-G Graphic 99 of 243	4021
H.100	ARM EXPRESS-G Graphic 100 of 243	4022
H.101	ARM EXPRESS-G Graphic 101 of 243	4023
H.102	ARM EXPRESS-G Graphic 102 of 243	4024
H.103	ARM EXPRESS-G Graphic 103 of 243	4025
H.104	ARM EXPRESS-G Graphic 104 of 243	4026
H.105	ARM EXPRESS-G Graphic 105 of 243	4027
H.106	ARM EXPRESS-G Graphic 106 of 243	4028
H.107	ARM EXPRESS-G Graphic 107 of 243	4029
H.108	ARM EXPRESS-G Graphic 108 of 243	4030
H.109	ARM EXPRESS-G Graphic 109 of 243	4031
H.110	ARM EXPRESS-G Graphic 110 of 243	4032
H.111	ARM EXPRESS-G Graphic 111 of 243	4033
H.112	ARM EXPRESS-G Graphic 112 of 243	4034
H.113	ARM EXPRESS-G Graphic 113 of 243	4035
H.114	ARM EXPRESS-G Graphic 114 of 243	4036
H.115	ARM EXPRESS-G Graphic 115 of 243	4037
H.116	ARM EXPRESS-G Graphic 116 of 243	4038
H.117	ARM EXPRESS-G Graphic 117 of 243	4039
H.118	ARM EXPRESS-G Graphic 118 of 243	4040
H.119	ARM EXPRESS-G Graphic 119 of 243	4041
H.120	ARM EXPRESS-G Graphic 120 of 243	4042
H.121	ARM EXPRESS-G Graphic 121 of 243	4043
H.122	ARM EXPRESS-G Graphic 122 of 243	4044
H.123	ARM EXPRESS-G Graphic 123 of 243	4045
H.124	ARM EXPRESS-G Graphic 124 of 243	4046
H.125	ARM EXPRESS-G Graphic 125 of 243	4047
H.126	ARM EXPRESS-G Graphic 126 of 243	4048
H.127	ARM EXPRESS-G Graphic 127 of 243	4049
H.128	ARM EXPRESS-G Graphic 128 of 243	4050
H.129	ARM EXPRESS-G Graphic 129 of 243	4051
H.130	ARM EXPRESS-G Graphic 130 of 243	4052
H.131	ARM EXPRESS-G Graphic 131 of 243	4053
H.132	ARM EXPRESS-G Graphic 132 of 243	4054
H.133	ARM EXPRESS-G Graphic 133 of 243	4055
H.134	ARM EXPRESS-G Graphic 134 of 243	4056
H.135	ARM EXPRESS-G Graphic 135 of 243	4057
H.136	ARM EXPRESS-G Graphic 136 of 243	4058

## ISO 10303-210:2001(E)

H.137	ARM EXPRESS-G Graphic 137 of 243	4059
H.138	ARM EXPRESS-G Graphic 138 of 243	4060
H.139	ARM EXPRESS-G Graphic 139 of 243	4061
H.140	ARM EXPRESS-G Graphic 140 of 243	4062
H.141	ARM EXPRESS-G Graphic 141 of 243	4063
H.142	ARM EXPRESS-G Graphic 142 of 243	4064
H.143	ARM EXPRESS-G Graphic 143 of 243	4065
H.144	ARM EXPRESS-G Graphic 144 of 243	4066
H.145	ARM EXPRESS-G Graphic 145 of 243	4067
H.146	ARM EXPRESS-G Graphic 146 of 243	4068
H.147	ARM EXPRESS-G Graphic 147 of 243	4069
H.148	ARM EXPRESS-G Graphic 148 of 243	4070
H.149	ARM EXPRESS-G Graphic 149 of 243	4071
H.150	ARM EXPRESS-G Graphic 150 of 243	4072
H.151	ARM EXPRESS-G Graphic 151 of 243	4073
H.152	ARM EXPRESS-G Graphic 152 of 243	4074
H.153	ARM EXPRESS-G Graphic 153 of 243	4075
H.154	ARM EXPRESS-G Graphic 154 of 243	4076
H.155	ARM EXPRESS-G Graphic 155 of 243	4077
H.156	ARM EXPRESS-G Graphic 156 of 243	4078
H.157	ARM EXPRESS-G Graphic 157 of 243	4079
H.158	ARM EXPRESS-G Graphic 158 of 243	4080
H.159	ARM EXPRESS-G Graphic 159 of 243	4081
H.160	ARM EXPRESS-G Graphic 160 of 243	4082
H.161	ARM EXPRESS-G Graphic 161 of 243	4083
H.162	ARM EXPRESS-G Graphic 162 of 243	4084
H.163	ARM EXPRESS-G Graphic 163 of 243	4085
H.164	ARM EXPRESS-G Graphic 164 of 243	4086
H.165	ARM EXPRESS-G Graphic 165 of 243	4087
H.166	ARM EXPRESS-G Graphic 166 of 243	4088
H.167	ARM EXPRESS-G Graphic 167 of 243	4089
H.168	ARM EXPRESS-G Graphic 168 of 243	4090
H.169	ARM EXPRESS-G Graphic 169 of 243	4091
H.170	ARM EXPRESS-G Graphic 170 of 243	4092
H.171	ARM EXPRESS-G Graphic 171 of 243	4093
H.172	ARM EXPRESS-G Graphic 172 of 243	4094
H.173	ARM EXPRESS-G Graphic 173 of 243	4095
H.174	ARM EXPRESS-G Graphic 174 of 243	4096
H.175	ARM EXPRESS-G Graphic 175 of 243	4097
H.176	ARM EXPRESS-G Graphic 176 of 243	4098
H.177	ARM EXPRESS-G Graphic 177 of 243	4099
H.178	ARM EXPRESS-G Graphic 178 of 243	4100
H.179	ARM EXPRESS-G Graphic 179 of 243	4101
H.180	ARM EXPRESS-G Graphic 180 of 243	4102
H.181	ARM EXPRESS-G Graphic 181 of 243	4103
H.182	ARM EXPRESS-G Graphic 182 of 243	4104