



SLOVENSKI STANDARD
SIST EN 62024-2:2009

01-april-2009

J]gc_cZY_j Yb b]]bXi _Hj b]gYghUj b]XY]!'9`Y_f] bY_UfU_hf]gh_Y]b`a Yf]bY
a YrcXY!'&"XY. CXj]gb]]c_`hi `Uj `nU87 #87 `dfYga Yfb]_`f97 `* &\$& (!& &\$, Ł

High frequency inductive components - Electrical characteristics and measuring methods
- Part 2: Rated current of inductors for DC to DC converters (IEC 62024-2:2008)

Induktive Hochfrequenz-Bauelemente - Elektrische Eigenschaften und Messmethoden -
Teil 2: Bemessungsstrom von Drosselspulen für DC/DC-Wandler (IEC 62024-2:2008)

Composants inductifs à haute fréquence - Caractéristiques électriques et méthodes de
mesure - Partie 2: Courant assigné des bobines d'induction des convertisseurs continus-
continus (IEC 62024-2:2008)

Ta slovenski standard je istoveten z: EN 62024-2:2009

ICS:

29.100.10 Magnetne komponente Magnetic components

SIST EN 62024-2:2009 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62024-2:2009

<https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-2e0e30737dad/sist-en-62024-2-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62024-2

January 2009

ICS 29.100.10

English version

**High frequency inductive components -
Electrical characteristics and measuring methods -
Part 2: Rated current of inductors for DC to DC converters
(IEC 62024-2:2008)**

Composants inductifs à haute fréquence -
Caractéristiques électriques
et méthodes de mesure -
Partie 2: Courant assigné
des bobines d'induction
des convertisseurs continus-continus
(CEI 62024-2:2008)

Induktive Hochfrequenz-Bauelemente -
Elektrische Eigenschaften
und Messmethoden -
Teil 2: Bemessungsstrom
von Drosselspulen für DC/DC-Wandler
(IEC 62024-2:2008)

ITeh STANDARD PREVIEW
(standards.iteh.ai)

This European Standard was approved by CENELEC on 2008-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 51/937/FDIS, future edition 1 of IEC 62024-2, prepared by IEC TC 51, Magnetic components and ferrite materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62024-2 on 2008-12-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-09-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-12-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62024-2:2008 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62024-2:2009

<https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-2e0e30737dad/sist-en-62024-2-2009>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	- ¹⁾	Environmental testing - Part 1: General and guidance	EN 60068-1	1994 ²⁾
IEC 62025-1	- ¹⁾	High frequency inductive components - Non-electrical characteristics and measuring methods - Part 1: Fixed, surface mounted inductors for use in electronic and telecommunication equipment	EN 62025-1	2007 ²⁾

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62024-2:2009

<https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-2e0e30737dad/sist-en-62024-2-2009>

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62024-2:2009

<https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-2e0e30737dad/sist-en-62024-2-2009>



IEC 62024-2

Edition 1.0 2008-10

INTERNATIONAL STANDARD

High frequency inductive components – Electrical characteristics and measuring methods –
Part 2: Rated current of inductors for DC to DC converters

ITeH STANDARD PREVIEW
(standards.iteh.ai)
SIST EN 62024-2:2009
<https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-2e0e30737dad/sist-en-62024-2-2009>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

P

ICS 29.100.10

ISBN 2-8318-1003-7

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Standard atmospheric conditions	6
4.1 Standard atmospheric conditions for testing	6
4.2 Reference conditions.....	6
5 Measuring method of DC saturation limited current.....	6
5.1 General.....	6
5.2 Test conditions	6
5.3 Measurement circuit and calculation.....	7
5.4 Attachment jig of inductor.....	8
5.5 Measuring method.....	8
5.6 Quality conformance inspection.....	8
6 Measuring method of temperature rise limited current	8
6.1 General.....	8
6.2 Test conditions.....	9
6.3 Measurement jig.....	9
6.3.1 Printed-wiring board method.....	9
6.3.2 Lead wire method.....	11
6.4 Measuring method and calculation	12
6.4.1 Resistance-substitution method.....	12
6.4.2 Thermo-couple method.....	13
6.5 Quality conformance inspection.....	14
7 Determination of rated current	14
8 Information to be given in the detail specification.....	14
8.1 Measuring method of DC saturation limited current	14
8.2 Measuring method of temperature rise limited current	15
Annex A (informative) Example of recommended description on product specification sheets and catalogues	16
Figure 1 – Inductance measurement circuit under application of DC saturation condition.....	7
Figure 2a) – Example of printed-wiring board for SMD type	10
Figure 2b) – Example of printed-wiring board for leaded type.....	11
Figure 2 – Example of printed-wiring board.....	11
Figure 3 – Temperature rise measurement circuit by resistance substitution method.....	12
Figure 4 – Temperature rise measurement circuit by thermo-couple method	13
Table 1 – Width of circuits	9
Table 2 – Wire size of circuits	12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HIGH FREQUENCY INDUCTIVE COMPONENTS –
ELECTRICAL CHARACTERISTICS AND MEASURING METHODS –**

Part 2: Rated current of inductors for DC to DC converters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62024-2 has been prepared IEC technical committee 51: Magnetic components and ferrite materials.

The text of this standard is based on the following documents:

FDIS	Report on voting
51/937/FDIS	51/941/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62024 series, under the general title *High frequency inductive components – Electrical characteristics and measuring methods*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62024-2:2009

<https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-2e0e30737dad/sist-en-62024-2-2009>

HIGH FREQUENCY INDUCTIVE COMPONENTS – ELECTRICAL CHARACTERISTICS AND MEASURING METHODS –

Part 2: Rated current of inductors for DC to DC converters

1 Scope

This part of IEC 62024 specifies the measuring methods of the rated direct current limits for small inductors.

Standardized measuring methods for the determination of ratings enable users to accurately compare the current ratings given in various manufacturers' data books.

This standard is applicable to leaded and surface mount inductors with dimensions according to IEC 62025-1 and generally with rated current less than 22 A, although inductors with rated current greater than 22 A are available that fall within the dimension restrictions of this standard (no larger than 12 mm × 12 mm footprint approximately). These inductors are typically used in DC to DC converters built on PCB, for electric and telecommunication equipment, and small size switching power supply units.

The measuring methods are defined by the saturation and temperature rise limitations induced solely by direct current.

STANDARD PREVIEW
(standards.iteh.ai)

2 Normative references

SIST EN 62024-2:2009

[https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-](https://standards.iteh.ai/catalog/standards/sist/47606ad3-014c-4c4d-b901-7e1307e4d1d5/sist-62024-2:2009)

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 62025-1, *High frequency inductive components – Non-electrical characteristics and measuring methods – Part 1: Fixed, surface mounted inductors for use in electronic and telecommunication equipment*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

DC saturation limited current

allowable value of DC current for which the decrease of the inductance is within the specified value

3.2

temperature rise limited current

allowable value of DC current for which the self-generation heat of the inductor results in temperature rise within the specified value