

INTERNATIONAL STANDARD

Specification of technical grade sulphur hexafluoride (SF₆) and complementary gases to be used in its mixtures for use in electrical equipment

(<https://standards.iteh.ai>)

Document Preview

[IEC 60376:2018](#)

<https://standards.iteh.ai/catalog/standards/iec/96300898-fa6a-4bbd-aa05-a24f325b8e73/iec-60376-2018>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

[IEC 60376:2018](https://standards.iteh.ai/DocumentDetails/IEC/60376/2018)

<https://standards.iteh.ai/catalog/standards/iec/96300898-fa6a-4bbd-aa05-a24f325b8e73/iec-60376-2018>

INTERNATIONAL STANDARD

Specification of technical grade sulphur hexafluoride (SF₆) and complementary gases to be used in its mixtures for use in electrical equipment

[\(https://standards.iteh.ai/\)](https://standards.iteh.ai/)
Document Preview

[IEC 60376:2018](https://standards.iteh.ai/catalog/standards/iec/96300898-fa6a-4bbd-aa05-a24f325b8e73/iec-60376-2018)

<https://standards.iteh.ai/catalog/standards/iec/96300898-fa6a-4bbd-aa05-a24f325b8e73/iec-60376-2018>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.040.20

ISBN 978-2-8322-5744-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviated terms	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms.....	7
4 General requirements	8
5 Requirements for technical grade SF ₆	8
6 Requirements for complementary gases to be used in SF ₆ mixtures.....	9
7 Environmental impact	10
8 Handling, storage and transportation	10
8.1 Gas handling procedures	10
8.2 Storage and transportation.....	10
Annex A (informative) Sulphur hexafluoride	11
A.1 General.....	11
A.2 Chemical properties	11
A.3 Physical properties	11
A.4 Electrical properties	12
Annex B (informative) Environmental effects of SF ₆ and its mixtures	14
B.1 General.....	14
B.2 Ecotoxicology	14
B.3 Ozone depletion.....	14
B.4 Global warming/climate change (greenhouse effect)	14
B.5 Reducing the environmental impact of the use of SF ₆ and CF ₄ in electrical equipment	15
Annex C (informative) Detection techniques.....	16
C.1 Detection techniques of SF ₆	16
C.2 Detection techniques of N ₂	17
C.3 Detection techniques of CF ₄	17
Bibliography.....	18
Figure A.1 – Pressure/temperature/density characteristics for SF ₆ [3]	12
Table 1 – Requirements for technical grade SF ₆	8
Table 2 – Requirements for N ₂ to be used in SF ₆ mixtures.....	9
Table 3 – Requirements for CF ₄ to be used in SF ₆ mixtures.....	9
Table A.1 – Main chemical characteristics of SF ₆ [3]	11
Table A.2 – Main physical characteristics of SF ₆ [3]	12
Table A.3 – Main electrical characteristics of SF ₆ [3].....	13
Table C.1 – Detection techniques for laboratory analysis of technical grade SF ₆ (not exhaustive).....	16
Table C.2 – Detection techniques for on-site analysis of technical grade SF ₆ (not exhaustive).....	16

Table C.3 – Detection techniques for laboratory analysis of technical grade N ₂ used in SF ₆ mixtures (not exhaustive).....	17
Table C.4 – Detection techniques for laboratory analysis of technical grade CF ₄ used in SF ₆ mixtures (not exhaustive).....	17

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60376:2018](#)

<https://standards.iteh.ai/catalog/standards/iec/96300898-fa6a-4bbd-aa05-a24f325b8e73/iec-60376-2018>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SPECIFICATION OF TECHNICAL GRADE SULPHUR
HEXAFLUORIDE (SF₆) AND COMPLEMENTARY GASES
TO BE USED IN ITS MIXTURES FOR USE IN ELECTRICAL EQUIPMENT****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60376 has been prepared by IEC technical committee 10: Fluids for electrotechnical applications.

This third edition cancels and replaces the second edition published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the requirements for the use of SF₆ in electrical equipment have been confirmed;
- b) a specification for complementary gases to be used in SF₆ mixtures with N₂ and CF₄ has been included;
- c) the introduction and scope have been merged;
- d) a new repartition of the annexes of IEC 60376, IEC 60480 and IEC 62271-4 has been included.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
10/1056/FDIS	10/1060/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[IEC 60376:2018](#)

<https://standards.itih.ai/catalog/standards/iec/96300898-fa6a-4bbd-aa05-a24f325b8e73/iec-60376-2018>

SPECIFICATION OF TECHNICAL GRADE SULPHUR HEXAFLUORIDE (SF₆) AND COMPLEMENTARY GASES TO BE USED IN ITS MIXTURES FOR USE IN ELECTRICAL EQUIPMENT

1 Scope

This document defines the quality for technical grade sulphur hexafluoride (SF₆) and complementary gases such as nitrogen (N₂) and carbon tetra-fluoride (CF₄), for use in electrical equipment. Detection techniques, covering both laboratory and in-situ portable instrumentation, applicable to the analysis of SF₆, N₂ and CF₄ gases prior to the introduction of these gases into the electrical equipment are also described in this document.

This document provides some information on sulphur hexafluoride in Annex A and on the environmental effects of SF₆ in Annex B.

Information about SF₆ by-products and the procedure for evaluating the potential effects of SF₆ by-products on human health are covered by IEC 60480, their handling and disposal being carried out according to international and local regulations with regard to the impact on the environment. Handling of SF₆ and its mixtures is covered by IEC 62271-4.

Procedures to determine SF₆ leakages are described in IEC 60068-2-17.

For the purposes of this document, the complementary gases used in SF₆ mixtures will be limited to N₂ or CF₄.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-212, *International Electrotechnical Vocabulary – Part 212: Electrical insulating solids, liquids and gases* (available at <http://www.electropedia.org>)

IEC 60050-441, *International Electrotechnical Vocabulary – Part 441: Switchgear, controlgear and fuses* (available at <http://www.electropedia.org>)

IEC 60050-826, *International Electrotechnical Vocabulary – Part 826: Electrical installations* (available at <http://www.electropedia.org>)

IEC 60480, *Guidelines for the checking and treatment of sulphur hexafluoride (SF₆) taken from electrical equipment and specification for its re-use*

IEC 62271-4, *High-voltage switchgear and controlgear – Part 4: Handling procedures for sulphur hexafluoride (SF₆) and its mixtures*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-212, IEC 60050-441 and IEC 60050-826 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE Some of the more important terms are listed here for easy reference.

3.1.1

electrical equipment

item used for such purposes as generation, conversion, transmission, distribution or utilization of electrical energy, such as electric machines, transformers, switchgear and controlgear, measuring instruments, protective devices, wiring systems, current-using equipment, insulated bushings, surge arresters

[SOURCE: IEC 60050-826:2004, 826-16-01, modified – "insulated bushings, surge arresters" has been added.]

3.1.2

technical grade SF₆

SF₆ gas having a very low level of contaminants in accordance with IEC 60376:2018, Table 1

3.1.3

SF₆ mixture

gas mixture formed by SF₆ and a complementary gas, typically N₂ or CF₄

3.1.4

container

vessel (cylinder) suitable for the containment of pressurized gases either in gaseous or liquid phase, according to local and/or international safety and transportation regulations

3.1.5

contaminant

foreign substance or material in an insulating liquid or gas which usually has a deleterious effect on one or more properties

[SOURCE: IEC 60050-212:2010, 212-17-27, modified – "solid" has been removed.]

3.2 Abbreviated terms

GCB	gas circuit breaker
GIL	gas insulated line
GIS	gas insulated switchgear
GIT	gas insulated transformer
GVT	gas insulated voltage transformer
LCA	life cycle assessment
OEM	original equipment manufacturer
GWP	global warming potential

4 General requirements

It is the responsibility of the supplier to guarantee that the delivered gas or gas mixture is non-toxic, in accordance with international and local regulations.

5 Requirements for technical grade SF₆

SF₆ for use in electrical equipment as pure gas or in an SF₆ mixture shall fulfil requirements given in Table 1. The accuracy of the measuring devices shall be taken into account when checking the quality of the gas.

Further handling and storage of the gas and operation of equipment may introduce additional quantities of contaminants. This situation is covered in IEC 60480.

Table 1 – Requirements for technical grade SF₆

Substance	Concentration
SF ₆	> 98,5 % volume in the gas phase For use in mixtures: > 99,7 % volume in the gas phase
Air	< 10 000 µl/l (i.e. 1 % volume) for pure SF ₆ For use in mixtures: < 2 000 µl/l (i.e. 0,2 % volume)
CF ₄	< 4 000 µl/l (i.e. 0,4 % volume) for pure SF ₆ For use in mixtures: < 800 µl/l (i.e. 0,08 % volume)
H ₂ O	< 200 µl/l (i.e. 200 ppmv)
Mineral oil	< 10 mg/kg (i.e. 10 ppmw)
Total acidity	< 7 µl/l (i.e. 7 ppmv)
Key	
ppmv = parts per million by volume	
ppmw = parts per million by weight	

Regarding the values in Table 1 and depending on the situation, the following considerations shall be taken into account:

- The error in the final mixing percentage of the SF₆ gas mixture mainly depends on handling and purity of SF₆ and the complementary gas. The error due to handling can be reduced by using gas mixing devices, or high accuracy manometers and thermometers (e.g. class 0.1 or better). The error due to purity can be reduced by using high purity gases (e.g. 99,9 % volume or higher).
- SF₆ for use in filling electrical equipment shall fulfil specifications given in Table 1. This is with the exception of gas mixtures with a rated tolerance specified by the original equipment manufacturer (OEM) to be less than ± 5 % by volume of the SF₆ percentage. In that case, to limit the total uncertainty after a typical gas handling operation such as re-filling in order to comply with OEM specifications on the mixture composition ratio, higher SF₆ purity grade > 99,7 % volume shall be used.
- For the determination of total acidity, the sum of all acidic compounds is reported as one value and expressed as HF equivalent. For further information, refer to [1]¹ and [2].
- For humidity measurement, the limit expressed in Table 1 is equivalent to –36 °C frost point at 100 kPa.

¹ Numbers in square brackets refer to the Bibliography.